2009

Computer Aided Modeling of Soil Mix Designs to Predict Characteristics and Properties of Stabilized Road Bases

Charles W. Berryman Ph.D., CPC
University of Nebraska-Lincoln

Wayne Jensen Ph.D.
University of Nebraska-Lincoln, wayne.jensen@unl.edu

Tim Hensley P.E.
University of Nebraska-Lincoln

Nebraska Transportation Center

MID-AMERICA TRANSPORTATION CENTER

NDOR Nebraska Department of Roads

Report SPR-P1 (09) P319

Final Report

26-1114-0022-001

Computer Aided Modeling of Soil Mix Designs to Predict Characteristics and Properties of Stabilized Road Bases

Charles W. Berryman, Ph.D., CPC
Professor
Durham School of Architectural Engineering & Construction
University of Nebraska-Lincoln

Wayne Jensen, Ph.D.
Associate Professor

Tim Hensley, P.E.
Graduate Research Assistant

2009

Nebraska Transportation Center
262 WHIT
2200 Vine Street
Lincoln, NE 68583-0851
(402) 472-1975

"This report was funded in part through grant[s] from the Federal Highway Administration [and Federal Transit Administration], U.S. Department of Transportation. The views and opinions of the authors [or agency] expressed herein do not necessarily state or reflect those of the U. S. Department of Transportation."

Technical Report Documentation Page

1. Report No. SPR-1(09)P319	2. Government Accession No.	3. Recipient's Catalog No.
4. Title and Subtitle Computer Aided Modeling of Soil Mix Designs to Predict Characteristics and Properties of Stabilized Road Bases		5. Report Date July, 2009
		6. Performing Organization Code
7. Author(s) Charles W. Berryman, Wayne Jensen, Tim Hensley		8. Performing Organization Report No. SPR-1(09)P319
9. Performing Organization Name and Address Mid-America Transportation Center 2200 Vine St. PO Box 830851 Lincoln, NE 68583-0851		10. Work Unit No. (TRAIS)
		11. Contract or Grant No.
12. Sponsoring Agency Name and Address Nebraska Department of Roads 1500 Hwy. 2 Lincoln, NE 68502		13. Type of Report and Period Covered July 1, 2009-June 30, 2009
		14. Sponsoring Agency Code MATC TRB RiP No. 17016
15. Supplementary Notes		

16. Abstract

Considerable data exists for soils that were tested and documented, both for native properties and properties with pozzolan stabilization. While the data exists there was no database for the Nebraska Department of Roads to retrieve this data for predicting soil properties. The conventional methods used to determine soil properties, such as maximum laboratory density and optimum moisture content, were tedious, labor intensive and time consuming. When soil stabilization is involved, more time and efforts are needed to determine maximum laboratory density, optimum moisture content and optimum pozzolan content. The objective of this project was to develop a computerized model to predict the soil properties of a given GI soil type using additives for soil stabilization. The model is able to predict the maximum laboratory density and optimum moisture content of native soil. Additionally the model can determine an optimum pozzolan percentage of soil stabilization.

17. Key Words Soil mix designs; modeling	18. Distribution Statement		
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 129	22. Price

COMPUTER AIDED MODELING OF SOIL MIX DESIGNS TO PREDICT CHARACTERISTICS AND PROPERTIES OF STABILIZED ROAD BASES

FINAL REPORT P319

by

Charles W. Berryman, PhD

Wayne Jensen, PhD

Tim Hensley, PE

University of Nebraska Lincoln

THE DURHAM SCHOOL
COLLEGE OF ENGINEERING
CHARLES W. DURHAM SCHOOL OF ARCHITECTURAL ENGINEERING AND CONSTRUCTION
CONSTRUCTION MANAGEMENT

This report was funded in part through grant[s] from the Federal Highway Administration [and Federal Transit Administration], U.S. Department of Transportation. The views and opinions of the authors [or agency] expressed herein do not necessarily state or reflect those of the U. S. Department of Transportation.

TABLE OF CONTENTS

TABLE OF FIGURES

INTRODUCTION

There is considerable data available for the use of stabilization of soils with pozzolan additives such as lime, cement kiln dust (CKD), and fly ash. While the data exists, there is currently no database available for the Nebraska Department of Roads (NDOR) to store and/or retrieve this data for the prediction of soil properties. The conventional methods used to determine many soil properties can be repetitious, labor intensive, and time consuming (e.g. maximum laboratory density, optimum moisture content, percent pozzolan additive, optimum compressive strength, and modified plasticity index).

Purpose

The purpose of this research was to develop a computerized model to predict soil properties stabilized using additives such as lime, CKD, and flyash. Properties were based on specified soils using the Nebraska Group Index (NGI). The model is able to predict the maximum laboratory density and optimum moisture content for native soils. It will also predict the soil properties of NGI soils stabilized with pozzolan additives, including maximum laboratory density, optimum moisture content, unconfined compressive strength, and modified plasticity index. A review of the literature demonstrated that is it is very possible to create a soil prediction model through specialized software applications like artificial neural networks (ANN). The research Team and NDOR elected to use Microsoft Excel 2007 to create the model due to ease of use and the commonality of the program within NDOR staff.

LITERATURE REVIEW

The literature review for research of prediction models of soil stabilized properties showed limited information available in this area. Models were found that depicted stabilized soil properties consisting of charts, diagrams, and computer models. Many studies exist showing computer aided modeling of different soil properties using ANNs but no research could be found that implemented Microsoft Excel models or programs.

Prediction Models

Several government agencies have developed manuals for researched soils and properties of stabilized soils. Research established criteria for improving engineering properties of soils used for pavement base structures. In theses manuals, the optimum types of additives were determined for different soil types. Based on soil type, plasticity index, and amount passing the #200 sieve, a recommended additive can be found. The manuals also provide estimated contents for hydrated lime, cement, and bitumen contents [1].

Research efforts developed a soil moisture strength prediction model, not for predicting soil stabilized strengths, but for predicting soil strengths for native soils and providing documentation of the model's ability to determine soil strengths[2]. In one particular study, a model was used to predict soil moisture characteristic from particle size distribution and bulk density data. The study concluded that the overall predictive ability of the model was reasonable[3].

Another study demonstrated how a model was developed to predict the resilient modulus of soils; however, this study was performed only on Ohio native soils and only tested identified problem soils (noted as A-4, A-6, and A-7-6 AASHTO soil types). This model was designed for native soils. Stabilized soils were excluded from laboratory testing. The experimental program used typical key components (i.e. liquid limits, plasticity index, etc.; same used in this NDOR study) and successfully demonstrated how ANNs can be used to predict resilient modulus along with unconfined compressive strength and resilient modulus [4].

Numerous other studies have been completed over the years showing the use of ANNs and their application. Since the early 1990's, ANNs have been effectively used in almost every

aspect of geotechnical engineering. The documentation from ANNs illustrate its use for the prediction of axial and lateral load capacities in uplift of pile foundations and compression [5-17], ground anchors [15,18-21] and drilled shafts[22]. Many researchers have deemed this type of computerized modeling reliable and practical alternative for determining constitutive monotonic and hysteretic behavior of geomaterials [23-46].

ANN's applications have been used in the development of estimating several soil properties such as: soil density[47], soil classification[48], pre-consolidation pressure[49], compaction, permeability[47,50-55], shear strength , stress history[54-57], and swell pressure [58-59]. The same concepts have been applied to settlement prediction of shallow foundations on cohesionless soils by researchers[18-20,60-66].

Estimating the bearing capacity of shallow foundations was also investigated using ANNs [67-68]. Other geotechnical applications include; tunnels and underground openings [69-77], geoenvironmental engineering [78], site characterization [75,79-86] rock mechanics [87], retaining walls [88-89], blasting [90], mining [91-92], and dams [93].

It was observed that the neural network successfully modeled the pile load capacity [9-10] while predicting ultimate bearing capacity of piles. Predicted values from the software matched the measured values better than that calculated by Meyerhof's equation [13]. Additionally, research found three ANN computerized models predicting capacity of driven piles in cohesionless soils. Results showed high coefficients of determination (0.95) for all data in computer model, while other methods only had coefficients of determinations between 0.52 and 0.63 [5].

In related research, ANNs were developed to predict the settlement in shallow foundations. While traditional methods overestimated the settlement by two to three times, the computer predictions appeared to be extremely accurate [66]. In a separate but similar study, researchers developed a computerized model to predict soil properties and behavior between relative density and cone penetration test. The model was found to have high coefficients of correlation 0.97 and 0.91 for training and testing data, which indicated the ANN had successfully modeled the non-linear relationships [10,94]. When an ANN was used in the determination of liquefaction (phenomenon that loose and saturated sands caused by earthquakes) it was found to have a 94% success rate [95]. Application of a similar type computer model was developed to estimate maximum wall deflections for braced excavation in soft clays. The results from this study produced coefficients of correlation of 0.984 and 0.967 and additional testing (from actual

cases) confirmed the performance of the trained ANN model [88]. When an ANN was used for slope stability, several hypothetical slopes were evaluated by analytical and ANN models. The results were in favorable agreement when compared to the analytical model [76].

ANNs have also been used in several other areas in heavy highway construction. Research of a computerized system was developed for predicting earthmoving production and demonstrated its use in predicting earthmoving operations [96]. Documented uses of ANNs for the use of concrete mix designs were tested. Results determined the designs were within acceptable ranges, thus validating the use of computerized modeling [97]. Research involving use of ANN for construction cost estimation [98], estimating construction productivity [99], and modeling construction management [100] has shown success. Other research has focused on the use of ANNs for backcalculation of layer moduli obtaining data from a falling weight deflectometer. They found the ANNs to be successful in determining layer moduli further providing pavement engineers and designers the ability to rapidly analyze huge numbers of pavement deflections [101].

UNL researchers found only one study similar to one contained within this report. This particular study utilized a model to predict the maximum dry density (MDD) and optimum moisture content (OMC) of stabilized soil. To the best of the researchers' knowledge, this was the first time radial basis function (RBF) neural networks were used to predict MDD and OMC.

The literature demonstrates that the use of a computerized prediction model would avoid extensive and cumbersome laboratory testing [102]. Although there is limited information on computer aided models for the prediction of stabilized soils, the information found demonstrates the ability of computer programs (e.g. ANNs) to model different soil properties. NDOR and the research team chose to utilize Microsoft Excel 2007 this research project. Excel has the internal software needed to statically analyze data while being user friendly. This software is readily available to NDOR. It is commonly used by their staff and server operations. Changes to the develop software program could be easily accomplished by their current technology support personnel.

Research Objectives

Primary objectives expected from this research study:

- Allow designers, contractors, and managers to develop a better understanding of soil types

and characteristics for designing, bidding and constructing purposes.

- Provide accurate soil property predictions with considerably less resources than required when completing soil test procedures
- Decrease project delay time by providing designers with the ability to predict soil properties as soils change throughout construction process.
- Provide better compaction confidence given the ability to predict soil properties on demand with multiple soil types on projects.
- Establish a soils database with stabilized soil properties.

Implementation

The Nebraska Group Index (NGI) is the basis for the soil classification system used in the model. If the NGI is unknown and the native soil properties are entered, the NGI can be determined. The model was originally developed as a prototype functioning with limited data collected from previous research performed for the NDOR. It allows the user to input raw data to build the database. Once inside "view/modify" database mode, the user is able to insert, edit, or delete data. The software also allows the user to enter the "design mode". In this mode the user picks from options such as type and percent of pozzolan additive, liquid limit (LL), plasticity index (PI), and percent minus #200 of native soil. The model then predicts results for design specifications based upon NDOR guidelines. The user is allowed to choose a specific pozzolan percentage from within a range. Results from the design mode include

- NGI,
- maximum laboratory density (MLD),
- optimum moisture content (OMC),
- unconfined compressive strength (UCS),
- plasticity index (PI),
- r-squared value, and
- number of samples used in the prediction of the modified soil.

The user may also select the "native option" inside this same mode, which provides native soil properties for maximum laboratory density, optimum moisture content, and number of samples used in the prediction.

METHODOLGY

This section contains a description of methods used in this study. The data used for creating and testing the prediction model was retrieved from a previous NDOR project. Figure 1 shows the flow chart for the prediction model.

Figure 1: Flow chart of the analytical process



Native Properties

The native soil properties were averaged to predict MLD and OMC. The six native soil properties utilized in the historical database are NGI, LL, PI, percent passing #200 sieve, MLD, and MLD OMC.

Modified Properties

Additive type, Additive percent, MLD, MLD OMC, maximum UCS, UCS OMC, and PI are the modified properties used in the historical database. The modified properties for flyash and CKD were statistically analyzed with the following equation.

$$y = (c2 * x^2) + (c1 * x) + b$$

Whereas

c2 = Index(Linest(y, x^{1,2},1)

c1 = Index(Linest(y, x^{1,2},1,2)

b = Index(Linest(y, x^{1,2},1,3)

This equation is used so data such as MLD vs. percent additive will create a statistical trendline thus making it possible to predict properties from a given percent of additive. The model works with different soil types that are established by the NDOR developed NGI group. The LL, PI, and percent passing #200 entries will be used in calculating NGI and shown on the output screen. When the soil data is entered into the model it searches the database for only that NGI soil type. The NGI is calculated from equations that were derived from the Nebraska Group Index Charts. It then statistically develops a trendline for that same soil type using additive and percentages associated with that NGI. Once the equation for the line is determined, modified properties can be predicted for the percent of additive required to meet NDOR criteria.

Soil that has been modified with lime will be displayed showing only one lime percentage which corresponds to the percentage determined by the Eades and Grim test. This test uses pH to estimate the optimal lime proportion required for soil stabilization. CKD and flyash additives are evaluated at three commonly used percentages each (5, 7, and 9 percent for CKD and 10, 13, and

15 percent for flyash). For lime a single concentration is used to calculate MLD, MLD OMC, maximum UCS, UCS OMC, and PI. Consequently, the only method to predict properties for lime modified soil is by averaging data.

CONCLUSION

The soil prediction model for stabilized road bases was successfully developed as a prototype functioning with limited data. Once researchers completed testing, all test data was removed from the software. It now returns with a "no data" error until loaded with actual laboratory date. Once filled, it will predict the maximum laboratory density and optimum moisture content of native soils. Additionally, the model will determine a maximum laboratory density, optimum moisture content, unconfined compressive strength, and plasticity index of specified pozzolan percentages for soil stabilization using lime, flyash, and CKD. Native and stabilized soils will have 14 data points obtained for each Nebraska Group Index (NGI). These key inputs will include: highway, mile marker, soil type (NGI), liquid limit, plasticity index, percent passing the #200 sieve, maximum lab density (native), optimum moisture content (native), percent pozzolan additive, maximum lab density (modified), optimum moisture content (modified), maximum unconfined compressive strength, plasticity index (modified), and year.

The prediction model operates using Microsoft Excel and Visual Basic Applications (VBA). The use of these particular computer applications is important because of the statistical analysis they provide while making the overall program simple to operate. The system provides NDOR with an almost unlimited database. It is set up so field and office personel can enter laboratory stabilized soil properties into the database. Once the database is filled, the software can be used to predict properties of pozzolan modified soils and specified percentages of pozzolan needed to stabilize road bases. Appendix A contains a Manual with screens shots depicting the operation of the prediction model. It also shows the interface design and output screens. Appendix B is an archive of the algorithms and macro codes used in the development of this software.

REFERENCES

1. Department of the Army, the Navy, and the Air Force (2004). Soil stabilization for pavements. Unified Facilities Criteria (UFC), UFC 3-250-11.

2. U.S. Army Corps of Engineers (1997). Soil Moisture Strength Prediction Model Version II (SMSP II). Technical Report GL-97-15.

3. Boscardin M., Selig E., Lin R. (1990). Hyperbolic Parameters for Compacted Soils. Journal of Geotechnical Engineering, Vol. 116, No. 1, January 1990, pp. 88-104.

4. Hanittinan W. (2007). Resilient modulus prediction using neural network algorithms. PhD Thesis, The Ohio State University.

5. Abu-Kiefa, M. A. (1998). General regression neural networks for driven piles in cohesionless soils. Journal of Geotechnical & Geoenviromental Engineering, ASCE, 124(12), 1177-1185.

6. Ahmad, I., El Naggar, H., and Kahn, A. N. (2007). Artificial neural network application to estimate kinematic soil pile interaction response parameters. Soil Dynamics and Earthquake Engineering, 27(9), 892-905.

7. Chan, W. T., Chow, Y. K., and Liu, L. F. (1995). Neural network: An alternative to pile driving formulas. Computers and Geotechnics, 17, 135-156.

8. Das, S. K., and Basudhar, P. K. (2006). Undrained lateral load capacity of piles in clay using artificial neural network. Computers and Geotechnics, 33(8), 454-459.

9. Goh, A. T. C. (1994a). Nonlinear modeling in geotechnical engineering using neural networks. Australian Civil Engineering Transactions, CE36(4), 293-297.

10. Goh, A. T. C. (1995a). Empirical design in geotechnics using neural networks. Geotechnique, 45(4), 709-714.

11. Goh, A. T. C. (1996b). "Pile driving records reanalyzed using neural networks. Journal of Geotechnical Engineering, ASCE, 122(6), 492-495.

12. Hanna, A. M., Morcous, G., and Helmy, M. (2004). Efficiency of pile groups installed in cohesionless soil using artificial neural networks. Canadian Geotechnical Journal, 41(6), 1241-1249.

13. Lee, I. M., and Lee, J. H. (1996). Prediction of pile bearing capacity using artificial neural networks. Computers and Geotechnics, 18(3), 189-200.

14. Nawari, N. O., Liang, R., and Nusairat, J. (1999). Artificial intelligence techniques for the design and analysis of deep foundations. Electronic Journal of Geotechnical Engineering, http://geotech.civeng.okstate.edu/ejge/ppr9909.

15. Rahman, M. S., Wang, J., Deng, W., and Carter, J. P. (2001). A neural network model for the uplift capacity of suction cassions. Computers and Geotechnics, 28(4), 269-287.

16. Shahin, M. A., and Jaksa, M. B. (2008). Intelligent computing for predicting axial capacity of drilled shafts. International Foundation Congress and Equipment Expo '09, Florida.

17. Teh, C. I., Wong, K. S., Goh, A. T. C., and Jaritngam, S. (1997). Prediction of pile capacity using neural networks. Journal of Computing in Civil Engineering, ASCE, 11(2), 129-138.

18. Shahin, M. A., Jaksa, M. B., and Maier, H. R. (2004a). Application of neural networks in foundation engineering. International e-Conference on Modern Trends in Foundation Engineering: Geotechnical Challenges & Solutions, http://www.civil.iitm.ac.in.

19. Shahin, M. A., Jaksa, M. B., and Maier, H. R. (2005a). Neural network based stochastic design charts for settlement prediction." Canadian Geotechnical Journal, 42(1), 110-120.

20. Shahin, M. A., Jaksa, M. B., and Maier, H. R. (2005b). Stochastic simulation of settlement of shallow foundations based on a deterministic neural network model. Proceedings of the International Congress on Modeling and Simulation, MODSIM 2005, Melbourne (Australia), 73-78.

21. Shahin, M. A., and Jaksa, M. B. (2006). Pullout capacity of small ground anchors by direct cone penetration test methods and neural methods. Canadian Geotechnical Journal, 43(6), 626-637.

22. Goh, A. T., Kulhawy, F. H., and Chua, C. G. (2005). Bayesian neural network analysis of undrained side resistance of drilled shafts. Journal of Geotechnical and Geoenvironmental Engineering, 131(1), 84-93.

23. Basheer, I. A. (1998). Neuromechanistic-based modeling and simulation of constitutive behaviour of fine-grained soils. PhD Thesis, Kansas State University, Manhattan, KS.

24. Basheer, I. A. (2000). Selection of methodology for neural network modeling of constitutive hysteresis behavior of soils. Computer-Aided Civil and Infrastructure Engineering, 15(6), 445-463.

25. Basheer, I. A. (2002). Stress-strain behavior of geomaterials in loading reversal simulated by time-delay neural networks. Journal of Materials in Civil Engineering, 14(3), 270-273.

26. Basheer, I. A., and Najjar, Y. M. (1998). Modeling cyclic constitutive behavior by neural networks: Theoretical and real data. Proceedings of the 12th Engineering Mechanics Conference, La Jolla, California, 952-955.

27. Ellis, G. W., Yao, C., and Zhao, R. (1992). Neural network modeling of the mechanical behavior of sand. Proceedings of the Engineering Mechanics, 421-424.

28. Ellis, G. W., Yao, C., Zhao, R., and Penumadu, D. (1995). Stress-strain modeling of sands using artificial neural networks. Journal of Geotechnical Engineering, ASCE, 121(5), 429-435.

29. Fu, Q., Hashash, Y. M. A., Hung, S., and Ghaboussi, J. (2007). Integration of laboratory testing and constitutive modeling of soils. Computers and Geotechnics, 34(5), 330-345.

30. Ghaboussi, J., and Sidarta, D. E. (1998). New nested adaptive neural networks (NANN) for constitutive modeling. Computers and Geotechnics, 22(1), 29-52.

31. Habibagahi, G., and Bamdad, A. (2003). A neural network framework for mechanical behavior of unsaturated soils. Canadian Geotechnical Journal, 40(3), 684-693.

32. Haj-Ali, R., Pecknold, D. A., Ghaboussi, J., and Voyiadjis, G. Z. (2001). Simulated micromechanical models using artificial neural networks. Journal of Engineering Mechanics, 127(7), 730-738.

33. Hashash, Y. M. A., Jung, S., and Ghaboussi, J. (2004). Numerical implementation of a neural network based material model in finite element analysis. International Journal for Numerical Methods in Engineering, 59(7), 989-1005.

34. Lefik, M., and Schrefler, B. A. (2003). Artificial neural network as an incremental nonlinear constitutive model for a finite element code. Computer Methods in Applied Mechanics and Engineering, 192(31-32), 3265-3283.

35. Najjar, Y. M., and Ali, H. E. (1999). Simulating the stress-strain behavior of Nevada sand by ANN. Proceedings of the 5th U.S. National Congress on Computational Mechanics (USACM), Boulder, Colorado.

36. Najjar, Y. M., Ali, H. E., and Basheer, I. A. (1999). On the use of neuronets for simulating the stress-strain behavior of soils. Proceedings of the 7th International Symposium on Numerical Models in Geomechanics, Graz, Austria, 657-662.

37. Najjar, Y. M., and Huang, C. (2007). Simulating the stress-strain behavior of Georgia Kaolin via recurrent neuronet approach. Computers and Geotechnics, 34(5), 346-362.

38. Penumadu, D., and Chameau, J.-L. (1997). Geo-Material modeling using artificial neural networks. Artificial neural networks for civil engineers: fundamentals and applications, N. Kartam, I. Flood, and J. Garrett, eds., ASCE, New York, 160-184.

39. Penumadu, D., and Zhao, R. (1999). Triaxial compression behavior of sand and gravel using artificial neural networks (ANN)." Computers and Geotechnics, 24(3), 207-230.

40. Romo, M., Garcia, S. R., Mendoza, M. J., and Taboada-Urtuzuastegui, V. (2001). Recurrent and constructive-algorithm networks for sand behavior modeling. The International Journal of Geomechanics, 1(4), 371-387.

41. Shahin, M. A., and Indraratna, B. (2006). Modeling the mechanical behavior of railway ballast using artificial neural networks. Canadian Geotechnical Journal, 43(1), 1144-1152.

42. Sidarta, D. E., and Ghaboussi, J. (1998). Constitutive modeling of geomaterials from non-uniform material tests. Computers & Geomechanics, 22(10), 53-71.

43. Tutumluer, E., and Seyhan, U. (1998). Neural network modeling of anisotropic aggregate behavior from repeated load triaxial tests. Transportation Research Record 1615, National Research Council, Washington, DC.

44. Zhu, J. H., Zaman, M. M., and Anderson, S. A. (1998a). Modeling of soil behavior with a recurrent neural network. Canadian Geotechnical Journal, 35(5), 858-872.

45. Zhu, J. H., Zaman, M. M., and Anderson, S. A. (1998b). Modeling of shearing behaviour of a residual soil with recurrent neural network. International Journal of Numerical and Analytical Methods in Geomechanics, 22(8), 671-687.

46. Zhu, J. H., Zaman, M. M., and Trafalis, T. B. (1996). Prediction of shear stress-strain behavior of soil with recurrent neural network. Intelligent Engineering Systems Through Artificial Neural Networks, 6, 809-814.

47. Goh, A. T. C. (1995b). Modeling soil correlations using neural networks. Journal of Computing in Civil Engineering, ASCE, 9(4), 275-278.

48. Cal, Y. (1995). Soil classification by neural-network. Advances in Engineering Software, 22(2), 95-97.

49. Celik, S., and Tan, O. (2005). Determination of pre-consolidation pressure with artificial neural network. Civil Engineering and Environmental Systems, 22(4), 217-231.

50. Agrawal, G., Weeraratne, S., and Khilnani, K. (1994). Estimating clay liner and cover permeability using computational neural networks. Proceedings of the 1st Congress on Computing in Civil Engineering, Washington.

51. Gribb, M. M., and Gribb, G. W. (1994). Use of neural networks for hydraulic conductivity determination in unsaturated soil. Proceedings of the 2nd International Conference on Ground Water Ecology, Bethesda, 155-163.

52. Najjar, Y. M., Basheer, I. A., and Naouss, W. A. (1996b). On the identification of compaction characteristics by neuronets. Computers and Geotechnics, 18(3), 167-187.

53. Sinha, S. K., and Wang, M. C. (2008). Artificial neural network prediction models for soil compaction and permeability. Geotechnical Engineering Journal, 26(1), 47-64.

54. Kurup, P. U., and Dudani, N. K. (2002). Neural network for profiling stress history of clays from PCPT data. 2002, 128(7), 569-579.

55. Lee, S. J., Lee, S. R., and Kim, Y. S. (2003). An approach to estimate unsaturated shear strength using artificial neural network and hyperbolic formulation. Computers and Geotechnics, 30(6), 489-503.

56. Penumadu, D., Jin-Nan, L., Chameau, J. L., and Arumugam, S. (1994). Rate dependent behavior of clays using neural networks. Proceedings of the 13th Conference of the International Society of Soil Mechanics & Foundation Engineering, New Delhi, 1445-1448.

57. Yang, Y., and Rosenbaum, M. S. (2002). The artificial neural network as a tool for assessing geotechnical properties. Geotechnical Engineering Journal, 20(2), 149-168.

58. Erzin, Y. (2007). Artificial neural networks approach for swell pressure versus soil suction behavior. Canadian Geotechnical Journal, 44(10), 1215-1223.

59. Najjar, Y. M., Basheer, I. A., and McReynolds, R. (1996a). Neural modeling of Kansan soil swelling. Transportation Research Record, No. 1526, 14-19.

60. Chen, Y., Azzam, R., and Zhang, F. (2006). The displacement computation and construction pre-control of a foundation pit in Shanghai utilizing FEM and intelligent methods. Geotechnical and Geological Engineering, 24(6), 1781-1801.

61. Shahin, M. A., Jaksa, M. B., and Maier, H. R. (2002a). Artificial neural network based settlement prediction formula for shallow foundations on granular soils. Australian Geomechanics, 37(4), 45-52.

62. Shahin, M. A., Jaksa, M. B., and Maier, H. R. (2003a). Neurofuzzy networks applied to settlement of shallow foundations on granular soils." Proceedings of the 9th International Conference on Applications of Statistics and Probability in Civil Engineering, ICASP9, San Francisco, Millpress, Rotterdam, 1379-1383.

63. Shahin, M. A., Maier, H. R., and Jaksa, M. B. (2002b). Predicting settlement of shallow foundations using neural networks. Journal of Geotechnical & Geoenvironmental Engineering, ASCE, 128(9), 785-793.

64. Shahin, M. A., Maier, H. R., and Jaksa, M. B. (2003b). Closure to: Predicting settlement of shallow foundations on cohesionless soils using neural networks. Journal of Geotechnical & Geoenvironmental Engineering, ASCE, 128(9), 785-793. of the International Congress on Modeling and Simulation, MODSIM 2003, Townsville, Queensland, 1886-1891.

65. Shahin, M. A., Maier, H. R., and Jaksa, M. B. (2003d). Settlement prediction of shallow foundations on granular soils using B-spline neurofuzzy models. Computers and Geotechnics, 30(8), 637-647.

66. Sivakugan, N., Eckersley, J. D., and Li, H. (1998). Settlement predictions using neural networks. Australian Civil Engineering Transactions, CE40, 49-52.

67. Padmini, D., Ilamparuthi, K., and Sudheer, K. P. (2008). Ultimate bearing capacity prediction of shallow foundations on cohesionless soils using neurofuzzy models. Computers and Geotechnics, 35(1), 33-46.

68. Provenzano, P., Ferlisi, S., and Musso, A. (2004). Interpretation of a model footing response through an adaptive neural fuzzy inference system. Computers and Geotechnics, 31(3), 251-266.

69. Benardos, A. G., and Kaliampakos, D. C. (2004). Modeling TBM performance with artificial neural networks. Tunneling and Underground Space Technology, 19(6), 597-605.

70. Lee, C., and Sterling, R. (1992). Identifying probable failure modes for underground openings using a neural network. International Journal of Rock Mechanics and Mining Science & Geomechanics Abstracts, 29(1), 49-67.

71. Moon, H. K., Na, S. M., and Lee, C. W. (1995). Artificial neural-network integrated with expert-system for preliminary design of tunnels and slopes. Proceedings of the 8th International Congress on Rock Mechanics, Rotterdam: Balkema, 901-905.

72. Ferentinou, M. D., and Sakellariou, M. G. (2007). Computational intelligence tools for the prediction of slope performance. Computers and Geotechnics, 34(5), 362-384.

73. Goh, A. T. C., and Kulhawy, F. H. (2003). Neural network approach to model the limit state surface for reliability analysis. Canadian Geotechnical Journal, 40, pp 1235-1244.

74. Mayoraz, F., and Vulliet, L. (2002). Neural networks for slope movement prediction. The International Journal of Geomechanics, 2(2), 153-173.

75. Neaupane, K., and Achet, S. (2004). Some applications of a back-propagation neural network in geo-engineering. Environmental Geology, 45(4), 567-575.

76. Ni, S. H., Lu, P. C., and Juang, C. H. (1996). A fuzzy neural network approach to evaluation of slope failure potential. Journal of Microcomputers in Civil Engineering, 11, 59-66.

77. Zhao, H. (2008). Slope reliability analysis using a support vector machine. Computers and Geotechnics, 35(3), 459-467.

78. Shang, J. Q., Ding, W., Rowe, R. K., and Josic, L. (2004). Detecting heavy metal contamination in soil using complex permittivity and artificial neural networks. Canadian Geotechnical Journal, 41(6), 1054-1067.

79. Basheer, I. A., Reddi, L. N., and Najjar, Y. M. (1996). Site characterization by neuronets: An application to the landfill sitting problem. Ground Water, 34, 610-617.

80. Najjar, Y. M., and Basheer, I. A. (1996). Neural network approach for site characterization and uncertainty prediction. ASCE Geotechnical Special Publication, 58(1), 134-148.

81. Rizzo, D. M., and Dougherty, D. E. (1994). Application of artificial neural networks for site characterization using hard and soft information. Proceedings of the 10th International Conference on Computational Methods in Water Resources, Dordrecht: Kluwer Academic, 793-799.

82. Rizzo, D. M., Lillys, T. P., and Dougherty, D. E. (1996). Comparisons of site characterization methods using mixed data. ASCE Geotechnical Special Publication, 58(1), 157-179.

83. Zhou, Y., and Wu, X. (1994). Use of neural networks in the analysis and interpretation of site investigation data. Computer and Geotechnics, 16, 105-122.

84. Shi, J., Ortigao, J. A. R., and Bai, J. (1998). Modular neural networks for predicting settlement during tunneling. Journal of Geotechnical & Geoenvironmental Engineering, ASCE, 124(5), 389-395.

85. Shi, J. (2000). Reducing prediction error by transforming input data for neural networks. Journal of Computing in Civil Engineering, ASCE, 14(2), 109-116.

86. Yoo, C., and Kim, J. (2007). Tunneling performance prediction using an integrated GIS and neural network. Computers and Geotechnics, 34(1), 19-30.

87. Gokceoglu, C., Yesilnacar, E., Sonmez, H., and Kayabasi, A. (2004). A neuro-fuzzy model for modulus of deformation of jointed rock masses. Computers and Geotechncis, 31(5), 375-383.

88. Goh, A. T. C., Wong, K. S., and Broms, B. B. (1995). Estimation of lateral wall movements in braced excavation using neural networks. Canadian Geotechnical Journal, 32, 1059-1064.

89. Kung, G. T., Hsiao, E. C., Schuster, M., and Juang, C. H. (2007). A neural network approach to estimating deflection of diaphram walls caused by excavation in clays. Computers and Geotechnics, 34(5), 385-396.

90. Lu, Y. (2005). Underground blast induced ground shock and its modeling using artificial neural network. Computers and Geotechnics, 32(3), 164-178.

91. Rankine, R., and Sivakugan, N. (2005). Prediction of paste backfill performance using artificial neural networks. Proceedings of the 16th International Society for Soil Mechanics and Foundation Engineering Osaka, Japan, 1107-1110.

92. Singh, T. N., and Singh, V. (2005). An intelligent approach to prediction and control ground vibration in mines. Geotechnical and Geological Engineering, 23(3), 249-262.

93. Kim, Y., and Kim, B. (2008). Prediction of relative crest settlement of concrete-faced rockfill dams analyzed using an artificial neural network model. Computers and Geotechnics, 35(3), 313-322.

94. Goh, A. T. C. (1995c). Modeling soil correlations using neural networks. J. Computing in Civil Enginnering, ASCE, 9(4), 275-278.

95. Goh, A. T. C. (1994b). Seismic liquefaction potential assessed by neural network. Journal of Geotechnical & Geoenvironmental Engineering, ASCE, 120(9), 1467-1480.

96. Shi, J. (1999). A neural network based system for predicting earthmoving production. Construction Management and Economics 17, 463-471.

97. Garg, R. (2003). Concrete mix design using artificial neural network. MEng Thesis, Thapar Institute of Engineering & Technology.

98. Adeli, H., Wu M. (1998). Regularization neural network for construction cost estimation. Journal of Construction Engineering and Management, p 18-24.

99. Portas, J., and AbouRizk, S. (1997). Neural network model for estimating construction productivity. Journal of Construction Engineering and Management, 23, No.4.

100. Kapiniski, O., and Janusz, L. (2006). Three phases of multifactor modeling of construction processes. . Journal of Civil Engineering and Management, 11, no. 2, 127-134.

101. Bayrak, M. and Ceylan H. (2008). Neural network-based approach for analysis of rigid pavement systems using deflection data. Transportation Research Record: Journal of the Transportation Research Board, No. 2068, pp 61-70.

102. Alavi, A, Gandomi, A, Gandomi, M., and Hosseini, S. (2009). Prediction of maximum dry density and optimum moisture content of stabilized soil using RBF neural networks. The IES Journal Part A: Civil & Structural Engineering, Vol. 2, No. 2, pp 98-106.

APPENDIX A – **Manual: Prediction of Soil Characteristics Using Various Pozzolans for Road Stabilization**

MAIN MENU - DESIGN

Main Menu to start design model or view/modify database



DESIGN

Inserting data into design fields:

Example – Flyash for all Design Pozzolan Percentages



Output is Predicted Modified Soil Properties for Flyash

Example of 10, 13, and 15%



Choosing single pozzolan percentage. Example: Flyash @ 10%



Output is Predicted Modified Soil Properties. Example: Flyash @10%



Inserting data into design fields:

Example – Lime with all percentages



Output is Predicted Lime Soil Properties.



Format is the same as other forms except, it shows percentages of 3, 4, 5, and 6. This form will not have any r^2 values because soil properties are performed on only one percentage determined from the Eades and Grim test. There would not be multiple lime percentages evaluated for each soil type, only the one determined form the Eades and Grim test

Inserting data into design fields:

Example – Native Soil (no pozzolan)



Output is Predicted Native Soil Properties.



MAIN MENU – VIEW/MODIFY DATABASE

Main Menu screen: Select View/Modify Database Option.



VIEW DATA

Viewing Data for Flyash, CKD, or Lime.



DELETE MODE

Delete Mode allowing user to delete unwanted inputs.



Check the row in the delete column that is to be deleted and then press the delete button.

EDIT MODE

Edit Mode allowing user to change values inputted incorrectly.



Check the row in the edit column that is to be edited and then press the edit button. Then make the changes to individual inputs.

INSERT MODE

Insert Mode used to input data in database to be used for prediction model.



Choose an additive to start the input mode. Then input all required data inputs. Each record must have Highway, Mile Marker, NGI, and Modified Soil Properties to be inserted into database. IMPORTANT: If data does not disappear after clicking insert button, then Highway, Mile Marker, NGI, and Modified Soil Properties data MUST be entered.

APPENDIX B - Macro Codes and Alogorithyms for Prediction Model Software

MAIN MENU

```
Private Sub B1_Click()

    ThisWorkbook.format_datainput
    MainMenu.Hide
    DataInput.Show

End Sub
Private Sub B2_Click()
       MainMenu.Hide
       data.FORMATVIEWMODE
       data.CLEARFORM
       data.Show

End Sub
Private Sub B3_Click()
           prompt = "Save file if data has been added or modified to database"
        status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Message")
MainMenu.Hide
End Sub
```

DESIGN – INPUT DESIGN DATA

```
Private Sub MMDI_Click()
DataInput.Hide
MainMenu.Show

End Sub
Private Sub CBCFDI_Click()
ThisWorkbook.format_datainput

End Sub
Private Sub CBDPP_Change()
    tbdpp.Visible = False
    tbdpp.Text = ""
    If CBDPP.Value = "Other" Then
    tbdpp.Visible = True
    tbdpp.SetFocus
    End If

End Sub
Private Sub CBMMDI_Click()
DataInput.Hide
MainMenu.Show

End Sub
Private Sub CBPADI_Click()
 Dim prompt, status
 Dim wks As Worksheet


 If TBLL.Value = "" Then
 prompt = "Missing Liquid Limit"
 status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Missing Data")
 TBLL.SetFocus
 Else
   If TBPI.Value = "" Then
   prompt = "Missing Plasticity Index"
   status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Missing Data")
        TBPI.SetFocus
        Else
   If TBPP.Value = "" Then
   prompt = "Missing Percentage Passing #200"
   status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Missing Data")
            TBPP.SetFocus
            Else
   If CBPAT.Text = "" Then
   prompt = "Missing Pozzolan Additive Type"
   status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Missing Data")
                CBPAT.SetFocus


Else
   If CBDPP.Text = "" And CBPAT.Text <> "NONE" Then
   prompt = "Missing Desired Pozzolan Percent"
```

```
status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Missing Data")
                CBDPP.SetFocus
                Else
If CBDPP.Text = "Other" And tbdpp.Value = "" Then
prompt = "Missing Desired Pozzolan Percent"
status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Missing Data")
                tbdpp.SetFocus

            'Enter data to spreadsheet from input form
                    Else
                      If CBDPP.Text = "Other" Then
                          Sheet1.Range("be493197") = tbdpp.Value
                      Else
                          Sheet1.Range("be493197") = CBDPP.Value
                      End If
                          Sheet1.Range("bp493198") = TBLL.Value
                          Sheet1.Range("bp493200") = TBPI.Value
                          Sheet1.Range("bq493201") = TBPP.Value
                          Sheet1.Range("be493195") = CBPAT.Value
                With PSP
                  .nindividual.Value = Sheet1.Range("BI493210")
                   DataInput.Hide

            'Canvas output data to the form
                      'Decision to utilize a properties form
                      If CBDPP.Value = "All" Then
                   With MultipleProperties
              .Label3.Caption = "Unconfined Compressive Strength (psi)"
              .Label4.Caption = "Optimum Moisture Content (%)"
                                .ll.Value = DataInput.TBLL
                                .pi.Value = DataInput.TBPI
                                .ngi.Value = Sheet1.Range("be493193")
                                .pat.Value = Sheet1.Range("be493195")
                                .pp1.Value = Sheet1.Range("bd493200")
                                .pp2.Value = Sheet1.Range("bf493200")
                                .pp3.Value = Sheet1.Range("bh493200")
                                .pp4.Value = Sheet1.Range("bi493200")
                               .mld1.Value = Sheet1.Range("bd493202")
                               .mld2.Value = Sheet1.Range("bf493202")
                               .mld3.Value = Sheet1.Range("bh493202")
                               .mld4.Value = Sheet1.Range("bi493202")
                               .omc1.Value = Sheet1.Range("bd493206")
                               .omc2.Value = Sheet1.Range("bf493206")
                               .omc3.Value = Sheet1.Range("bh493206")
                               .omc4.Value = Sheet1.Range("bi493206")
                               .ucs1.Value = Sheet1.Range("bd493204")
                               .ucs2.Value = Sheet1.Range("bf493204")
                               .ucs3.Value = Sheet1.Range("bh493204")
                               .ucs4.Value = Sheet1.Range("bi493204")
                               .PI1.Value = Sheet1.Range("bd493208")
                               .PI2.Value = Sheet1.Range("bf493208")
                               .PI3.Value = Sheet1.Range("bh493208")
                               .PI4.Value = Sheet1.Range("bi493208")
                               .rmld.Value = Sheet1.Range("bj493202")
                               .romc.Value = Sheet1.Range("bj493206")
                               .rucs.Value = Sheet1.Range("bj493204")
                               .rpi.Value = Sheet1.Range("bj493208")
                               .nmult.Value = Sheet1.Range("bj493197")
                               .n3.Value = Sheet1.Range("BD493210")
                               .n4.Value = Sheet1.Range("BF493210")
                               .n5.Value = Sheet1.Range("BH493210")
                               .n6.Value = Sheet1.Range("BI493210")

            'Checking for lime input
                                If .pat.Value = "LIME" Then
                                   .pp4.Visible = True
                                   .mld4.Visible = True
                                   .omc4.Visible = True
                                   .ucs4.Visible = True
                                   .PI4.Visible = True
                                   .romc.Visible = False
                                   .rucs.Visible = False
                                   .rmld.Visible = False
                                   .rpi.Visible = False
                                   .Label9.Visible = False
                                   .Label15.Visible = False
                                   .nmult.Visible = False
                                   .Label16.Visible = True
                                   .n3.Visible = True
                                   .n4.Visible = True
                                   .n5.Visible = True
```

```
                        .n6.Visible = True
                    Else
                        .romc.Visible = True
                        .rucs.Visible = True
                        .rmld.Visible = True
                        .rpi.Visible = True
                        .Label9.Visible = True
                        .pp4.Visible = False
                        .mld4.Visible = False
                        .omc4.Visible = False
                        .ucs4.Visible = False
                        .PI4.Visible = False
                        .n6.Visible = False
                        .Label15.Visible = True
                        .Label15.Left = 588
                        .nmult.Visible = True

                    End If
                    .Show
                End With
            Else
                'Setting to single additive case
                With PSP
                    .PPSP.Visible = True
                .PPSP1.Visible = False
 .Label4.Caption = "Unconfined Compressive Strength (psi)"
                .Label1.Left = 0
.Label1.Caption = "PREDICTED MODIFIED SOIL PROPERTIES"
.Label1.Left = .Label1.Left + PSP.Width / 2 - .Label1.Width / 2
                    .ll.Value = DataInput.TBLL
                    .piorig.Value = DataInput.TBPI
                    .ngi.Value = Sheet1.Range("be493193")
                    .pat.Value = Sheet1.Range("be493195")
                    .pp.Value = Sheet1.Range("bl493200")
                    .mld.Value = Sheet1.Range("bl493202")
                    .omc.Value = Sheet1.Range("bl493204")
                    .ucs.Value = Sheet1.Range("bl493206")
                    .pi.Value = Sheet1.Range("bl493208")
                .rmld.Value = Sheet1.Range("bj493202")
                .romc.Value = Sheet1.Range("bj493206")
                .rucs.Value = Sheet1.Range("bj493204")
                .rpi.Value = Sheet1.Range("bj493208")
                .nsingle.Value = Sheet1.Range("bj493197")
                    .Label9.Visible = True
                    .Label7.Visible = True
                    .Label8.Visible = True
                    .Label3.Visible = True
                    .Label4.Visible = True
                    .Label5.Visible = True
                    .pat.Visible = True
                    .pp.Visible = True
                    .ucs.Visible = True
                    .omc.Visible = True
                    .pi.Visible = True
                    .nnative.Visible = False
                    .Label16.Visible = True
                    .nsingle.Left = 414
                    .Label15.Visible = True
                    .Label15.Left = 324
                    .nindividual.Visible = True
                    .nsingle.Visible = True

            'Check by for the input
                    If .pat.Value = "LIME" Then
                        .romc.Visible = False
                        .rucs.Visible = False
                        .rmld.Visible = False
                        .rpi.Visible = False
                        .Label9.Visible = False
                        .nnative.Visible = False
                        .Label15.Visible = False
                        .nsingle.Left = 252
                        .Label16.Visible = True
                        .nindividual.Visible = False
                    Else
        'Setting for the present or PPSP

                        If .pat.Value = "NONE" Then
                            .PPSP.Visible = False
                            .PPSP1.Visible = True
                .mld.Value = Sheet1.Range("bd493202")
```

```
                                .omc.Value = Sheet1.Range("bd493206")
                                .nsingle.Value = Sheet1.Range("bj493197")
                                            .romc.Visible = False
                                            .rucs.Visible = False
                                            .rmld.Visible = False
                                            .rpi.Visible = False
                                            .Label9.Visible = False
                                            .Label7.Visible = False
                                            .Label8.Visible = False
                                            .Label3.Visible = False
                                            .Label5.Visible = False
                                            .pat.Visible = False
                                            .pp.Visible = False
                                            .ucs.Visible = False
                                            .pi.Visible = False
            .Label4.Caption = "Optimum Moisture Content (%)"
            .Label1.Caption = "PREDICTED NATIVE SOIL PROPERTIES"
                                            .Label1.Left = 0
            .Label1.Left = .Label1.Left + PSP.Width / 2 - .Label1.Width / 2
                                            .nsingle.Visible = False
                                            .Label15.Visible = True
                                            .Label16.Visible = False
                                            .Label15.Left = 18
                                            .nnative.Visible = True
                                            .nindividual.Visible = False
                                .nnative.Value = Sheet1.Range("bj493197")
                                        Else
                                            .romc.Visible = True
                                            .rucs.Visible = True
                                            .rmld.Visible = True
                                            .rpi.Visible = True
                                            .Label9.Visible = True
                                        End If
                                    End If
                                    .Show
                                End With
                            End If
                            End With
                             End If
                            End If
                        End If
                    End If
                End If

End Sub
Private Sub CBPAT_Change()        'CODE FOR INPUTING MODELAM DATA
CBDPP.Clear
tbdpp.Visible = False
CBDPP.Visible = True
If CBPAT.Value = "FLYASH" Then 'FLYASH
    With CBDPP
    .AddItem ("10")
    .AddItem ("13")
    .AddItem ("15")
    .AddItem ("All")
    .AddItem ("Other")
    End With
Else
    If CBPAT.Value = "CKD" Then 'CKD
        With CBDPP
        .AddItem ("5")
        .AddItem ("7")
        .AddItem ("9")
        .AddItem ("All")
        .AddItem ("Other")
        End With
        Else 'LIME
            If CBPAT.Value = "LIME" Then
                With CBDPP
                  .AddItem ("3")
                  .AddItem ("4")
                  .AddItem ("5")
                  .AddItem ("6")
                  .AddItem ("All")
                End With
            Else
                With CBDPP
                    .Visible = False
                End With
            End If
```

```
    End If
End If
End Sub
```

PREDICTED MULTIPLE SOIL PROPERTIES

```
Private Sub MMPSPM_Click()
MultipleProperties.Hide
MainMenu.Show

End Sub
Private Sub nmult_Change()

End Sub
Private Sub ppl_Change()

End Sub
Private Sub PPSPM_Click()

If pat = "FLYASH" Then
Sheet4.Range("g7").Value = projnum.Value
Sheet4.Range("d4:o24").PrintOut

Else
If pat = "CKD" Then
Sheet4.Range("g7").Value = projnum.Value
Sheet4.Range("d4:o24").PrintOut

Else

If pat = "LIME" Then
Sheet4.Range("g7").Value = projnum.Value
Sheet4.Range("d71:o91").PrintOut
End If
End If
End If
End Sub
```

PREDICTED SINGLE SOIL PROPERTIES

```
Private Sub BPSP_Click()
projnum.Text = " "
projnum.SetFocus
PSP.Hide
DataInput.Show

End Sub
Private Sub MMPSP_Click()
PSP.Hide
MainMenu.Show

End Sub
Private Sub nlime_Change()

End Sub
Private Sub PPSP_Click()
Sheet4.Range("g32").Value = projnum.Value
Sheet4.Range("d29:n49").PrintOut

End Sub
Private Sub PPSP1_Click()       'CODE FOR PRINT AREA OF NATIVE RESULTS
Sheet4.Range("g56").Value = projnum.Value
Sheet4.Range("d53:n66").PrintOut

End Sub
```

VIEW/MODIFY DATABASE

```
Dim row As Integer
Dim INSMOD, DELMOD, VIEWMODE As Boolean
Public Sub FORMATVIEWMODE()
```

```
data.CLEARFORM
        Label36.Visible = True
        Label32.Visible = True
        c1.Visible = True
        c1.Locked = False
        c2.Visible = True
        c2.Locked = False
        c3.Visible = True
        c3.Locked = False
        c4.Visible = True
        c4.Locked = False
        c5.Visible = True
        c5.Locked = False
        c6.Visible = True
        c6.Locked = False
        c7.Visible = True
        c7.Locked = False
        c8.Visible = True
        c8.Locked = False
        c9.Visible = True
        c9.Locked = False
        c10.Visible = True
        c10.Locked = False
        H1.Visible = True
        H2.Visible = True
        H3.Visible = True
        H4.Visible = True
        H5.Visible = True
        H6.Visible = True
        H7.Visible = True
        H8.Visible = True
        H9.Visible = True
        H10.Visible = True
        MM1.Visible = True
        MM2.Visible = True
        MM3.Visible = True
        MM4.Visible = True
        MM5.Visible = True
        MM6.Visible = True
        MM7.Visible = True
        MM8.Visible = True
        MM9.Visible = True
        MM10.Visible = True
        NGI1.Visible = True
        NGI2.Visible = True
        NGI3.Visible = True
        NGI4.Visible = True
        NGI5.Visible = True
        NGI6.Visible = True
        NGI7.Visible = True
        NGI8.Visible = True
        NGI9.Visible = True
        NGI10.Visible = True
        LL1.Visible = True
        LL2.Visible = True
        LL3.Visible = True
        LL4.Visible = True
        LL5.Visible = True
        LL6.Visible = True
        LL7.Visible = True
        LL8.Visible = True
        LL9.Visible = True
        LL10.Visible = True
        PI1.Visible = True
        PI2.Visible = True
        PI3.Visible = True
        PI4.Visible = True
        PI5.Visible = True
        PI6.Visible = True
        PI7.Visible = True
        PI8.Visible = True
        PI9.Visible = True
        PI10.Visible = True
        PT1.Visible = True
        PT2.Visible = True
        PT3.Visible = True
        PT4.Visible = True
        PT5.Visible = True
        PT6.Visible = True
        PT7.Visible = True
        PT8.Visible = True
```

```
PT9.Visible = True
PT10.Visible = True
M1.Visible = True
M2.Visible = True
M3.Visible = True
M4.Visible = True
M5.Visible = True
M6.Visible = True
M7.Visible = True
M8.Visible = True
M9.Visible = True
M10.Visible = True
O1.Visible = True
O2.Visible = True
O3.Visible = True
O4.Visible = True
O5.Visible = True
O6.Visible = True
O7.Visible = True
O8.Visible = True
O9.Visible = True
O10.Visible = True
P1.Visible = True
P2.Visible = True
P3.Visible = True
P4.Visible = True
P5.Visible = True
P6.Visible = True
P7.Visible = True
P8.Visible = True
P9.Visible = True
P10.Visible = True
MD1.Visible = True
MD2.Visible = True
MD3.Visible = True
MD4.Visible = True
MD5.Visible = True
MD6.Visible = True
MD7.Visible = True
MD8.Visible = True
MD9.Visible = True
MD10.Visible = True
MO1.Visible = True
MO2.Visible = True
MO3.Visible = True
MO4.Visible = True
MO5.Visible = True
MO6.Visible = True
MO7.Visible = True
MO8.Visible = True
MO9.Visible = True
MO10.Visible = True
U1.Visible = True
U2.Visible = True
U3.Visible = True
U4.Visible = True
U5.Visible = True
U6.Visible = True
U7.Visible = True
U8.Visible = True
U9.Visible = True
U10.Visible = True
UO1.Visible = True
UO2.Visible = True
UO3.Visible = True
UO4.Visible = True
UO5.Visible = True
UO6.Visible = True
UO7.Visible = True
UO8.Visible = True
UO9.Visible = True
UO10.Visible = True
MPI1.Visible = True
MPI2.Visible = True
MPI3.Visible = True
MPI4.Visible = True
MPI5.Visible = True
MPI6.Visible = True
MPI7.Visible = True
MPI8.Visible = True
MPI9.Visible = True
```

```
        MPI10.Visible = True
        Y1.Visible = True
        Y2.Visible = True
        Y3.Visible = True
        Y4.Visible = True
        Y5.Visible = True
        Y6.Visible = True
        Y7.Visible = True
        Y8.Visible = True
        Y9.Visible = True
        Y10.Visible = True
        SortSample.Visible = True
        sorthighway.Visible = True
        sortngi.Visible = True
        Label34.Visible = False
        d1.Visible = False
        d2.Visible = False
        d3.Visible = False
        d4.Visible = False
        d5.Visible = False
        d6.Visible = False
        d7.Visible = False
        d8.Visible = False
        d9.Visible = False
        d10.Visible = False
        delete.Visible = False
        INSERTMODE.Visible = True
        exitmode.Visible = False
        MMENU.Visible = True
        Label35.Visible = False
        edit.Visible = False
        editmode.Visible = True
        editinsert.Visible = False

With data
    With .Label1 'TURN MAGENTA
        .ForeColor = &H80000012 'TURN BLACK
        .Caption = "VIEW DATA MODE"
        .Left = 0
        .Left = Label1.Left + data.Width / 2 - Label1.Width / 2
    End With
    .ADDINSERT.Visible = False 'SELECT ADD TYPE VIEW MODE CHECK
    With data.add 'SELECT ADD TYPE VIEW MODE CHECK
        .Clear
        .AddItem ("FLYASH")
        .AddItem ("CKD")
        .AddItem ("LIME")
        .Left = data.Width - .Width - 10
        .Visible = True
    End With
    With .Label10 'SELECT ADD TYPE LABEL
        .Left = add.Left - 2 - .Width
        .ForeColor = &H80000012 'TURN BLACK
    End With
        'HIDE BUTTONS
        .MOVE2.Visible = True
        .move10.Visible = True
        .add.Visible = True
            'HIDE LABELS
            .Label28.Visible = True
            .Label30.Visible = True
            .Label31.Visible = True
            .Label29.Visible = True
                'CHANGING BUTTONS CAPTIONS AND COLORS
                .DELETEMODE.Caption = "DELETE MODE"
                .DELETEMODE.ForeColor = &H80000012
                .INSERTMODE.Caption = "INSERT MODE"
                .INSERTMODE.ForeColor = &H80000012
                .MMENU.ForeColor = &H80000012
    With .Label34 'SELECT DELETE MENUITEM
        .ForeColor = &H80000012  'TURN RED
        .Caption = "Delete"
         End With

VIEWMODE = True
INSMOD = False
DELMOD = False

End With
End Sub
Public Sub FORMATINSERTMODE()      'THIS CODE IS BEING FOR THE INSERT MODE
```

```
VIEWMODE = False
INSMOD = True

        Label34.Visible = False
        Label35.Visible = False
With data
    With .Label1
        .ForeColor = &HFF&
        .Caption = "INSERT MODE"
        .Left = 0
        .Left = Label1.Left + data.Width / 2 - Label1.Width / 2
    End With
    With .ADDINSERT
        .Clear
        .AddItem ("FLYASH")
        .AddItem ("CKD")
        .AddItem ("LIME")
        .Visible = True
    End With
    With .Label10
        .Left = 2
        .ForeColor = &HFF&
    End With
        'HIDE BUTTONS
        .MOVE2.Visible = False
        .move10.Visible = False
        .add.Visible = False
            'HIDE LABELS
            .Label28.Visible = False
            .Label130.Visible = False
            .Label131.Visible = False
            .Label129.Visible = False
                .DELETEMODE.Caption = "EXIT"
                .DELETEMODE.ForeColor = &H80000012
                .INSERTMODE.Caption = "INSERT"
                .INSERTMODE.ForeColor = &HFF&
                .MMENU.ForeColor = &HFF&

End With
End Sub
Private Sub EDITMODE_Click()
        SortSample.Visible = True
        Label32.Visible = True
        c1.Visible = True
        c1.Locked = True
        c2.Visible = True
        c2.Locked = True
        c3.Visible = True
        c3.Locked = True
        c4.Visible = True
        c4.Locked = True
        c5.Visible = True
        c5.Locked = True
        c6.Visible = True
        c6.Locked = True
        c7.Visible = True
        c7.Locked = True
        c8.Visible = True
        c8.Locked = True
        c9.Visible = True
        c9.Locked = True
        c10.Visible = True
        c10.Locked = True
    d1 = False
    d2 = False
    d3 = False
    d4 = False
    d5 = False
    d6 = False
    d7 = False
    d8 = False
    d9 = False
    d10 = False
    Label34.Visible = True
    d1.Visible = True
    d2.Visible = True
    d3.Visible = True
    d4.Visible = True
    d5.Visible = True
    d6.Visible = True
```

```
    d7.Visible = True
    d8.Visible = True
    d9.Visible = True
    d10.Visible = True

    delete.Visible = False
    INSERTMODE.Visible = False
    exitmode.Visible = True
    MMENU.Visible = False
    edit.Visible = True


    With data
    With .Label34
        .ForeColor = &HFF&
        .Caption = "Edit"
         End With
    With .Label1
        .ForeColor = &HFF&
        .Caption = "EDIT MODE"
        .Left = 0
        .Left = Label1.Left + data.Width / 2 - Label1.Width / 2
         End With
    With .Label10
        .ForeColor = &HFF&

End With
End With

End Sub
Public Sub EDIT_click()

    If add.Value <> "FLYASH" And add.Value <> "CKD" And add.Value <> "LIME" Then
      prompt = "Missing Additive Type"
      status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Error")

    Else

    If d1.Value = False And d2.Value = False And d3.Value = False And d4.Value = False And d5.Value = False And
d6.Value = False And d7.Value = False And d8.Value = False And d9.Value = False And d10.Value = False Then
       prompt = "Please select data to edit"
       status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Error")
    Else
    If add.Value <> "FLYASH" And add.Value <> "CKD" And add.Value <> "LIME" Then
       prompt = "Missing Additive Type"
       status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Error")

   Else

    If d1 = True Then
    editinsert.Visible = True
        d2.Visible = False
        d3.Visible = False
        d4.Visible = False
        d5.Visible = False
        d6.Visible = False
        d7.Visible = False
        d8.Visible = False
        d9.Visible = False
        d10.Visible = False
        c2.Visible = False
        c3.Visible = False
        c4.Visible = False
        c5.Visible = False
        c6.Visible = False
        c7.Visible = False
        c8.Visible = False
        c9.Visible = False
        c10.Visible = False
        H2.Visible = False
        H3.Visible = False
        H4.Visible = False
        H5.Visible = False
        H6.Visible = False
        H7.Visible = False
        H8.Visible = False
        H9.Visible = False
        H10.Visible = False
        MM2.Visible = False
        MM3.Visible = False
        MM4.Visible = False
```

```
MM5.Visible = False
MM6.Visible = False
MM7.Visible = False
MM8.Visible = False
MM9.Visible = False
MM10.Visible = False
NGI2.Visible = False
NGI3.Visible = False
NGI4.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
```

```
        MO5.Visible = False
        MO6.Visible = False
        MO7.Visible = False
        MO8.Visible = False
        MO9.Visible = False
        MO10.Visible = False
        U2.Visible = False
        U3.Visible = False
        U4.Visible = False
        U5.Visible = False
        U6.Visible = False
        U7.Visible = False
        U8.Visible = False
        U9.Visible = False
        U10.Visible = False
        UO2.Visible = False
        UO3.Visible = False
        UO4.Visible = False
        UO5.Visible = False
        UO6.Visible = False
        UO7.Visible = False
        UO8.Visible = False
        UO9.Visible = False
        UO10.Visible = False
        MPI2.Visible = False
        MPI3.Visible = False
        MPI4.Visible = False
        MPI5.Visible = False
        MPI6.Visible = False
        MPI7.Visible = False
        MPI8.Visible = False
        MPI9.Visible = False
        MPI10.Visible = False
        Y2.Visible = False
        Y3.Visible = False
        Y4.Visible = False
        Y5.Visible = False
        Y6.Visible = False
        Y7.Visible = False
        Y8.Visible = False
        Y9.Visible = False
        Y10.Visible = False
        edit.Visible = False
        Label35.Visible = True
        Label35.Top = 252
        editmode.Visible = False
        End If
End If
    If d2 = True Then
    editinsert.Visible = True
     d1.Visible = False
        d3.Visible = False
        d4.Visible = False
        d5.Visible = False
        d6.Visible = False
        d7.Visible = False
        d8.Visible = False
        d9.Visible = False
        d10.Visible = False
        c1.Visible = False
        c3.Visible = False
        c4.Visible = False
        c5.Visible = False
        c6.Visible = False
        c7.Visible = False
        c8.Visible = False
        c9.Visible = False
        c10.Visible = False
        H1.Visible = False
        H3.Visible = False
        H4.Visible = False
        H5.Visible = False
        H6.Visible = False
        H7.Visible = False
        H8.Visible = False
        H9.Visible = False
        H10.Visible = False
        MM1.Visible = False
        MM3.Visible = False
        MM4.Visible = False
        MM5.Visible = False
```

```
MM6.Visible = False
MM7.Visible = False
MM8.Visible = False
MM9.Visible = False
MM10.Visible = False
NGI1.Visible = False
NGI3.Visible = False
NGI4.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL1.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI1.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT1.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M1.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O1.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P1.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD1.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO1.Visible = False
MO3.Visible = False
MO4.Visible = False
MO5.Visible = False
```

```
        MO6.Visible = False
        MO7.Visible = False
        MO8.Visible = False
        MO9.Visible = False
        MO10.Visible = False
        U1.Visible = False
        U3.Visible = False
        U4.Visible = False
        U5.Visible = False
        U6.Visible = False
        U7.Visible = False
        U8.Visible = False
        U9.Visible = False
        U10.Visible = False
        UO1.Visible = False
        UO3.Visible = False
        UO4.Visible = False
        UO5.Visible = False
        UO6.Visible = False
        UO7.Visible = False
        UO8.Visible = False
        UO9.Visible = False
        UO10.Visible = False
        MPI1.Visible = False
        MPI3.Visible = False
        MPI4.Visible = False
        MPI5.Visible = False
        MPI6.Visible = False
        MPI7.Visible = False
        MPI8.Visible = False
        MPI9.Visible = False
        MPI10.Visible = False
        Y1.Visible = False
        Y3.Visible = False
        Y4.Visible = False
        Y5.Visible = False
        Y6.Visible = False
        Y7.Visible = False
        Y8.Visible = False
        Y9.Visible = False
        Y10.Visible = False
        Label35.Visible = True
        Label35.Top = 252
        edit.Visible = False
        editmode.Visible = False
        End If
End If
        If d3 = True Then
        editinsert.Visible = True
        d2.Visible = False
        d1.Visible = False
        d4.Visible = False
        d5.Visible = False
        d6.Visible = False
        d7.Visible = False
        d8.Visible = False
        d9.Visible = False
        d10.Visible = False
        c2.Visible = False
        c1.Visible = False
        c4.Visible = False
        c5.Visible = False
        c6.Visible = False
        c7.Visible = False
        c8.Visible = False
        c9.Visible = False
        c10.Visible = False
        H2.Visible = False
        H1.Visible = False
        H4.Visible = False
        H5.Visible = False
        H6.Visible = False
        H7.Visible = False
        H8.Visible = False
        H9.Visible = False
        H10.Visible = False
        MM2.Visible = False
        MM1.Visible = False
        MM4.Visible = False
        MM5.Visible = False
        MM6.Visible = False
```

```
MM7.Visible = False
MM8.Visible = False
MM9.Visible = False
MM10.Visible = False
NGI2.Visible = False
NGI1.Visible = False
NGI4.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL1.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI1.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT1.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M1.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O1.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P1.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD1.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO1.Visible = False
MO4.Visible = False
MO5.Visible = False
MO6.Visible = False
```

```
MO7.Visible = False
MO8.Visible = False
MO9.Visible = False
MO10.Visible = False
U2.Visible = False
U1.Visible = False
U4.Visible = False
U5.Visible = False
U6.Visible = False
U7.Visible = False
U8.Visible = False
U9.Visible = False
U10.Visible = False
UO2.Visible = False
UO1.Visible = False
UO4.Visible = False
UO5.Visible = False
UO6.Visible = False
UO7.Visible = False
UO8.Visible = False
UO9.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI1.Visible = False
MPI4.Visible = False
MPI5.Visible = False
MPI6.Visible = False
MPI7.Visible = False
MPI8.Visible = False
MPI9.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y1.Visible = False
Y4.Visible = False
Y5.Visible = False
Y6.Visible = False
Y7.Visible = False
Y8.Visible = False
Y9.Visible = False
Y10.Visible = False
Label35.Visible = True
Label35.Top = 252
edit.Visible = False
editmode.Visible = False
End If

If d4 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d1.Visible = False
d5.Visible = False
d6.Visible = False
d7.Visible = False
d8.Visible = False
d9.Visible = False
d10.Visible = False
c2.Visible = False
c3.Visible = False
c1.Visible = False
c5.Visible = False
c6.Visible = False
c7.Visible = False
c8.Visible = False
c9.Visible = False
c10.Visible = False
H2.Visible = False
H3.Visible = False
H1.Visible = False
H5.Visible = False
H6.Visible = False
H7.Visible = False
H8.Visible = False
H9.Visible = False
H10.Visible = False
MM2.Visible = False
MM3.Visible = False
MM1.Visible = False
MM5.Visible = False
MM6.Visible = False
MM7.Visible = False
```

```
MM8.Visible = False
MM9.Visible = False
MM10.Visible = False
NGI2.Visible = False
NGI3.Visible = False
NGI1.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL1.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI1.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT1.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M1.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O1.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P1.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD1.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO1.Visible = False
MO5.Visible = False
MO6.Visible = False
MO7.Visible = False
```

```
MO8.Visible = False
MO9.Visible = False
MO10.Visible = False
U2.Visible = False
U3.Visible = False
U1.Visible = False
U5.Visible = False
U6.Visible = False
U7.Visible = False
U8.Visible = False
U9.Visible = False
U10.Visible = False
UO2.Visible = False
UO3.Visible = False
UO1.Visible = False
UO5.Visible = False
UO6.Visible = False
UO7.Visible = False
UO8.Visible = False
UO9.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI3.Visible = False
MPI1.Visible = False
MPI5.Visible = False
MPI6.Visible = False
MPI7.Visible = False
MPI8.Visible = False
MPI9.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y3.Visible = False
Y1.Visible = False
Y5.Visible = False
Y6.Visible = False
Y7.Visible = False
Y8.Visible = False
Y9.Visible = False
Y10.Visible = False
Label35.Visible = True
editmode.Visible = False
Label35.Top = 252
edit.Visible = False
End If

If d5 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d4.Visible = False
d1.Visible = False
d6.Visible = False
d7.Visible = False
d8.Visible = False
d9.Visible = False
d10.Visible = False
c2.Visible = False
c3.Visible = False
c4.Visible = False
c1.Visible = False
c6.Visible = False
c7.Visible = False
c8.Visible = False
c9.Visible = False
c10.Visible = False
H2.Visible = False
H3.Visible = False
H4.Visible = False
H1.Visible = False
H6.Visible = False
H7.Visible = False
H8.Visible = False
H9.Visible = False
H10.Visible = False
MM2.Visible = False
MM3.Visible = False
MM4.Visible = False
MM1.Visible = False
MM6.Visible = False
MM7.Visible = False
MM8.Visible = False
```

```
MM9.Visible = False
MM10.Visible = False
NGI2.Visible = False
NGI3.Visible = False
NGI4.Visible = False
NGI1.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL1.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI1.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT1.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M1.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O1.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P1.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD1.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
MO1.Visible = False
MO6.Visible = False
MO7.Visible = False
MO8.Visible = False
```

```
MO9.Visible = False
MO10.Visible = False
U2.Visible = False
U3.Visible = False
U4.Visible = False
U1.Visible = False
U6.Visible = False
U7.Visible = False
U8.Visible = False
U9.Visible = False
U10.Visible = False
UO2.Visible = False
UO3.Visible = False
UO4.Visible = False
UO1.Visible = False
UO6.Visible = False
UO7.Visible = False
UO8.Visible = False
UO9.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI3.Visible = False
MPI4.Visible = False
MPI1.Visible = False
MPI6.Visible = False
MPI7.Visible = False
MPI8.Visible = False
MPI9.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y3.Visible = False
Y4.Visible = False
Y1.Visible = False
Y6.Visible = False
Y7.Visible = False
Y8.Visible = False
Y9.Visible = False
Y10.Visible = False
Label35.Visible = True
editmode.Visible = False
Label35.Top = 252
edit.Visible = False
End If

If d6 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d4.Visible = False
d5.Visible = False
d1.Visible = False
d7.Visible = False
d8.Visible = False
d9.Visible = False
d10.Visible = False
c2.Visible = False
c3.Visible = False
c4.Visible = False
c5.Visible = False
c1.Visible = False
c7.Visible = False
c8.Visible = False
c9.Visible = False
c10.Visible = False
H2.Visible = False
H3.Visible = False
H4.Visible = False
H5.Visible = False
H1.Visible = False
H7.Visible = False
H8.Visible = False
H9.Visible = False
H10.Visible = False
MM2.Visible = False
MM3.Visible = False
MM4.Visible = False
MM5.Visible = False
MM1.Visible = False
MM7.Visible = False
MM8.Visible = False
MM9.Visible = False
```

```
MM10.Visible = False
NGI2.Visible = False
NGI3.Visible = False
NGI4.Visible = False
NGI5.Visible = False
NGI1.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL1.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI1.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT1.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M1.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O1.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P1.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD1.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
MO5.Visible = False
MO1.Visible = False
MO7.Visible = False
MO8.Visible = False
MO9.Visible = False
```

```
MO10.Visible = False
U2.Visible = False
U3.Visible = False
U4.Visible = False
U5.Visible = False
U1.Visible = False
U7.Visible = False
U8.Visible = False
U9.Visible = False
U10.Visible = False
UO2.Visible = False
UO3.Visible = False
UO4.Visible = False
UO5.Visible = False
UO1.Visible = False
UO7.Visible = False
UO8.Visible = False
UO9.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI3.Visible = False
MPI4.Visible = False
MPI5.Visible = False
MPI1.Visible = False
MPI7.Visible = False
MPI8.Visible = False
MPI9.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y3.Visible = False
Y4.Visible = False
Y5.Visible = False
Y1.Visible = False
Y7.Visible = False
Y8.Visible = False
Y9.Visible = False
Y10.Visible = False
Label35.Visible = True
editmode.Visible = False
Label35.Top = 252
edit.Visible = False
End If

If d7 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d4.Visible = False
d5.Visible = False
d6.Visible = False
d1.Visible = False
d8.Visible = False
d9.Visible = False
d10.Visible = False
c2.Visible = False
c3.Visible = False
c4.Visible = False
c5.Visible = False
c6.Visible = False
c1.Visible = False
c8.Visible = False
c9.Visible = False
c10.Visible = False
H2.Visible = False
H3.Visible = False
H4.Visible = False
H5.Visible = False
H6.Visible = False
H1.Visible = False
H8.Visible = False
H9.Visible = False
H10.Visible = False
MM2.Visible = False
MM3.Visible = False
MM4.Visible = False
MM5.Visible = False
MM6.Visible = False
MM1.Visible = False
MM8.Visible = False
MM9.Visible = False
MM10.Visible = False
```

```
NGI2.Visible = False
NGI3.Visible = False
NGI4.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI1.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL1.Visible = False
LL8.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI1.Visible = False
PI8.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT1.Visible = False
PT8.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M1.Visible = False
M8.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O1.Visible = False
O8.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P1.Visible = False
P8.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD1.Visible = False
MD8.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
MO5.Visible = False
MO6.Visible = False
MO1.Visible = False
MO8.Visible = False
MO9.Visible = False
MO10.Visible = False
```

```
U2.Visible = False
U3.Visible = False
U4.Visible = False
U5.Visible = False
U6.Visible = False
U1.Visible = False
U8.Visible = False
U9.Visible = False
U10.Visible = False
UO2.Visible = False
UO3.Visible = False
UO4.Visible = False
UO5.Visible = False
UO6.Visible = False
UO1.Visible = False
UO8.Visible = False
UO9.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI3.Visible = False
MPI4.Visible = False
MPI5.Visible = False
MPI6.Visible = False
MPI1.Visible = False
MPI8.Visible = False
MPI9.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y3.Visible = False
Y4.Visible = False
Y5.Visible = False
Y6.Visible = False
Y1.Visible = False
Y8.Visible = False
Y9.Visible = False
Y10.Visible = False
Label35.Visible = True
Label35.Top = 144
edit.Visible = False
editmode.Visible = False
End If

If d8 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d4.Visible = False
d5.Visible = False
d6.Visible = False
d7.Visible = False
d1.Visible = False
d9.Visible = False
d10.Visible = False
c2.Visible = False
c3.Visible = False
c4.Visible = False
c5.Visible = False
c6.Visible = False
c7.Visible = False
c1.Visible = False
c9.Visible = False
c10.Visible = False
H2.Visible = False
H3.Visible = False
H4.Visible = False
H5.Visible = False
H6.Visible = False
H7.Visible = False
H1.Visible = False
H9.Visible = False
H10.Visible = False
MM2.Visible = False
MM3.Visible = False
MM4.Visible = False
MM5.Visible = False
MM6.Visible = False
MM7.Visible = False
MM1.Visible = False
MM9.Visible = False
MM10.Visible = False
NGI2.Visible = False
```

```
NGI3.Visible = False
NGI4.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI1.Visible = False
NGI9.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL1.Visible = False
LL9.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI1.Visible = False
PI9.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT1.Visible = False
PT9.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M1.Visible = False
M9.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O1.Visible = False
O9.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P1.Visible = False
P9.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD1.Visible = False
MD9.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
MO5.Visible = False
MO6.Visible = False
MO7.Visible = False
MO1.Visible = False
MO9.Visible = False
MO10.Visible = False
U2.Visible = False
```

```
U3.Visible = False
U4.Visible = False
U5.Visible = False
U6.Visible = False
U7.Visible = False
U1.Visible = False
U9.Visible = False
U10.Visible = False
UO2.Visible = False
UO3.Visible = False
UO4.Visible = False
UO5.Visible = False
UO6.Visible = False
UO7.Visible = False
UO1.Visible = False
UO9.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI3.Visible = False
MPI4.Visible = False
MPI5.Visible = False
MPI6.Visible = False
MPI7.Visible = False
MPI1.Visible = False
MPI9.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y3.Visible = False
Y4.Visible = False
Y5.Visible = False
Y6.Visible = False
Y7.Visible = False
Y1.Visible = False
Y9.Visible = False
Y10.Visible = False
Label35.Visible = True
Label35.Top = 144
edit.Visible = False
editmode.Visible = False
End If

If d9 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d4.Visible = False
d5.Visible = False
d6.Visible = False
d7.Visible = False
d8.Visible = False
d1.Visible = False
d10.Visible = False
c2.Visible = False
c3.Visible = False
c4.Visible = False
c5.Visible = False
c6.Visible = False
c7.Visible = False
c8.Visible = False
c1.Visible = False
c10.Visible = False
H2.Visible = False
H3.Visible = False
H4.Visible = False
H5.Visible = False
H6.Visible = False
H7.Visible = False
H8.Visible = False
H1.Visible = False
H10.Visible = False
MM2.Visible = False
MM3.Visible = False
MM4.Visible = False
MM5.Visible = False
MM6.Visible = False
MM7.Visible = False
MM8.Visible = False
MM1.Visible = False
MM10.Visible = False
NGI2.Visible = False
NGI3.Visible = False
```

```
NGI4.Visible = False
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI1.Visible = False
NGI10.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL1.Visible = False
LL10.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI1.Visible = False
PI10.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT1.Visible = False
PT10.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M1.Visible = False
M10.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O1.Visible = False
O10.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P1.Visible = False
P10.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD1.Visible = False
MD10.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
MO5.Visible = False
MO6.Visible = False
MO7.Visible = False
MO8.Visible = False
MO1.Visible = False
MO10.Visible = False
U2.Visible = False
U3.Visible = False
```

```
U4.Visible = False
U5.Visible = False
U6.Visible = False
U7.Visible = False
U8.Visible = False
U1.Visible = False
U10.Visible = False
UO2.Visible = False
UO3.Visible = False
UO4.Visible = False
UO5.Visible = False
UO6.Visible = False
UO7.Visible = False
UO8.Visible = False
UO1.Visible = False
UO10.Visible = False
MPI2.Visible = False
MPI3.Visible = False
MPI4.Visible = False
MPI5.Visible = False
MPI6.Visible = False
MPI7.Visible = False
MPI8.Visible = False
MPI1.Visible = False
MPI10.Visible = False
Y2.Visible = False
Y3.Visible = False
Y4.Visible = False
Y5.Visible = False
Y6.Visible = False
Y7.Visible = False
Y8.Visible = False
Y1.Visible = False
Y10.Visible = False
Label35.Visible = True
Label35.Top = 144
edit.Visible = False
editmode.Visible = False
End If

If d10 = True Then
editinsert.Visible = True
d2.Visible = False
d3.Visible = False
d4.Visible = False
d5.Visible = False
d6.Visible = False
d7.Visible = False
d8.Visible = False
d9.Visible = False
d1.Visible = False
c2.Visible = False
c3.Visible = False
c4.Visible = False
c5.Visible = False
c6.Visible = False
c7.Visible = False
c8.Visible = False
c9.Visible = False
c1.Visible = False
H2.Visible = False
H3.Visible = False
H4.Visible = False
H5.Visible = False
H6.Visible = False
H7.Visible = False
H8.Visible = False
H9.Visible = False
H1.Visible = False
MM2.Visible = False
MM3.Visible = False
MM4.Visible = False
MM5.Visible = False
MM6.Visible = False
MM7.Visible = False
MM8.Visible = False
MM9.Visible = False
MM1.Visible = False
NGI2.Visible = False
NGI3.Visible = False
NGI4.Visible = False
```

```
NGI5.Visible = False
NGI6.Visible = False
NGI7.Visible = False
NGI8.Visible = False
NGI9.Visible = False
NGI1.Visible = False
LL2.Visible = False
LL3.Visible = False
LL4.Visible = False
LL5.Visible = False
LL6.Visible = False
LL7.Visible = False
LL8.Visible = False
LL9.Visible = False
LL1.Visible = False
PI2.Visible = False
PI3.Visible = False
PI4.Visible = False
PI5.Visible = False
PI6.Visible = False
PI7.Visible = False
PI8.Visible = False
PI9.Visible = False
PI1.Visible = False
PT2.Visible = False
PT3.Visible = False
PT4.Visible = False
PT5.Visible = False
PT6.Visible = False
PT7.Visible = False
PT8.Visible = False
PT9.Visible = False
PT1.Visible = False
M2.Visible = False
M3.Visible = False
M4.Visible = False
M5.Visible = False
M6.Visible = False
M7.Visible = False
M8.Visible = False
M9.Visible = False
M1.Visible = False
O2.Visible = False
O3.Visible = False
O4.Visible = False
O5.Visible = False
O6.Visible = False
O7.Visible = False
O8.Visible = False
O9.Visible = False
O1.Visible = False
P2.Visible = False
P3.Visible = False
P4.Visible = False
P5.Visible = False
P6.Visible = False
P7.Visible = False
P8.Visible = False
P9.Visible = False
P1.Visible = False
MD2.Visible = False
MD3.Visible = False
MD4.Visible = False
MD5.Visible = False
MD6.Visible = False
MD7.Visible = False
MD8.Visible = False
MD9.Visible = False
MD1.Visible = False
MO2.Visible = False
MO3.Visible = False
MO4.Visible = False
MO5.Visible = False
MO6.Visible = False
MO7.Visible = False
MO8.Visible = False
MO9.Visible = False
MO1.Visible = False
U2.Visible = False
U3.Visible = False
U4.Visible = False
```

```
        U5.Visible = False
        U6.Visible = False
        U7.Visible = False
        U8.Visible = False
        U9.Visible = False
        U1.Visible = False
        UO2.Visible = False
        UO3.Visible = False
        UO4.Visible = False
        UO5.Visible = False
        UO6.Visible = False
        UO7.Visible = False
        UO8.Visible = False
        UO9.Visible = False
        UO1.Visible = False
        MPI2.Visible = False
        MPI3.Visible = False
        MPI4.Visible = False
        MPI5.Visible = False
        MPI6.Visible = False
        MPI7.Visible = False
        MPI8.Visible = False
        MPI9.Visible = False
        MPI1.Visible = False
        Y2.Visible = False
        Y3.Visible = False
        Y4.Visible = False
        Y5.Visible = False
        Y6.Visible = False
        Y7.Visible = False
        Y8.Visible = False
        Y9.Visible = False
        Y1.Visible = False
        Label35.Visible = True
        Label35.Top = 144
        edit.Visible = False
        editmode.Visible = False
        End If
        End If
End Sub
Public Sub CLEARFORM()          'THIS SUB CLEARS ALL VALUES IN INPUT BOXES
    With data
    'CLEAR VALUES
        .c1.Value = ""
        .c2.Text = ""
        .c3.Text = ""
        .c4.Text = ""
        .c5.Text = ""
        .c6.Text = ""
        .c7.Text = ""
        .c8.Text = ""
        .c9.Text = ""
        .c10.Text = ""
        .H1.Value = ""
        .H2.Value = ""
        .H3.Value = ""
        .H4.Value = ""
        .H5.Value = ""
        .H6.Value = ""
        .H7.Value = ""
        .H8.Value = ""
        .H9.Value = ""
        .H10.Value = ""
        .MM1.Value = ""
        .MM2.Value = ""
        .MM3.Value = ""
        .MM4.Value = ""
        .MM5.Value = ""
        .MM6.Value = ""
        .MM7.Value = ""
        .MM8.Value = ""
        .MM9.Value = ""
        .MM10.Value = ""
        .NGI1.Value = ""
        .NGI2.Value = ""
        .NGI3.Value = ""
        .NGI4.Value = ""
        .NGI5.Value = ""
        .NGI6.Value = ""
        .NGI7.Value = ""
        .NGI8.Value = ""
```

```
.NGI9.Value = ""
.NGI10.Value = ""
.LL1.Value = ""
.LL2.Value = ""
.LL3.Value = ""
.LL4.Value = ""
.LL5.Value = ""
.LL6.Value = ""
.LL7.Value = ""
.LL8.Value = ""
.LL9.Value = ""
.LL10.Value = ""
.PI1.Value = ""
.PI2.Value = ""
.PI3.Value = ""
.PI4.Value = ""
.PI5.Value = ""
.PI6.Value = ""
.PI7.Value = ""
.PI8.Value = ""
.PI9.Value = ""
.PI10.Value = ""
.PT1.Value = ""
.PT2.Value = ""
.PT3.Value = ""
.PT4.Value = ""
.PT5.Value = ""
.PT6.Value = ""
.PT7.Value = ""
.PT8.Value = ""
.PT9.Value = ""
.PT10.Value = ""
.M1.Value = ""
.M2.Value = ""
.M3.Value = ""
.M4.Value = ""
.M5.Value = ""
.M6.Value = ""
.M7.Value = ""
.M8.Value = ""
.M9.Value = ""
.M10.Value = ""
.O1.Value = ""
.O2.Value = ""
.O3.Value = ""
.O4.Value = ""
.O5.Value = ""
.O6.Value = ""
.O7.Value = ""
.O8.Value = ""
.O9.Value = ""
.O10.Value = ""
.P1.Value = ""
.P2.Value = ""
.P3.Value = ""
.P4.Value = ""
.P5.Value = ""
.P6.Value = ""
.P7.Value = ""
.P8.Value = ""
.P9.Value = ""
.P10.Value = ""
.MPI1.Value = ""
.MPI2.Value = ""
.MPI3.Value = ""
.MPI4.Value = ""
.MPI5.Value = ""
.MPI6.Value = ""
.MPI7.Value = ""
.MPI8.Value = ""
.MPI9.Value = ""
.MPI10.Value = ""
.MD1.Value = ""
.MD2.Value = ""
.MD3.Value = ""
.MD4.Value = ""
.MD5.Value = ""
.MD6.Value = ""
.MD7.Value = ""
.MD8.Value = ""
.MD9.Value = ""
```

```
        .MD10.Value = ""
        .MO1.Value = ""
        .MO2.Value = ""
        .MO3.Value = ""
        .MO4.Value = ""
        .MO5.Value = ""
        .MO6.Value = ""
        .MO7.Value = ""
        .MO8.Value = ""
        .MO9.Value = ""
        .MO10.Value = ""
        .U1.Value = ""
        .U2.Value = ""
        .U3.Value = ""
        .U4.Value = ""
        .U5.Value = ""
        .U6.Value = ""
        .U7.Value = ""
        .U8.Value = ""
        .U9.Value = ""
        .U10.Value = ""
        .UO1.Value = ""
        .UO2.Value = ""
        .UO3.Value = ""
        .UO4.Value = ""
        .UO5.Value = ""
        .UO6.Value = ""
        .UO7.Value = ""
        .UO8.Value = ""
        .UO9.Value = ""
        .UO10.Value = ""
        .Y1.Value = ""
        .Y2.Value = ""
        .Y3.Value = ""
        .Y4.Value = ""
        .Y5.Value = ""
        .Y6.Value = ""
        .Y7.Value = ""
        .Y8.Value = ""
        .Y9.Value = ""
        .Y10.Value = ""



    End With

End Sub
Public Sub SHOWFLYASH()    'THIS CODE TAKES DATA FROM SPREADSHEET TO DISPLAY FOR FLYASH
   'Dim ROW As Integer
            'works on the flyash data sheet2
            'Data for Control Number
            data.c1.Value = Sheet2.Range("z" & (row)).Value
            data.c2.Text = Sheet2.Range("z" & (row + 1)).Value
            data.c3.Text = Sheet2.Range("z" & (row + 2)).Value
            data.c4.Text = Sheet2.Range("z" & (row + 3)).Value
            data.c5.Text = Sheet2.Range("z" & (row + 4)).Value
            data.c6.Text = Sheet2.Range("z" & (row + 5)).Value
            data.c7.Text = Sheet2.Range("z" & (row + 6)).Value
            data.c8.Text = Sheet2.Range("z" & (row + 7)).Value
            data.c9.Text = Sheet2.Range("z" & (row + 8)).Value
            data.c10.Text = Sheet2.Range("z" & (row + 9)).Value

            'Data for Highway
            data.H1.Value = Sheet2.Range("r" & (row)).Value
            data.H2.Text = Sheet2.Range("r" & (row + 1)).Value
            data.H3.Text = Sheet2.Range("r" & (row + 2)).Value
            data.H4.Text = Sheet2.Range("r" & (row + 3)).Value
            data.H5.Text = Sheet2.Range("r" & (row + 4)).Value
            data.H6.Text = Sheet2.Range("r" & (row + 5)).Value
            data.H7.Text = Sheet2.Range("r" & (row + 6)).Value
            data.H8.Text = Sheet2.Range("r" & (row + 7)).Value
            data.H9.Text = Sheet2.Range("r" & (row + 8)).Value
            data.H10.Text = Sheet2.Range("r" & (row + 9)).Value

            'Data for Mile Marker
            data.MM1.Value = Sheet2.Range("s" & (row)).Value
            data.MM2.Text = Sheet2.Range("s" & (row + 1)).Value
            data.MM3.Text = Sheet2.Range("s" & (row + 2)).Value
            data.MM4.Text = Sheet2.Range("s" & (row + 3)).Value
```

```
data.MM5.Text = Sheet2.Range("s" & (row + 4)).Value
data.MM6.Text = Sheet2.Range("s" & (row + 5)).Value
data.MM7.Text = Sheet2.Range("s" & (row + 6)).Value
data.MM8.Text = Sheet2.Range("s" & (row + 7)).Value
data.MM9.Text = Sheet2.Range("s" & (row + 8)).Value
data.MM10.Text = Sheet2.Range("s" & (row + 9)).Value

'Data for NGI
data.NGI1.Value = Sheet2.Range("t" & (row)).Value
data.NGI2.Text = Sheet2.Range("t" & (row + 1)).Value
data.NGI3.Text = Sheet2.Range("t" & (row + 2)).Value
data.NGI4.Text = Sheet2.Range("t" & (row + 3)).Value
data.NGI5.Text = Sheet2.Range("t" & (row + 4)).Value
data.NGI6.Text = Sheet2.Range("t" & (row + 5)).Value
data.NGI7.Text = Sheet2.Range("t" & (row + 6)).Value
data.NGI8.Text = Sheet2.Range("t" & (row + 7)).Value
data.NGI9.Text = Sheet2.Range("t" & (row + 8)).Value
data.NGI10.Text = Sheet2.Range("t" & (row + 9)).Value

'Data for LL
data.LL1.Value = Sheet2.Range("u" & (row)).Value
data.LL2.Text = Sheet2.Range("u" & (row + 1)).Value
data.LL3.Text = Sheet2.Range("u" & (row + 2)).Value
data.LL4.Text = Sheet2.Range("u" & (row + 3)).Value
data.LL5.Text = Sheet2.Range("u" & (row + 4)).Value
data.LL6.Text = Sheet2.Range("u" & (row + 5)).Value
data.LL7.Text = Sheet2.Range("u" & (row + 6)).Value
data.LL8.Text = Sheet2.Range("u" & (row + 7)).Value
data.LL9.Text = Sheet2.Range("u" & (row + 8)).Value
data.LL10.Text = Sheet2.Range("u" & (row + 9)).Value

'Data for PI
data.PI1.Value = Sheet2.Range("v" & (row)).Value
data.PI2.Text = Sheet2.Range("v" & (row + 1)).Value
data.PI3.Text = Sheet2.Range("v" & (row + 2)).Value
data.PI4.Text = Sheet2.Range("v" & (row + 3)).Value
data.PI5.Text = Sheet2.Range("v" & (row + 4)).Value
data.PI6.Text = Sheet2.Range("v" & (row + 5)).Value
data.PI7.Text = Sheet2.Range("v" & (row + 6)).Value
data.PI8.Text = Sheet2.Range("v" & (row + 7)).Value
data.PI9.Text = Sheet2.Range("v" & (row + 8)).Value
data.PI10.Text = Sheet2.Range("v" & (row + 9)).Value

'Data for Percent #200
data.PT1.Value = Sheet2.Range("w" & (row)).Value
data.PT2.Text = Sheet2.Range("w" & (row + 1)).Value
data.PT3.Text = Sheet2.Range("w" & (row + 2)).Value
data.PT4.Text = Sheet2.Range("w" & (row + 3)).Value
data.PT5.Text = Sheet2.Range("w" & (row + 4)).Value
data.PT6.Text = Sheet2.Range("w" & (row + 5)).Value
data.PT7.Text = Sheet2.Range("w" & (row + 6)).Value
data.PT8.Text = Sheet2.Range("w" & (row + 7)).Value
data.PT9.Text = Sheet2.Range("w" & (row + 8)).Value
data.PT10.Text = Sheet2.Range("w" & (row + 9)).Value

'Data for MLD
data.M1.Value = Sheet2.Range("x" & (row)).Value
data.M2.Text = Sheet2.Range("x" & (row + 1)).Value
data.M3.Text = Sheet2.Range("x" & (row + 2)).Value
data.M4.Text = Sheet2.Range("x" & (row + 3)).Value
data.M5.Text = Sheet2.Range("x" & (row + 4)).Value
data.M6.Text = Sheet2.Range("x" & (row + 5)).Value
data.M7.Text = Sheet2.Range("x" & (row + 6)).Value
data.M8.Text = Sheet2.Range("x" & (row + 7)).Value
data.M9.Text = Sheet2.Range("x" & (row + 8)).Value
data.M10.Text = Sheet2.Range("x" & (row + 9)).Value

'Data for MLD OMC
data.O1.Value = Sheet2.Range("y" & (row)).Value
data.O2.Text = Sheet2.Range("y" & (row + 1)).Value
data.O3.Text = Sheet2.Range("y" & (row + 2)).Value
data.O4.Text = Sheet2.Range("y" & (row + 3)).Value
data.O5.Text = Sheet2.Range("y" & (row + 4)).Value
data.O6.Text = Sheet2.Range("y" & (row + 5)).Value
data.O7.Text = Sheet2.Range("y" & (row + 6)).Value
data.O8.Text = Sheet2.Range("y" & (row + 7)).Value
data.O9.Text = Sheet2.Range("y" & (row + 8)).Value
data.O10.Text = Sheet2.Range("y" & (row + 9)).Value

'Data for PERCENT ADD
data.P1.Value = Sheet2.Range("ab" & (row)).Value
```

```
data.P2.Text = Sheet2.Range("ab" & (row + 1)).Value
data.P3.Text = Sheet2.Range("ab" & (row + 2)).Value
data.P4.Text = Sheet2.Range("ab" & (row + 3)).Value
data.P5.Text = Sheet2.Range("ab" & (row + 4)).Value
data.P6.Text = Sheet2.Range("ab" & (row + 5)).Value
data.P7.Text = Sheet2.Range("ab" & (row + 6)).Value
data.P8.Text = Sheet2.Range("ab" & (row + 7)).Value
data.P9.Text = Sheet2.Range("ab" & (row + 8)).Value
data.P10.Text = Sheet2.Range("ab" & (row + 9)).Value

'Data for MODIFIED PI
data.MPI1.Value = Sheet2.Range("aG" & (row)).Value
data.MPI2.Text = Sheet2.Range("aG" & (row + 1)).Value
data.MPI3.Text = Sheet2.Range("aG" & (row + 2)).Value
data.MPI4.Text = Sheet2.Range("aG" & (row + 3)).Value
data.MPI5.Text = Sheet2.Range("aG" & (row + 4)).Value
data.MPI6.Text = Sheet2.Range("aG" & (row + 5)).Value
data.MPI7.Text = Sheet2.Range("aG" & (row + 6)).Value
data.MPI8.Text = Sheet2.Range("aG" & (row + 7)).Value
data.MPI9.Text = Sheet2.Range("aG" & (row + 8)).Value
data.MPI10.Text = Sheet2.Range("aG" & (row + 9)).Value

'Data for MODIFIED MLD
data.MD1.Value = Sheet2.Range("aC" & (row)).Value
data.MD2.Text = Sheet2.Range("aC" & (row + 1)).Value
data.MD3.Text = Sheet2.Range("aC" & (row + 2)).Value
data.MD4.Text = Sheet2.Range("aC" & (row + 3)).Value
data.MD5.Text = Sheet2.Range("aC" & (row + 4)).Value
data.MD6.Text = Sheet2.Range("aC" & (row + 5)).Value
data.MD7.Text = Sheet2.Range("aC" & (row + 6)).Value
data.MD8.Text = Sheet2.Range("aC" & (row + 7)).Value
data.MD9.Text = Sheet2.Range("aC" & (row + 8)).Value
data.MD10.Text = Sheet2.Range("aC" & (row + 9)).Value

'Data for MODIFIED OMC
data.MO1.Value = Sheet2.Range("aD" & (row)).Value
data.MO2.Text = Sheet2.Range("aD" & (row + 1)).Value
data.MO3.Text = Sheet2.Range("aD" & (row + 2)).Value
data.MO4.Text = Sheet2.Range("aD" & (row + 3)).Value
data.MO5.Text = Sheet2.Range("aD" & (row + 4)).Value
data.MO6.Text = Sheet2.Range("aD" & (row + 5)).Value
data.MO7.Text = Sheet2.Range("aD" & (row + 6)).Value
data.MO8.Text = Sheet2.Range("aD" & (row + 7)).Value
data.MO9.Text = Sheet2.Range("aD" & (row + 8)).Value
data.MO10.Text = Sheet2.Range("aD" & (row + 9)).Value

'Data for UCS
data.U1.Value = Sheet2.Range("aE" & (row)).Value
data.U2.Text = Sheet2.Range("aE" & (row + 1)).Value
data.U3.Text = Sheet2.Range("aE" & (row + 2)).Value
data.U4.Text = Sheet2.Range("aE" & (row + 3)).Value
data.U5.Text = Sheet2.Range("aE" & (row + 4)).Value
data.U6.Text = Sheet2.Range("aE" & (row + 5)).Value
data.U7.Text = Sheet2.Range("aE" & (row + 6)).Value
data.U8.Text = Sheet2.Range("aE" & (row + 7)).Value
data.U9.Text = Sheet2.Range("aE" & (row + 8)).Value
data.U10.Text = Sheet2.Range("aE" & (row + 9)).Value

'Data for UCS OMC
data.UO1.Value = Sheet2.Range("aF" & (row)).Value
data.UO2.Text = Sheet2.Range("aF" & (row + 1)).Value
data.UO3.Text = Sheet2.Range("aF" & (row + 2)).Value
data.UO4.Text = Sheet2.Range("aF" & (row + 3)).Value
data.UO5.Text = Sheet2.Range("aF" & (row + 4)).Value
data.UO6.Text = Sheet2.Range("aF" & (row + 5)).Value
data.UO7.Text = Sheet2.Range("aF" & (row + 6)).Value
data.UO8.Text = Sheet2.Range("aF" & (row + 7)).Value
data.UO9.Text = Sheet2.Range("aF" & (row + 8)).Value
data.UO10.Text = Sheet2.Range("aF" & (row + 9)).Value

'Data for YEAR
data.Y1.Value = Sheet2.Range("ah" & (row)).Value
data.Y2.Text = Sheet2.Range("ah" & (row + 1)).Value
data.Y3.Text = Sheet2.Range("ah" & (row + 2)).Value
data.Y4.Text = Sheet2.Range("ah" & (row + 3)).Value
data.Y5.Text = Sheet2.Range("ah" & (row + 4)).Value
data.Y6.Text = Sheet2.Range("ah" & (row + 5)).Value
data.Y7.Text = Sheet2.Range("ah" & (row + 6)).Value
data.Y8.Text = Sheet2.Range("ah" & (row + 7)).Value
data.Y9.Text = Sheet2.Range("ah" & (row + 8)).Value
data.Y10.Text = Sheet2.Range("ah" & (row + 9)).Value
```

```
End Sub
Public Sub SHOWCKD()
 'Dim row As Integer
            'works on the CKD data sheet6
            'Data for Control Number
            data.c1.Value = Sheet6.Range("z" & (row)).Value
            data.c2.Text = Sheet6.Range("z" & (row + 1)).Value
            data.c3.Text = Sheet6.Range("z" & (row + 2)).Value
            data.c4.Text = Sheet6.Range("z" & (row + 3)).Value
            data.c5.Text = Sheet6.Range("z" & (row + 4)).Value
            data.c6.Text = Sheet6.Range("z" & (row + 5)).Value
            data.c7.Text = Sheet6.Range("z" & (row + 6)).Value
            data.c8.Text = Sheet6.Range("z" & (row + 7)).Value
            data.c9.Text = Sheet6.Range("z" & (row + 8)).Value
            data.c10.Text = Sheet6.Range("z" & (row + 9)).Value


           'Data for Highway
            data.H1.Value = Sheet6.Range("r" & (row)).Value
            data.H2.Text = Sheet6.Range("r" & (row + 1)).Value
            data.H3.Text = Sheet6.Range("r" & (row + 2)).Value
            data.H4.Text = Sheet6.Range("r" & (row + 3)).Value
            data.H5.Text = Sheet6.Range("r" & (row + 4)).Value
            data.H6.Text = Sheet6.Range("r" & (row + 5)).Value
            data.H7.Text = Sheet6.Range("r" & (row + 6)).Value
            data.H8.Text = Sheet6.Range("r" & (row + 7)).Value
            data.H9.Text = Sheet6.Range("r" & (row + 8)).Value
            data.H10.Text = Sheet6.Range("r" & (row + 9)).Value
            'Data for Mile Marker
            data.MM1.Value = Sheet6.Range("s" & (row)).Value
            data.MM2.Text = Sheet6.Range("s" & (row + 1)).Value
            data.MM3.Text = Sheet6.Range("s" & (row + 2)).Value
            data.MM4.Text = Sheet6.Range("s" & (row + 3)).Value
            data.MM5.Text = Sheet6.Range("s" & (row + 4)).Value
            data.MM6.Text = Sheet6.Range("s" & (row + 5)).Value
            data.MM7.Text = Sheet6.Range("s" & (row + 6)).Value
            data.MM8.Text = Sheet6.Range("s" & (row + 7)).Value
            data.MM9.Text = Sheet6.Range("s" & (row + 8)).Value
            data.MM10.Text = Sheet6.Range("s" & (row + 9)).Value
            'Data for NGI
            data.NGI1.Value = Sheet6.Range("t" & (row)).Value
            data.NGI2.Text = Sheet6.Range("t" & (row + 1)).Value
            data.NGI3.Text = Sheet6.Range("t" & (row + 2)).Value
            data.NGI4.Text = Sheet6.Range("t" & (row + 3)).Value
            data.NGI5.Text = Sheet6.Range("t" & (row + 4)).Value
            data.NGI6.Text = Sheet6.Range("t" & (row + 5)).Value
            data.NGI7.Text = Sheet6.Range("t" & (row + 6)).Value
            data.NGI8.Text = Sheet6.Range("t" & (row + 7)).Value
            data.NGI9.Text = Sheet6.Range("t" & (row + 8)).Value
            data.NGI10.Text = Sheet6.Range("t" & (row + 9)).Value
            'Data for LL
            data.LL1.Value = Sheet6.Range("u" & (row)).Value
            data.LL2.Text = Sheet6.Range("u" & (row + 1)).Value
            data.LL3.Text = Sheet6.Range("u" & (row + 2)).Value
            data.LL4.Text = Sheet6.Range("u" & (row + 3)).Value
            data.LL5.Text = Sheet6.Range("u" & (row + 4)).Value
            data.LL6.Text = Sheet6.Range("u" & (row + 5)).Value
            data.LL7.Text = Sheet6.Range("u" & (row + 6)).Value
            data.LL8.Text = Sheet6.Range("u" & (row + 7)).Value
            data.LL9.Text = Sheet6.Range("u" & (row + 8)).Value
            data.LL10.Text = Sheet6.Range("u" & (row + 9)).Value
            'Data for PI
            data.PI1.Value = Sheet6.Range("v" & (row)).Value
            data.PI2.Text = Sheet6.Range("v" & (row + 1)).Value
            data.PI3.Text = Sheet6.Range("v" & (row + 2)).Value
            data.PI4.Text = Sheet6.Range("v" & (row + 3)).Value
            data.PI5.Text = Sheet6.Range("v" & (row + 4)).Value
            data.PI6.Text = Sheet6.Range("v" & (row + 5)).Value
            data.PI7.Text = Sheet6.Range("v" & (row + 6)).Value
            data.PI8.Text = Sheet6.Range("v" & (row + 7)).Value
            data.PI9.Text = Sheet6.Range("v" & (row + 8)).Value
            data.PI10.Text = Sheet6.Range("v" & (row + 9)).Value
            'Data for Percent #200
            data.PT1.Value = Sheet6.Range("w" & (row)).Value
            data.PT2.Text = Sheet6.Range("w" & (row + 1)).Value
            data.PT3.Text = Sheet6.Range("w" & (row + 2)).Value
            data.PT4.Text = Sheet6.Range("w" & (row + 3)).Value
            data.PT5.Text = Sheet6.Range("w" & (row + 4)).Value
            data.PT6.Text = Sheet6.Range("w" & (row + 5)).Value
```

```
data.PT7.Text = Sheet6.Range("w" & (row + 6)).Value
data.PT8.Text = Sheet6.Range("w" & (row + 7)).Value
data.PT9.Text = Sheet6.Range("w" & (row + 8)).Value
data.PT10.Text = Sheet6.Range("w" & (row + 9)).Value
'Data for MLD
data.M1.Value = Sheet6.Range("x" & (row)).Value
data.M2.Text = Sheet6.Range("x" & (row + 1)).Value
data.M3.Text = Sheet6.Range("x" & (row + 2)).Value
data.M4.Text = Sheet6.Range("x" & (row + 3)).Value
data.M5.Text = Sheet6.Range("x" & (row + 4)).Value
data.M6.Text = Sheet6.Range("x" & (row + 5)).Value
data.M7.Text = Sheet6.Range("x" & (row + 6)).Value
data.M8.Text = Sheet6.Range("x" & (row + 7)).Value
data.M9.Text = Sheet6.Range("x" & (row + 8)).Value
data.M10.Text = Sheet6.Range("x" & (row + 9)).Value
'Data for MLD OMC
data.O1.Value = Sheet6.Range("y" & (row)).Value
data.O2.Text = Sheet6.Range("y" & (row + 1)).Value
data.O3.Text = Sheet6.Range("y" & (row + 2)).Value
data.O4.Text = Sheet6.Range("y" & (row + 3)).Value
data.O5.Text = Sheet6.Range("y" & (row + 4)).Value
data.O6.Text = Sheet6.Range("y" & (row + 5)).Value
data.O7.Text = Sheet6.Range("y" & (row + 6)).Value
data.O8.Text = Sheet6.Range("y" & (row + 7)).Value
data.O9.Text = Sheet6.Range("y" & (row + 8)).Value
data.O10.Text = Sheet6.Range("y" & (row + 9)).Value
'Data for PERCENT ADD
data.P1.Value = Sheet6.Range("ab" & (row)).Value
data.P2.Text = Sheet6.Range("ab" & (row + 1)).Value
data.P3.Text = Sheet6.Range("ab" & (row + 2)).Value
data.P4.Text = Sheet6.Range("ab" & (row + 3)).Value
data.P5.Text = Sheet6.Range("ab" & (row + 4)).Value
data.P6.Text = Sheet6.Range("ab" & (row + 5)).Value
data.P7.Text = Sheet6.Range("ab" & (row + 6)).Value
data.P8.Text = Sheet6.Range("ab" & (row + 7)).Value
data.P9.Text = Sheet6.Range("ab" & (row + 8)).Value
data.P10.Text = Sheet6.Range("ab" & (row + 9)).Value
'Data for MODIFIED PI
data.MPI1.Value = Sheet6.Range("aG" & (row)).Value
data.MPI2.Text = Sheet6.Range("aG" & (row + 1)).Value
data.MPI3.Text = Sheet6.Range("aG" & (row + 2)).Value
data.MPI4.Text = Sheet6.Range("aG" & (row + 3)).Value
data.MPI5.Text = Sheet6.Range("aG" & (row + 4)).Value
data.MPI6.Text = Sheet6.Range("aG" & (row + 5)).Value
data.MPI7.Text = Sheet6.Range("aG" & (row + 6)).Value
data.MPI8.Text = Sheet6.Range("aG" & (row + 7)).Value
data.MPI9.Text = Sheet6.Range("aG" & (row + 8)).Value
data.MPI10.Text = Sheet6.Range("aG" & (row + 9)).Value
'Data for MODIFIED MLD
data.MD1.Value = Sheet6.Range("aC" & (row)).Value
data.MD2.Text = Sheet6.Range("aC" & (row + 1)).Value
data.MD3.Text = Sheet6.Range("aC" & (row + 2)).Value
data.MD4.Text = Sheet6.Range("aC" & (row + 3)).Value
data.MD5.Text = Sheet6.Range("aC" & (row + 4)).Value
data.MD6.Text = Sheet6.Range("aC" & (row + 5)).Value
data.MD7.Text = Sheet6.Range("aC" & (row + 6)).Value
data.MD8.Text = Sheet6.Range("aC" & (row + 7)).Value
data.MD9.Text = Sheet6.Range("aC" & (row + 8)).Value
data.MD10.Text = Sheet6.Range("aC" & (row + 9)).Value
'Data for MODIFIED OMC
data.MO1.Value = Sheet6.Range("aD" & (row)).Value
data.MO2.Text = Sheet6.Range("aD" & (row + 1)).Value
data.MO3.Text = Sheet6.Range("aD" & (row + 2)).Value
data.MO4.Text = Sheet6.Range("aD" & (row + 3)).Value
data.MO5.Text = Sheet6.Range("aD" & (row + 4)).Value
data.MO6.Text = Sheet6.Range("aD" & (row + 5)).Value
data.MO7.Text = Sheet6.Range("aD" & (row + 6)).Value
data.MO8.Text = Sheet6.Range("aD" & (row + 7)).Value
data.MO9.Text = Sheet6.Range("aD" & (row + 8)).Value
data.MO10.Text = Sheet6.Range("aD" & (row + 9)).Value
'Data for UCS
data.U1.Value = Sheet6.Range("aE" & (row)).Value
data.U2.Text = Sheet6.Range("aE" & (row + 1)).Value
data.U3.Text = Sheet6.Range("aE" & (row + 2)).Value
data.U4.Text = Sheet6.Range("aE" & (row + 3)).Value
data.U5.Text = Sheet6.Range("aE" & (row + 4)).Value
data.U6.Text = Sheet6.Range("aE" & (row + 5)).Value
data.U7.Text = Sheet6.Range("aE" & (row + 6)).Value
data.U8.Text = Sheet6.Range("aE" & (row + 7)).Value
data.U9.Text = Sheet6.Range("aE" & (row + 8)).Value
data.U10.Text = Sheet6.Range("aE" & (row + 9)).Value
```

```
            'Data for UCS OMC
            data.UO1.Value = Sheet6.Range("aF" & (row)).Value
            data.UO2.Text = Sheet6.Range("aF" & (row + 1)).Value
            data.UO3.Text = Sheet6.Range("aF" & (row + 2)).Value
            data.UO4.Text = Sheet6.Range("aF" & (row + 3)).Value
            data.UO5.Text = Sheet6.Range("aF" & (row + 4)).Value
            data.UO6.Text = Sheet6.Range("aF" & (row + 5)).Value
            data.UO7.Text = Sheet6.Range("aF" & (row + 6)).Value
            data.UO8.Text = Sheet6.Range("aF" & (row + 7)).Value
            data.UO9.Text = Sheet6.Range("aF" & (row + 8)).Value
            data.UO10.Text = Sheet6.Range("aF" & (row + 9)).Value
            'Data for YEAR
            data.Y1.Value = Sheet6.Range("ah" & (row)).Value
            data.Y2.Text = Sheet6.Range("ah" & (row + 1)).Value
            data.Y3.Text = Sheet6.Range("ah" & (row + 2)).Value
            data.Y4.Text = Sheet6.Range("ah" & (row + 3)).Value
            data.Y5.Text = Sheet6.Range("ah" & (row + 4)).Value
            data.Y6.Text = Sheet6.Range("ah" & (row + 5)).Value
            data.Y7.Text = Sheet6.Range("ah" & (row + 6)).Value
            data.Y8.Text = Sheet6.Range("ah" & (row + 7)).Value
            data.Y9.Text = Sheet6.Range("ah" & (row + 8)).Value
            data.Y10.Text = Sheet6.Range("ah" & (row + 9)).Value

End Sub
Public Sub SHOWLIME()
    ' Dim row As Integer
            'works on the lime data sheet3
            'Data for Control Number
            data.c1.Value = Sheet3.Range("z" & (row)).Value
            data.c2.Text = Sheet3.Range("z" & (row + 1)).Value
            data.c3.Text = Sheet3.Range("z" & (row + 2)).Value
            data.c4.Text = Sheet3.Range("z" & (row + 3)).Value
            data.c5.Text = Sheet3.Range("z" & (row + 4)).Value
            data.c6.Text = Sheet3.Range("z" & (row + 5)).Value
            data.c7.Text = Sheet3.Range("z" & (row + 6)).Value
            data.c8.Text = Sheet3.Range("z" & (row + 7)).Value
            data.c9.Text = Sheet3.Range("z" & (row + 8)).Value
            data.c10.Text = Sheet3.Range("z" & (row + 9)).Value

            'Data for Highway
            data.H1.Value = Sheet3.Range("r" & (row)).Value
            data.H2.Text = Sheet3.Range("r" & (row + 1)).Value
            data.H3.Text = Sheet3.Range("r" & (row + 2)).Value
            data.H4.Text = Sheet3.Range("r" & (row + 3)).Value
            data.H5.Text = Sheet3.Range("r" & (row + 4)).Value
            data.H6.Text = Sheet3.Range("r" & (row + 5)).Value
            data.H7.Text = Sheet3.Range("r" & (row + 6)).Value
            data.H8.Text = Sheet3.Range("r" & (row + 7)).Value
            data.H9.Text = Sheet3.Range("r" & (row + 8)).Value
            data.H10.Text = Sheet3.Range("r" & (row + 9)).Value
            'Data for Mile Marker
            data.MM1.Value = Sheet3.Range("s" & (row)).Value
            data.MM2.Text = Sheet3.Range("s" & (row + 1)).Value
            data.MM3.Text = Sheet3.Range("s" & (row + 2)).Value
            data.MM4.Text = Sheet3.Range("s" & (row + 3)).Value
            data.MM5.Text = Sheet3.Range("s" & (row + 4)).Value
            data.MM6.Text = Sheet3.Range("s" & (row + 5)).Value
            data.MM7.Text = Sheet3.Range("s" & (row + 6)).Value
            data.MM8.Text = Sheet3.Range("s" & (row + 7)).Value
            data.MM9.Text = Sheet3.Range("s" & (row + 8)).Value
            data.MM10.Text = Sheet3.Range("s" & (row + 9)).Value
            'Data for NGI
            data.NGI1.Value = Sheet3.Range("t" & (row)).Value
            data.NGI2.Text = Sheet3.Range("t" & (row + 1)).Value
            data.NGI3.Text = Sheet3.Range("t" & (row + 2)).Value
            data.NGI4.Text = Sheet3.Range("t" & (row + 3)).Value
            data.NGI5.Text = Sheet3.Range("t" & (row + 4)).Value
            data.NGI6.Text = Sheet3.Range("t" & (row + 5)).Value
            data.NGI7.Text = Sheet3.Range("t" & (row + 6)).Value
            data.NGI8.Text = Sheet3.Range("t" & (row + 7)).Value
            data.NGI9.Text = Sheet3.Range("t" & (row + 8)).Value
            data.NGI10.Text = Sheet3.Range("t" & (row + 9)).Value
            'Data for LL
            data.LL1.Value = Sheet3.Range("u" & (row)).Value
            data.LL2.Text = Sheet3.Range("u" & (row + 1)).Value
            data.LL3.Text = Sheet3.Range("u" & (row + 2)).Value
            data.LL4.Text = Sheet3.Range("u" & (row + 3)).Value
            data.LL5.Text = Sheet3.Range("u" & (row + 4)).Value
            data.LL6.Text = Sheet3.Range("u" & (row + 5)).Value
            data.LL7.Text = Sheet3.Range("u" & (row + 6)).Value
            data.LL8.Text = Sheet3.Range("u" & (row + 7)).Value
```

```
data.LL9.Text = Sheet3.Range("u" & (row + 8)).Value
data.LL10.Text = Sheet3.Range("u" & (row + 9)).Value
'Data for PI
data.PI1.Value = Sheet3.Range("v" & (row)).Value
data.PI2.Text = Sheet3.Range("v" & (row + 1)).Value
data.PI3.Text = Sheet3.Range("v" & (row + 2)).Value
data.PI4.Text = Sheet3.Range("v" & (row + 3)).Value
data.PI5.Text = Sheet3.Range("v" & (row + 4)).Value
data.PI6.Text = Sheet3.Range("v" & (row + 5)).Value
data.PI7.Text = Sheet3.Range("v" & (row + 6)).Value
data.PI8.Text = Sheet3.Range("v" & (row + 7)).Value
data.PI9.Text = Sheet3.Range("v" & (row + 8)).Value
data.PI10.Text = Sheet3.Range("v" & (row + 9)).Value
'Data for Percent #200
data.PT1.Value = Sheet3.Range("w" & (row)).Value
data.PT2.Text = Sheet3.Range("w" & (row + 1)).Value
data.PT3.Text = Sheet3.Range("w" & (row + 2)).Value
data.PT4.Text = Sheet3.Range("w" & (row + 3)).Value
data.PT5.Text = Sheet3.Range("w" & (row + 4)).Value
data.PT6.Text = Sheet3.Range("w" & (row + 5)).Value
data.PT7.Text = Sheet3.Range("w" & (row + 6)).Value
data.PT8.Text = Sheet3.Range("w" & (row + 7)).Value
data.PT9.Text = Sheet3.Range("w" & (row + 8)).Value
data.PT10.Text = Sheet3.Range("w" & (row + 9)).Value
'Data for MLD
data.M1.Value = Sheet3.Range("x" & (row)).Value
data.M2.Text = Sheet3.Range("x" & (row + 1)).Value
data.M3.Text = Sheet3.Range("x" & (row + 2)).Value
data.M4.Text = Sheet3.Range("x" & (row + 3)).Value
data.M5.Text = Sheet3.Range("x" & (row + 4)).Value
data.M6.Text = Sheet3.Range("x" & (row + 5)).Value
data.M7.Text = Sheet3.Range("x" & (row + 6)).Value
data.M8.Text = Sheet3.Range("x" & (row + 7)).Value
data.M9.Text = Sheet3.Range("x" & (row + 8)).Value
data.M10.Text = Sheet3.Range("x" & (row + 9)).Value
'Data for MLD OMC
data.O1.Value = Sheet3.Range("y" & (row)).Value
data.O2.Text = Sheet3.Range("y" & (row + 1)).Value
data.O3.Text = Sheet3.Range("y" & (row + 2)).Value
data.O4.Text = Sheet3.Range("y" & (row + 3)).Value
data.O5.Text = Sheet3.Range("y" & (row + 4)).Value
data.O6.Text = Sheet3.Range("y" & (row + 5)).Value
data.O7.Text = Sheet3.Range("y" & (row + 6)).Value
data.O8.Text = Sheet3.Range("y" & (row + 7)).Value
data.O9.Text = Sheet3.Range("y" & (row + 8)).Value
data.O10.Text = Sheet3.Range("y" & (row + 9)).Value
'Data for PERCENT ADD
data.P1.Value = Sheet3.Range("ab" & (row)).Value
data.P2.Text = Sheet3.Range("ab" & (row + 1)).Value
data.P3.Text = Sheet3.Range("ab" & (row + 2)).Value
data.P4.Text = Sheet3.Range("ab" & (row + 3)).Value
data.P5.Text = Sheet3.Range("ab" & (row + 4)).Value
data.P6.Text = Sheet3.Range("ab" & (row + 5)).Value
data.P7.Text = Sheet3.Range("ab" & (row + 6)).Value
data.P8.Text = Sheet3.Range("ab" & (row + 7)).Value
data.P9.Text = Sheet3.Range("ab" & (row + 8)).Value
data.P10.Text = Sheet3.Range("ab" & (row + 9)).Value
'Data for MODIFIED PI
data.MPI1.Value = Sheet3.Range("aG" & (row)).Value
data.MPI2.Text = Sheet3.Range("aG" & (row + 1)).Value
data.MPI3.Text = Sheet3.Range("aG" & (row + 2)).Value
data.MPI4.Text = Sheet3.Range("aG" & (row + 3)).Value
data.MPI5.Text = Sheet3.Range("aG" & (row + 4)).Value
data.MPI6.Text = Sheet3.Range("aG" & (row + 5)).Value
data.MPI7.Text = Sheet3.Range("aG" & (row + 6)).Value
data.MPI8.Text = Sheet3.Range("aG" & (row + 7)).Value
data.MPI9.Text = Sheet3.Range("aG" & (row + 8)).Value
data.MPI10.Text = Sheet3.Range("aG" & (row + 9)).Value
'Data for MODIFIED MLD
data.MD1.Value = Sheet3.Range("aC" & (row)).Value
data.MD2.Text = Sheet3.Range("aC" & (row + 1)).Value
data.MD3.Text = Sheet3.Range("aC" & (row + 2)).Value
data.MD4.Text = Sheet3.Range("aC" & (row + 3)).Value
data.MD5.Text = Sheet3.Range("aC" & (row + 4)).Value
data.MD6.Text = Sheet3.Range("aC" & (row + 5)).Value
data.MD7.Text = Sheet3.Range("aC" & (row + 6)).Value
data.MD8.Text = Sheet3.Range("aC" & (row + 7)).Value
data.MD9.Text = Sheet3.Range("aC" & (row + 8)).Value
data.MD10.Text = Sheet3.Range("aC" & (row + 9)).Value
'Data for MODIFIED OMC3
data.MO1.Value = Sheet3.Range("aD" & (row)).Value
```

```
            data.MO2.Text = Sheet3.Range("aD" & (row + 1)).Value
            data.MO3.Text = Sheet3.Range("aD" & (row + 2)).Value
            data.MO4.Text = Sheet3.Range("aD" & (row + 3)).Value
            data.MO5.Text = Sheet3.Range("aD" & (row + 4)).Value
            data.MO6.Text = Sheet3.Range("aD" & (row + 5)).Value
            data.MO7.Text = Sheet3.Range("aD" & (row + 6)).Value
            data.MO8.Text = Sheet3.Range("aD" & (row + 7)).Value
            data.MO9.Text = Sheet3.Range("aD" & (row + 8)).Value
            data.MO10.Text = Sheet3.Range("aD" & (row + 9)).Value
            'Data for UCS
            data.U1.Value = Sheet3.Range("aE" & (row)).Value
            data.U2.Text = Sheet3.Range("aE" & (row + 1)).Value
            data.U3.Text = Sheet3.Range("aE" & (row + 2)).Value
            data.U4.Text = Sheet3.Range("aE" & (row + 3)).Value
            data.U5.Text = Sheet3.Range("aE" & (row + 4)).Value
            data.U6.Text = Sheet3.Range("aE" & (row + 5)).Value
            data.U7.Text = Sheet3.Range("aE" & (row + 6)).Value
            data.U8.Text = Sheet3.Range("aE" & (row + 7)).Value
            data.U9.Text = Sheet3.Range("aE" & (row + 8)).Value
            data.U10.Text = Sheet3.Range("aE" & (row + 9)).Value
            'Data for UCS OMC
            data.UO1.Value = Sheet3.Range("aF" & (row)).Value
            data.UO2.Text = Sheet3.Range("aF" & (row + 1)).Value
            data.UO3.Text = Sheet3.Range("aF" & (row + 2)).Value
            data.UO4.Text = Sheet3.Range("aF" & (row + 3)).Value
            data.UO5.Text = Sheet3.Range("aF" & (row + 4)).Value
            data.UO6.Text = Sheet3.Range("aF" & (row + 5)).Value
            data.UO7.Text = Sheet3.Range("aF" & (row + 6)).Value
            data.UO8.Text = Sheet3.Range("aF" & (row + 7)).Value
            data.UO9.Text = Sheet3.Range("aF" & (row + 8)).Value
            data.UO10.Text = Sheet3.Range("aF" & (row + 9)).Value
            'Data for YEAR
            data.Y1.Value = Sheet3.Range("ah" & (row)).Value
            data.Y2.Text = Sheet3.Range("ah" & (row + 1)).Value
            data.Y3.Text = Sheet3.Range("ah" & (row + 2)).Value
            data.Y4.Text = Sheet3.Range("ah" & (row + 3)).Value
            data.Y5.Text = Sheet3.Range("ah" & (row + 4)).Value
            data.Y6.Text = Sheet3.Range("ah" & (row + 5)).Value
            data.Y7.Text = Sheet3.Range("ah" & (row + 6)).Value
            data.Y8.Text = Sheet3.Range("ah" & (row + 7)).Value
            data.Y9.Text = Sheet3.Range("ah" & (row + 8)).Value
            data.Y10.Text = Sheet3.Range("ah" & (row + 9)).Value
End Sub
Private Sub add_Change()
  data.MOVE2.Value = 31
  row = 31
    If add.Value = "FLYASH" Then 'works on the flyash data sheet2
        SHOWFLYASH
                    UO1.Visible = True
                    UO2.Visible = True
                    UO3.Visible = True
                    UO4.Visible = True
                    UO5.Visible = True
                    UO6.Visible = True
                    UO7.Visible = True
                    UO8.Visible = True
                    UO9.Visible = True
                    UO10.Visible = True
                    Label35.Visible = False
                    Label21.Visible = True
    Else
        If add.Value = "CKD" Then 'works on the CKD data sheet6
            SHOWCKD
                    UO1.Visible = True
                    UO2.Visible = True
                    UO3.Visible = True
                    UO4.Visible = True
                    UO5.Visible = True
                    UO6.Visible = True
                    UO7.Visible = True
                    UO8.Visible = True
                    UO9.Visible = True
                    UO10.Visible = True
                    Label35.Visible = False
                    Label21.Visible = True


        Else
            If add.Value = "LIME" Then 'works on the lime data sheet3
                SHOWLIME
                    UO1.Visible = False
```

```
                    UO2.Visible = False
                    UO3.Visible = False
                    UO4.Visible = False
                    UO5.Visible = False
                    UO6.Visible = False
                    UO7.Visible = False
                    UO8.Visible = False
                    UO9.Visible = False
                    UO10.Visible = False
                    Label35.Visible = False
                    Label21.Visible = False

            End If
        End If
    End If
End Sub
Private Sub ADDINSERT_Change()
If ADDINSERT.Value = "LIME" Then
    Label21.Visible = False
    UO1.Visible = False
    UO2.Visible = False
    UO3.Visible = False
    UO4.Visible = False
    UO5.Visible = False
    UO6.Visible = False
    UO7.Visible = False
    UO8.Visible = False
    UO9.Visible = False
    UO10.Visible = False

   Else
    If ADDINSERT.Value = "FLYASH" Then
                    UO1.Visible = True
                    UO2.Visible = True
                    UO3.Visible = True
                    UO4.Visible = True
                    UO5.Visible = True
                    UO6.Visible = True
                    UO7.Visible = True
                    UO8.Visible = True
                    UO9.Visible = True
                    UO10.Visible = True
                    Label35.Visible = False
                    Label21.Visible = True


       Else
        If ADDINSERT.Value = "CKD" Then
                    UO1.Visible = True
                    UO2.Visible = True
                    UO3.Visible = True
                    UO4.Visible = True
                    UO5.Visible = True
                    UO6.Visible = True
                    UO7.Visible = True
                    UO8.Visible = True
                    UO9.Visible = True
                    UO10.Visible = True
                    Label35.Visible = False
                    Label21.Visible = True


End If
End If
End If
End Sub
Private Sub delete_Click()
    If d1.Value = True Then
        If add = "FLYASH" Then
        Sheet2.Range("v3") = c1.Value
        a = Sheet2.Range("w3")
        Sheet2.Rows(a).EntireRow.delete
        d1.Value = False
        c1 = ""
        s1 = ""
        H1 = ""
        MM1 = ""
        NGI1 = ""
        LL1 = ""
        PI1 = ""
        PT1 = ""
```

```
    M1 = ""
    O1 = ""
    P1 = ""
    MD1 = ""
    MO1 = ""
    U1 = ""
    UO1 = ""
    MPI1 = ""
    Y1 = ""
        'Sorting FLYASH by Y1
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
 If d2.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c2.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d2.Value = False
    c2 = ""
    s2 = ""
    H2 = ""
    MM2 = ""
    NGI2 = ""
    LL2 = ""
    PI2 = ""
    PT2 = ""
    M2 = ""
    O2 = ""
    P2 = ""
    MD2 = ""
    MO2 = ""
    U2 = ""
    UO2 = ""
    MPI2 = ""
    Y2 = ""
        'Sorting FLYASH by Y2
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d3.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c3.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d3.Value = False
    c3 = ""
    s3 = ""
    H3 = ""
    MM3 = ""
    NGI3 = ""
    LL3 = ""
    PI3 = ""
    PT3 = ""
    M3 = ""
```

```
    O3 = ""
    P3 = ""
    MD3 = ""
    MO3 = ""
    U3 = ""
    UO3 = ""
    MPI3 = ""
    Y3 = ""
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d4.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c4.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d4.Value = False
    c4 = ""
    s4 = ""
    H4 = ""
    MM4 = ""
    NGI4 = ""
    LL4 = ""
    PI4 = ""
    PT4 = ""
    M4 = ""
    O4 = ""
    P4 = ""
    MD4 = ""
    MO4 = ""
    U4 = ""
    UO4 = ""
    MPI4 = ""
    Y4 = ""
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d5.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c5.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d5.Value = False
    c5 = ""
    s5 = ""
    H5 = ""
    MM5 = ""
    NGI5 = ""
    LL5 = ""
    PI5 = ""
    PT5 = ""
```

```
    M5 = ""
    O5 = ""
    P5 = ""
    MD5 = ""
    MO5 = ""
    U5 = ""
    UO5 = ""
    MPI5 = ""
    Y5 = ""
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d6.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c6.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d6.Value = False
    c6 = ""
    s6 = ""
    H6 = ""
    MM6 = ""
    NGI6 = ""
    LL6 = ""
    PI6 = ""
    PT6 = ""
    M6 = ""
    O6 = ""
    P6 = ""
    MD6 = ""
    MO6 = ""
    U6 = ""
    UO6 = ""
    MPI6 = ""
    Y6 = ""
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d7.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c7.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d7.Value = False
    c7 = ""
    s7 = ""
    H7 = ""
    MM7 = ""
    NGI7 = ""
    LL7 = ""
    PI7 = ""
```

```
    PT7 = ""
    M7 = ""
    O7 = ""
    P7 = ""
    MD7 = ""
    MO7 = ""
    U7 = ""
    UO7 = ""
    MPI7 = ""
    Y7 = ""
            'Sorting FLYASH by col1
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d8.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c8.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d8.Value = False
    c8 = ""
    s8 = ""
    H8 = ""
    MM8 = ""
    NGI8 = ""
    LL8 = ""
    PI8 = ""
    PT8 = ""
    M8 = ""
    O8 = ""
    P8 = ""
    MD8 = ""
    MO8 = ""
    U8 = ""
    UO8 = ""
    MPI8 = ""
    Y8 = ""
            'Sorting FLYASH by col1
Sheets("Flyash").Select
Range("T31").Select
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("Flyash").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d9.Value = True Then
    If add = "FLYASH" Then
    Sheet2.Range("v3") = c9.Value
    a = Sheet2.Range("w3")
    Sheet2.Rows(a).EntireRow.delete
    d9.Value = False
    c9 = ""
    s9 = ""
    H9 = ""
    MM9 = ""
    NGI9 = ""
    LL9 = ""
```

```
        PI9 = ""
        PT9 = ""
        M9 = ""
        O9 = ""
        P9 = ""
        MD9 = ""
        MO9 = ""
        U9 = ""
        UO9 = ""
        MPI9 = ""
        Y9 = ""
            'Clearing FLYASH Key Tag
    Sheets("Flyash").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("Flyash").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

        End If
        End If
     If d10.Value = True Then
        If add = "FLYASH" Then
        Sheet2.Range("v3") = c10.Value
        a = Sheet2.Range("w3")
        Sheet2.Rows(a).EntireRow.delete
        d10.Value = False
        c10 = ""
        s10 = ""
        H10 = ""
        MM10 = ""
        NGI10 = ""
        LL10 = ""
        PI10 = ""
        PT10 = ""
        M10 = ""
        O10 = ""
        P10 = ""
        MD10 = ""
        MO10 = ""
        U10 = ""
        UO10 = ""
        MPI10 = ""
        Y10 = ""
            'Clearing FLYASH Key Tag
    Sheets("Flyash").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("Flyash").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

        End If
Else
    If d1.Value = True Then
        If add = "CKD" Then
        Sheet6.Range("v3") = c1.Value
        a = Sheet6.Range("w3")
        Sheet6.Rows(a).EntireRow.delete
        d1.Value = False
        c1 = ""
        s1 = ""
        H1 = ""
        MM1 = ""
        NGI1 = ""
```

```
    LL1 = ""
    PI1 = ""
    PT1 = ""
    M1 = ""
    O1 = ""
    P1 = ""
    MD1 = ""
    MO1 = ""
    U1 = ""
    UO1 = ""
    MPI1 = ""
    Y1 = ""
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
 If d2.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c2.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d2.Value = False
    c2 = ""
    s2 = ""
    H2 = ""
    MM2 = ""
    NGI2 = ""
    LL2 = ""
    PI2 = ""
    PT2 = ""
    M2 = ""
    O2 = ""
    P2 = ""
    MD2 = ""
    MO2 = ""
    U2 = ""
    UO2 = ""
    MPI2 = ""
    Y2 = ""
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d3.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c3.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d3.Value = False
    c3 = ""
    s3 = ""
    H3 = ""
    MM3 = ""
```

```
    NGI3 = ""
    LL3 = ""
    PI3 = ""
    PT3 = ""
    M3 = ""
    O3 = ""
    P3 = ""
    MD3 = ""
    MO3 = ""
    U3 = ""
    UO3 = ""
    MPI3 = ""
    Y3 = ""
        'Sorting CKD by Qty.
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d4.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c4.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d4.Value = False
    c4 = ""
    s4 = ""
    H4 = ""
    MM4 = ""
    NGI4 = ""
    LL4 = ""
    PI4 = ""
    PT4 = ""
    M4 = ""
    O4 = ""
    P4 = ""
    MD4 = ""
    MO4 = ""
    U4 = ""
    UO4 = ""
    MPI4 = ""
    Y4 = ""
        'Sorting CKD by Qty.
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With

    End If
    End If
If d5.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c5.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d5.Value = False
    c5 = ""
    s5 = ""
    H5 = ""
    MM5 = ""
```

```
    NGI5 = ""
    LL5 = ""
    PI5 = ""
    PT5 = ""
    M5 = ""
    O5 = ""
    P5 = ""
    MD5 = ""
    MO5 = ""
    U5 = ""
    UO5 = ""
    MPI5 = ""
    Y5 = ""
        'Sorting CKD by TQ
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d6.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c6.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d6.Value = False
    c6 = ""
    s6 = ""
    H6 = ""
    MM6 = ""
    NGI6 = ""
    LL6 = ""
    PI6 = ""
    PT6 = ""
    M6 = ""
    O6 = ""
    P6 = ""
    MD6 = ""
    MO6 = ""
    U6 = ""
    UO6 = ""
    MPI6 = ""
    Y6 = ""
        'Sorting CKD by TQ
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d7.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c7.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d7.Value = False
    c7 = ""
    s7 = ""
    H7 = ""
    MM7 = ""
    NGI7 = ""
```

```
    LL7 = ""
    PI7 = ""
    PT7 = ""
    M7 = ""
    O7 = ""
    P7 = ""
    MD7 = ""
    MO7 = ""
    U7 = ""
    UO7 = ""
    MPI7 = ""
    Y7 = ""
        'Sorting CKD by col
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d8.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c8.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d8.Value = False
    c8 = ""
    s8 = ""
    H8 = ""
    MM8 = ""
    NGI8 = ""
    LL8 = ""
    PI8 = ""
    PT8 = ""
    M8 = ""
    O8 = ""
    P8 = ""
    MD8 = ""
    MO8 = ""
    U8 = ""
    UO8 = ""
    MPI8 = ""
    Y8 = ""
        'Sorting CKD by col
Sheets("CKD").Select
Range("T31").Select
ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("CKD").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d9.Value = True Then
    If add = "CKD" Then
    Sheet6.Range("v3") = c9.Value
    a = Sheet6.Range("w3")
    Sheet6.Rows(a).EntireRow.delete
    d9.Value = False
    c9 = ""
    s9 = ""
    H9 = ""
    MM9 = ""
    NGI9 = ""
    LL9 = ""
```

```
        PI9 = ""
        PT9 = ""
        M9 = ""
        O9 = ""
        P9 = ""
        MD9 = ""
        MO9 = ""
        U9 = ""
        UO9 = ""
        MPI9 = ""
        Y9 = ""
    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
        End If
        End If
     If d10.Value = True Then
        If add = "CKD" Then
        Sheet6.Range("v3") = c10.Value
        a = Sheet6.Range("w3")
        Sheet6.Rows(a).EntireRow.delete
        d10.Value = False
        c10 = ""
        s10 = ""
        H10 = ""
        MM10 = ""
        NGI10 = ""
        LL10 = ""
        PI10 = ""
        PT10 = ""
        M10 = ""
        O10 = ""
        P10 = ""
        MD10 = ""
        MO10 = ""
        U10 = ""
        UO10 = ""
        MPI10 = ""
        Y10 = ""
    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
        End If

Else
    If d1.Value = True Then
        If add = "LIME" Then
        Sheet3.Range("v3") = c1.Value
        a = Sheet3.Range("w3")
        Sheet3.Rows(a).EntireRow.delete
        d1.Value = False
        c1 = ""
        s1 = ""
        H1 = ""
        MM1 = ""
        NGI1 = ""
        LL1 = ""
```

```
    PI1 = ""
    PT1 = ""
    M1 = ""
    O1 = ""
    P1 = ""
    MD1 = ""
    MO1 = ""
    U1 = ""
    UO1 = ""
    MPI1 = ""
    Y1 = ""
    'Sorting LIME by v3
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
 If d2.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c2.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d2.Value = False
    c2 = ""
    s2 = ""
    H2 = ""
    MM2 = ""
    NGI2 = ""
    LL2 = ""
    PI2 = ""
    PT2 = ""
    M2 = ""
    O2 = ""
    P2 = ""
    MD2 = ""
    MO2 = ""
    U2 = ""
    UO2 = ""
    MPI2 = ""
    Y2 = ""
    'Sorting LIME by v3
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d3.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c3.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d3.Value = False
    c3 = ""
    s3 = ""
    H3 = ""
    MM3 = ""
    NGI3 = ""
    LL3 = ""
    PI3 = ""
```

```
    PT3 = ""
    M3 = ""
    O3 = ""
    P3 = ""
    MD3 = ""
    MO3 = ""
    U3 = ""
    UO3 = ""
    MPI3 = ""
    Y3 = ""
    'Sorting LIME by sg
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d4.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c4.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d4.Value = False
    c4 = ""
    s4 = ""
    H4 = ""
    MM4 = ""
    NGI4 = ""
    LL4 = ""
    PI4 = ""
    PT4 = ""
    M4 = ""
    O4 = ""
    P4 = ""
    MD4 = ""
    MO4 = ""
    U4 = ""
    UO4 = ""
    MPI4 = ""
    Y4 = ""
    'Sort by LIME sg
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d5.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c5.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d5.Value = False
    c5 = ""
    s5 = ""
    H5 = ""
    MM5 = ""
    NGI5 = ""
    LL5 = ""
    PI5 = ""
    PT5 = ""
```

```
    M5 = ""
    O5 = ""
    P5 = ""
    MD5 = ""
    MO5 = ""
    U5 = ""
    UO5 = ""
    MPI5 = ""
    Y5 = ""
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d6.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c6.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d6.Value = False
    c6 = ""
    s6 = ""
    H6 = ""
    MM6 = ""
    NGI6 = ""
    LL6 = ""
    PI6 = ""
    PT6 = ""
    M6 = ""
    O6 = ""
    P6 = ""
    MD6 = ""
    MO6 = ""
    U6 = ""
    UO6 = ""
    MPI6 = ""
    Y6 = ""
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d7.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c7.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d7.Value = False
    c7 = ""
    s7 = ""
    H7 = ""
    MM7 = ""
    NGI7 = ""
    LL7 = ""
    PI7 = ""
    PT7 = ""
    M7 = ""
```

```
    O7 = ""
    P7 = ""
    MD7 = ""
    MO7 = ""
    U7 = ""
    UO7 = ""
    MPI7 = ""
    Y7 = ""
    'Sort by LIME by rg
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d8.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c8.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d8.Value = False
    c8 = ""
    s8 = ""
    H8 = ""
    MM8 = ""
    NGI8 = ""
    LL8 = ""
    PI8 = ""
    PT8 = ""
    M8 = ""
    O8 = ""
    P8 = ""
    MD8 = ""
    MO8 = ""
    U8 = ""
    UO8 = ""
    MPI8 = ""
    Y8 = ""
    'Sort by LIME by rg
Sheets("LIME").Select
Range("T31").Select
ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
    SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
With ActiveWorkbook.Worksheets("LIME").sort
    .SetRange Range("R31:AH1048000")
    .Header = xlNo
    .MatchCase = False
    .Orientation = xlTopToBottom
    .SortMethod = xlPinYin
    .Apply
    Sheets("Sheet1").Select
End With
    End If
    End If
If d9.Value = True Then
    If add = "LIME" Then
    Sheet3.Range("v3") = c9.Value
    a = Sheet3.Range("w3")
    Sheet3.Rows(a).EntireRow.delete
    d9.Value = False
    c9 = ""
    s9 = ""
    H9 = ""
    MM9 = ""
    NGI9 = ""
    LL9 = ""
    PI9 = ""
    PT9 = ""
    M9 = ""
    O9 = ""
```

```
        P9 = ""
        MD9 = ""
        MO9 = ""
        U9 = ""
        UO9 = ""
        MPI9 = ""
        Y9 = ""
        'Sorting LIME by eq.
    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
        End If
        End If
     If d10.Value = True Then
        If add = "LIME" Then
        Sheet3.Range("v3") = c10.Value
        a = Sheet3.Range("w3")
        Sheet3.Rows(a).EntireRow.delete
        d10.Value = False
        c10 = ""
        s10 = ""
        H10 = ""
        MM10 = ""
        NGI10 = ""
        LL10 = ""
        PI10 = ""
        PT10 = ""
        M10 = ""
        O10 = ""
        P10 = ""
        MD10 = ""
        MO10 = ""
        U10 = ""
        UO10 = ""
        MPI10 = ""
        Y10 = ""
        'Sorting LIME by eq.
    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
        End If
        End If


End If
End If
End Sub
Private Sub DELETEMODE_Click()
    Label34.Visible = True
    d1.Visible = True
    d2.Visible = True
    d3.Visible = True
    d4.Visible = True
    d5.Visible = True
    d6.Visible = True
    d7.Visible = True
    d8.Visible = True
    d9.Visible = True
    d10.Visible = True
```

```
    delete.Visible = True
    INSERTMODE.Visible = False
    exitmode.Visible = True
    MMENU.Visible = False
    editmode.Visible = False
    d1 = False
    d2 = False
    d3 = False
    d4 = False
    d5 = False
    d6 = False
    d7 = False
    d8 = False
    d9 = False
    d10 = False

With data
    With .Label1 '[illegible]
        .ForeColor = &HFF& '[illegible]
        .Caption = "DELETE MODE"
        .Left = 0
        .Left = Label1.Left + data.Width / 2 - Label1.Width / 2
         End With
    With .Label10 '[illegible]
        .ForeColor = &HFF& '[illegible]
        End With
    With .Label34    '[illegible]
         .ForeColor = &HFF& '[illegible]
    If VIEWMODE = True Then


        '[illegible]
    Else
        If INSMOD = True Then
        FORMATVIEWMODE
        data.CLEARFORM
        End If
    End If
End With
End With
End Sub
Private Sub EDITFLYASH1()    '[illegible]
            If d1.Value = True Then
                Sheet2.Range("v3").Value = data.c1.Text
                row = Sheet2.Range("w3")
            If H1.Value <> "" And MM1.Value <> "" And NGI1.Value <> "" And P1.Value <> "" And MD1.Value <> ""
And MO1.Value <> "" And U1.Value <> "" And UO1.Value <> "" And MPI1.Value <> "" And Y1.Value <> "" Then

                    '[illegible]
                    Sheet2.Range("s" & (row)).Value = data.MM1.Text
                    MM1.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H1.Text
                    H1.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI1.Text
                    NGI1.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL1.Text
                    LL1.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI1.Text
                    PI1.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT1.Text
                    PT1.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M1.Text
                    M1.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O1.Text
                    O1.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P1.Text
                    P1.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD1.Text
                    MD1.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO1.Text
                    MO1.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U1.Text
                    U1.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO1.Text
                    UO1.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI1.Text
                    MPI1.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y1.Text
                    Y1.Value = ""
                    c1.Value = ""
                    d1.Value = ""
```

```
End If
End If
End Sub
Private Sub EDITFLYASH2()
            If d2.Value = True Then
                Sheet2.Range("v3").Value = data.c2.Text
                row = Sheet2.Range("w3")

            If H2.Value <> "" And MM2.Value <> "" And NGI2.Value <> "" And P2.Value <> "" And MD2.Value <> ""
And MO2.Value <> "" And U2.Value <> "" And UO2.Value <> "" And MPI2.Value <> "" And Y2.Value <> "" Then

                    Sheet2.Range("s" & (row)).Value = data.MM2.Text
                    MM2.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H2.Text
                    H2.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI2.Text
                    NGI2.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL2.Text
                    LL2.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI2.Text
                    PI2.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT2.Text
                    PT2.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M2.Text
                    M2.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O2.Text
                    O2.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P2.Text
                    P2.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD2.Text
                    MD2.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO2.Text
                    MO2.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U2.Text
                    U2.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO2.Text
                    UO2.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI2.Text
                    MPI2.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y2.Text
                    Y2.Value = ""
                    c2.Value = ""
                    d2.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH3()

                If d3.Value = True Then
                   Sheet2.Range("v3").Value = data.c3.Text
                   row = Sheet2.Range("w3")

                If H3.Value <> "" And MM3.Value <> "" And NGI3.Value <> "" And P3.Value <> "" And MD3.Value <>
"" And MO3.Value <> "" And U3.Value <> "" And UO3.Value <> "" And MPI3.Value <> "" And Y3.Value <> "" Then

                    Sheet2.Range("s" & (row)).Value = data.MM3.Text
                    MM3.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H3.Text
                    H3.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI3.Text
                    NGI3.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL3.Text
                    LL3.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI3.Text
                    PI3.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT3.Text
                    PT3.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M3.Text
                    M3.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O3.Text
                    O3.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P3.Text
                    P3.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD3.Text
                    MD3.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO3.Text
                    MO3.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U3.Text
                    U3.Value = ""
```

```
                    Sheet2.Range("af" & (row)).Value = data.UO3.Text
                    UO3.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI3.Text
                    MPI3.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y3.Text
                    Y3.Value = ""
                    c3.Value = ""
                    d3.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH4()    'CLEAR FORM DATA AFTER EDIT MODE FORM FILLED

                If d4.Value = True Then
                    Sheet2.Range("v3").Value = data.c4.Text
                    row = Sheet2.Range("w3")

                If H4.Value <> "" And MM4.Value <> "" And NGI4.Value <> "" And P4.Value <> "" And MD4.Value <>
"" And MO4.Value <> "" And U4.Value <> "" And UO4.Value <> "" And MPI4.Value <> "" And Y4.Value <> "" Then

                    'Send data to 2 Year sheet in EDITMODE
                    Sheet2.Range("s" & (row)).Value = data.MM4.Text
                    MM4.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H4.Text
                    H4.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI4.Text
                    NGI4.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL4.Text
                    LL4.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI4.Text
                    PI4.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT4.Text
                    PT4.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M4.Text
                    M4.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O4.Text
                    O4.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P4.Text
                    P4.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD4.Text
                    MD4.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO4.Text
                    MO4.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U4.Text
                    U4.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO4.Text
                    UO4.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI4.Text
                    MPI4.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y4.Text
                    Y4.Value = ""
                    c4.Value = ""
                    d4.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH5()    'CLEAR FORM DATA AFTER EDIT MODE FORM FILLED
                  If d5.Value = True Then
                    Sheet2.Range("v3").Value = data.c5.Text
                    row = Sheet2.Range("w3")

                If H5.Value <> "" And MM5.Value <> "" And NGI5.Value <> "" And P5.Value <> "" And MD5.Value <>
"" And MO5.Value <> "" And U5.Value <> "" And UO5.Value <> "" And MPI5.Value <> "" And Y5.Value <> "" Then

                    'Send data to 2 Year sheet in EDITMODE
                    Sheet2.Range("s" & (row)).Value = data.MM5.Text
                    MM5.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H5.Text
                    H5.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI5.Text
                    NGI5.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL5.Text
                    LL5.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI5.Text
                    PI5.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT5.Text
                    PT5.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M5.Text
                    M5.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O5.Text
                    O5.Value = ""
```

```
                    Sheet2.Range("ab" & (row)).Value = data.P5.Text
                    P5.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD5.Text
                    MD5.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO5.Text
                    MO5.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U5.Text
                    U5.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO5.Text
                    UO5.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI5.Text
                    MPI5.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y5.Text
                    Y5.Value = ""
                    c5.Value = ""
                    d5.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH6()
                If d6.Value = True Then
                    Sheet2.Range("v3").Value = data.c6.Text
                    row = Sheet2.Range("w3")

               If H6.Value <> "" And MM6.Value <> "" And NGI6.Value <> "" And P6.Value <> "" And MD6.Value <>
"" And MO6.Value <> "" And U6.Value <> "" And UO6.Value <> "" And MPI6.Value <> "" And Y6.Value <> "" Then
                    Sheet2.Range("s" & (row)).Value = data.MM6.Text
                    MM6.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H6.Text
                    H6.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI6.Text
                    NGI6.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL6.Text
                    LL6.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI6.Text
                    PI6.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT6.Text
                    PT6.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M6.Text
                    M6.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O6.Text
                    O6.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P6.Text
                    P6.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD6.Text
                    MD6.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO6.Text
                    MO6.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U6.Text
                    U6.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO6.Text
                    UO6.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI6.Text
                    MPI6.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y6.Text
                    Y6.Value = ""
                    c6.Value = ""
                    d6.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH7()

              If d7.Value = True Then
                Sheet2.Range("v3").Value = data.c7.Text
                row = Sheet2.Range("w3")

            If H7.Value <> "" And MM7.Value <> "" And NGI7.Value <> "" And P7.Value <> "" And MD7.Value <> ""
And MO7.Value <> "" And U7.Value <> "" And UO7.Value <> "" And MPI7.Value <> "" And Y7.Value <> "" Then

                    Sheet2.Range("s" & (row)).Value = data.MM7.Text
                    MM7.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H7.Text
                    H7.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI7.Text
                    NGI7.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL7.Text
                    LL7.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI7.Text
```

```
                    PI7.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT7.Text
                    PT7.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M7.Text
                    M7.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O7.Text
                    O7.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P7.Text
                    P7.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD7.Text
                    MD7.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO7.Text
                    MO7.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U7.Text
                    U7.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO7.Text
                    UO7.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI7.Text
                    MPI7.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y7.Text
                    Y7.Value = ""
                    c7.Value = ""
                    d7.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH8()

                If d8.Value = True Then
                    Sheet2.Range("v3").Value = data.c8.Text
                    row = Sheet2.Range("w3")

                If H8.Value <> "" And MM8.Value <> "" And NGI8.Value <> "" And P8.Value <> "" And MD8.Value <>
"" And MO8.Value <> "" And U8.Value <> "" And UO8.Value <> "" And MPI8.Value <> "" And Y8.Value <> "" Then

                    Sheet2.Range("s" & (row)).Value = data.MM8.Text
                    MM8.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H8.Text
                    H8.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI8.Text
                    NGI8.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL8.Text
                    LL8.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI8.Text
                    PI8.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT8.Text
                    PT8.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M8.Text
                    M8.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O8.Text
                    O8.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P8.Text
                    P8.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD8.Text
                    MD8.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO8.Text
                    MO8.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U8.Text
                    U8.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO8.Text
                    UO8.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI8.Text
                    MPI8.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y8.Text
                    Y8.Value = ""
                    c8.Value = ""
                    d8.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH9()
                If d9.Value = True Then
                    Sheet2.Range("v3").Value = data.c9.Text
                    row = Sheet2.Range("w3")

                If H9.Value <> "" And MM9.Value <> "" And NGI9.Value <> "" And P9.Value <> "" And MD9.Value <>
"" And MO9.Value <> "" And U9.Value <> "" And UO9.Value <> "" And MPI9.Value <> "" And Y9.Value <> "" Then

                    Sheet2.Range("s" & (row)).Value = data.MM9.Text
```

```
                    MM9.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H9.Text
                    H9.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI9.Text
                    NGI9.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL9.Text
                    LL9.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI9.Text
                    PI9.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT9.Text
                    PT9.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M9.Text
                    M9.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O9.Text
                    O9.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P9.Text
                    P9.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD9.Text
                    MD9.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO9.Text
                    MO9.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U9.Text
                    U9.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO9.Text
                    UO9.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI9.Text
                    MPI9.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y9.Text
                    Y9.Value = ""
                    c9.Value = ""
                    d9.Value = ""
End If
End If
End Sub
Private Sub EDITFLYASH10()  'CLEAR DATA BELOW OR PAST HIGH FERRIC FLYASH
            If d10.Value = True Then
                Sheet2.Range("v3").Value = data.c10.Text
                row = Sheet2.Range("w3")
            If H10.Value <> "" And MM10.Value <> "" And NGI10.Value <> "" And P10.Value <> "" And MD10.Value <>
"" And MO10.Value <> "" And U10.Value <> "" And UO10.Value <> "" And MPI10.Value <> "" And Y10.Value <> "" Then

                    'Paste data to flyash sheet in right order
                    Sheet2.Range("s" & (row)).Value = data.MM10.Text
                    MM10.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H10.Text
                    H10.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI10.Text
                    NGI10.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL10.Text
                    LL10.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI10.Text
                    PI10.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT10.Text
                    PT10.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M10.Text
                    M10.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O10.Text
                    O10.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P10.Text
                    P10.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD10.Text
                    MD10.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO10.Text
                    MO10.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U10.Text
                    U10.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO10.Text
                    UO10.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI10.Text
                    MPI10.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y10.Text
                    Y10.Value = ""
                    c10.Value = ""
                    d10.Value = ""
End If
End If
End Sub
Private Sub EDITCKD1()  'CLEAR DATA BELOW OR PAST HIGH FERRIC CKD
              If d1.Value = True Then
                Sheet6.Range("v3").Value = data.c1.Text
                row = Sheet6.Range("w3")
```

```
            If H1.Value <> "" And MM1.Value <> "" And NGI1.Value <> "" And P1.Value <> "" And MD1.Value <> ""
And MO1.Value <> "" And U1.Value <> "" And UO1.Value <> "" And MPI1.Value <> "" And Y1.Value <> "" Then

                        'Send data to CKT sheet
                        Sheet6.Range("s" & (row)).Value = data.MM1.Text
                        MM1.Value = ""
                        Sheet6.Range("r" & (row)).Value = data.H1.Text
                        H1.Value = ""
                        Sheet6.Range("t" & (row)).Value = data.NGI1.Text
                        NGI1.Value = ""
                        Sheet6.Range("u" & (row)).Value = data.LL1.Text
                        LL1.Value = ""
                        Sheet6.Range("v" & (row)).Value = data.PI1.Text
                        PI1.Value = ""
                        Sheet6.Range("w" & (row)).Value = data.PT1.Text
                        PT1.Value = ""
                        Sheet6.Range("x" & (row)).Value = data.M1.Text
                        M1.Value = ""
                        Sheet6.Range("y" & (row)).Value = data.O1.Text
                        O1.Value = ""
                        Sheet6.Range("ab" & (row)).Value = data.P1.Text
                        P1.Value = ""
                        Sheet6.Range("ac" & (row)).Value = data.MD1.Text
                        MD1.Value = ""
                        Sheet6.Range("ad" & (row)).Value = data.MO1.Text
                        MO1.Value = ""
                        Sheet6.Range("ae" & (row)).Value = data.U1.Text
                        U1.Value = ""
                        Sheet6.Range("af" & (row)).Value = data.UO1.Text
                        UO1.Value = ""
                        Sheet6.Range("ag" & (row)).Value = data.MPI1.Text
                        MPI1.Value = ""
                        Sheet6.Range("ah" & (row)).Value = data.Y1.Text
                        Y1.Value = ""
                        c1.Value = ""
                        d1.Value = ""
End If
End If
End Sub
Private Sub EDITCKD2()  'First and second of edit and view CKT
              If d2.Value = True Then
                Sheet6.Range("v3").Value = data.c2.Text
                row = Sheet6.Range("w3")

            If H2.Value <> "" And MM2.Value <> "" And NGI2.Value <> "" And P2.Value <> "" And MD2.Value <> ""
And MO2.Value <> "" And U2.Value <> "" And UO2.Value <> "" And MPI2.Value <> "" And Y2.Value <> "" Then

                        'Send data to CKT sheet
                        Sheet6.Range("s" & (row)).Value = data.MM2.Text
                        MM2.Value = ""
                        Sheet6.Range("r" & (row)).Value = data.H2.Text
                        H2.Value = ""
                        Sheet6.Range("t" & (row)).Value = data.NGI2.Text
                        NGI2.Value = ""
                        Sheet6.Range("u" & (row)).Value = data.LL2.Text
                        LL2.Value = ""
                        Sheet6.Range("v" & (row)).Value = data.PI2.Text
                        PI2.Value = ""
                        Sheet6.Range("w" & (row)).Value = data.PT2.Text
                        PT2.Value = ""
                        Sheet6.Range("x" & (row)).Value = data.M2.Text
                        M2.Value = ""
                        Sheet6.Range("y" & (row)).Value = data.O2.Text
                        O2.Value = ""
                        Sheet6.Range("ab" & (row)).Value = data.P2.Text
                        P2.Value = ""
                        Sheet6.Range("ac" & (row)).Value = data.MD2.Text
                        MD2.Value = ""
                        Sheet6.Range("ad" & (row)).Value = data.MO2.Text
                        MO2.Value = ""
                        Sheet6.Range("ae" & (row)).Value = data.U2.Text
                        U2.Value = ""
                        Sheet6.Range("af" & (row)).Value = data.UO2.Text
                        UO2.Value = ""
                        Sheet6.Range("ag" & (row)).Value = data.MPI2.Text
                        MPI2.Value = ""
                        Sheet6.Range("ah" & (row)).Value = data.Y2.Text
                        Y2.Value = ""
                        c2.Value = ""
```

```
                d2.Value = ""

End If
End If
End Sub
Private Sub EDITCKD3()
                If d3.Value = True Then
                   Sheet6.Range("v3").Value = data.c3.Text
                   row = Sheet2.Range("w3")

               If H3.Value <> "" And MM3.Value <> "" And NGI3.Value <> "" And P3.Value <> "" And MD3.Value <>
"" And MO3.Value <> "" And U3.Value <> "" And UO3.Value <> "" And MPI3.Value <> "" And Y3.Value <> "" Then

                   Sheet6.Range("s" & (row)).Value = data.MM3.Text
                   MM3.Value = ""
                   Sheet6.Range("r" & (row)).Value = data.H3.Text
                   H3.Value = ""
                   Sheet6.Range("t" & (row)).Value = data.NGI3.Text
                   NGI3.Value = ""
                   Sheet6.Range("u" & (row)).Value = data.LL3.Text
                   LL3.Value = ""
                   Sheet6.Range("v" & (row)).Value = data.PI3.Text
                   PI3.Value = ""
                   Sheet6.Range("w" & (row)).Value = data.PT3.Text
                   PT3.Value = ""
                   Sheet6.Range("x" & (row)).Value = data.M3.Text
                   M3.Value = ""
                   Sheet6.Range("y" & (row)).Value = data.O3.Text
                   O3.Value = ""
                   Sheet6.Range("ab" & (row)).Value = data.P3.Text
                   P3.Value = ""
                   Sheet6.Range("ac" & (row)).Value = data.MD3.Text
                   MD3.Value = ""
                   Sheet6.Range("ad" & (row)).Value = data.MO3.Text
                   MO3.Value = ""
                   Sheet6.Range("ae" & (row)).Value = data.U3.Text
                   U3.Value = ""
                   Sheet6.Range("af" & (row)).Value = data.UO3.Text
                   UO3.Value = ""
                   Sheet6.Range("ag" & (row)).Value = data.MPI3.Text
                   MPI3.Value = ""
                   Sheet6.Range("ah" & (row)).Value = data.Y3.Text
                   Y3.Value = ""
                   c3.Value = ""
                   d3.Value = ""

End If
End If
End Sub
Private Sub EDITCKD4()
                If d4.Value = True Then
                   Sheet6.Range("v3").Value = data.c4.Text
                   row = Sheet6.Range("w3")

               If H4.Value <> "" And MM4.Value <> "" And NGI4.Value <> "" And P4.Value <> "" And MD4.Value <>
"" And MO4.Value <> "" And U4.Value <> "" And UO4.Value <> "" And MPI4.Value <> "" And Y4.Value <> "" Then

                   Sheet6.Range("s" & (row)).Value = data.MM4.Text
                   MM4.Value = ""
                   Sheet6.Range("r" & (row)).Value = data.H4.Text
                   H4.Value = ""
                   Sheet6.Range("t" & (row)).Value = data.NGI4.Text
                   NGI4.Value = ""
                   Sheet6.Range("u" & (row)).Value = data.LL4.Text
                   LL4.Value = ""
                   Sheet6.Range("v" & (row)).Value = data.PI4.Text
                   PI4.Value = ""
                   Sheet6.Range("w" & (row)).Value = data.PT4.Text
                   PT4.Value = ""
                   Sheet6.Range("x" & (row)).Value = data.M4.Text
                   M4.Value = ""
                   Sheet6.Range("y" & (row)).Value = data.O4.Text
                   O4.Value = ""
                   Sheet6.Range("ab" & (row)).Value = data.P4.Text
                   P4.Value = ""
                   Sheet6.Range("ac" & (row)).Value = data.MD4.Text
                   MD4.Value = ""
                   Sheet6.Range("ad" & (row)).Value = data.MO4.Text
                   MO4.Value = ""
```

```
                    Sheet6.Range("ae" & (row)).Value = data.U4.Text
                    U4.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO4.Text
                    UO4.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI4.Text
                    MPI4.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y4.Text
                    Y4.Value = ""
                    c4.Value = ""
                    d4.Value = ""
End If
End If
End Sub
Private Sub EDITCKD5()

                  If d5.Value = True Then
                    Sheet6.Range("v3").Value = data.c5.Text
                    row = Sheet6.Range("w3")

                If H5.Value <> "" And MM5.Value <> "" And NGI5.Value <> "" And P5.Value <> "" And MD5.Value <>
"" And MO5.Value <> "" And U5.Value <> "" And UO5.Value <> "" And MPI5.Value <> "" And Y5.Value <> "" Then

                    Sheet6.Range("s" & (row)).Value = data.MM5.Text
                    MM5.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H5.Text
                    H5.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI5.Text
                    NGI5.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL5.Text
                    LL5.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI5.Text
                    PI5.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT5.Text
                    PT5.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M5.Text
                    M5.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O5.Text
                    O5.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P5.Text
                    P5.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD5.Text
                    MD5.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO5.Text
                    MO5.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U5.Text
                    U5.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO5.Text
                    UO5.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI5.Text
                    MPI5.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y5.Text
                    Y5.Value = ""
                    c5.Value = ""
                    d5.Value = ""
End If
End If
End Sub
Private Sub EDITCKD6()

                  If d6.Value = True Then
                     Sheet6.Range("v3").Value = data.c6.Text
                     row = Sheet6.Range("w3")

                If H6.Value <> "" And MM6.Value <> "" And NGI6.Value <> "" And P6.Value <> "" And MD6.Value <>
"" And MO6.Value <> "" And U6.Value <> "" And UO6.Value <> "" And MPI6.Value <> "" And Y6.Value <> "" Then

                    Sheet6.Range("s" & (row)).Value = data.MM6.Text
                    MM6.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H6.Text
                    H6.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI6.Text
                    NGI6.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL6.Text
                    LL6.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI6.Text
                    PI6.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT6.Text
                    PT6.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M6.Text
                    M6.Value = ""
```

```
                    Sheet6.Range("y" & (row)).Value = data.O6.Text
                    O6.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P6.Text
                    P6.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD6.Text
                    MD6.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO6.Text
                    MO6.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U6.Text
                    U6.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO6.Text
                    UO6.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI6.Text
                    MPI6.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y6.Text
                    Y6.Value = ""
                    c6.Value = ""
                    d6.Value = ""
End If
End If
End Sub
Private Sub EDITCKD7()

              If d7.Value = True Then
                Sheet6.Range("v3").Value = data.c7.Text
                row = Sheet6.Range("w3")

            If H7.Value <> "" And MM7.Value <> "" And NGI7.Value <> "" And P7.Value <> "" And MD7.Value <> ""
And MO7.Value <> "" And U7.Value <> "" And UO7.Value <> "" And MPI7.Value <> "" And Y7.Value <> "" Then

                    Sheet6.Range("s" & (row)).Value = data.MM7.Text
                    MM7.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H7.Text
                    H7.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI7.Text
                    NGI7.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL7.Text
                    LL7.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI7.Text
                    PI7.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT7.Text
                    PT7.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M7.Text
                    M7.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O7.Text
                    O7.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P7.Text
                    P7.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD7.Text
                    MD7.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO7.Text
                    MO7.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U7.Text
                    U7.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO7.Text
                    UO7.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI7.Text
                    MPI7.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y7.Text
                    Y7.Value = ""
                    c7.Value = ""
                    d7.Value = ""

End If
End If
End Sub
Private Sub EDITCKD8()
               If d8.Value = True Then
                  Sheet6.Range("v3").Value = data.c8.Text
                  row = Sheet6.Range("w3")

              If H8.Value <> "" And MM8.Value <> "" And NGI8.Value <> "" And P8.Value <> "" And MD8.Value <>
"" And MO8.Value <> "" And U8.Value <> "" And UO8.Value <> "" And MPI8.Value <> "" And Y8.Value <> "" Then

                    Sheet6.Range("s" & (row)).Value = data.MM8.Text
                    MM8.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H8.Text
                    H8.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI8.Text
```

```
                    NGI8.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL8.Text
                    LL8.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI8.Text
                    PI8.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT8.Text
                    PT8.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M8.Text
                    M8.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O8.Text
                    O8.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P8.Text
                    P8.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD8.Text
                    MD8.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO8.Text
                    MO8.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U8.Text
                    U8.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO8.Text
                    UO8.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI8.Text
                    MPI8.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y8.Text
                    Y8.Value = ""
                    c8.Value = ""
                    d8.Value = ""

End If
End If
End Sub
Private Sub EDITCKD9()  '[illegible]
                If d9.Value = True Then
                    Sheet6.Range("v3").Value = data.c9.Text
                    row = Sheet6.Range("w3")

                If H9.Value <> "" And MM9.Value <> "" And NGI9.Value <> "" And P9.Value <> "" And MD9.Value <>
"" And MO9.Value <> "" And U9.Value <> "" And UO9.Value <> "" And MPI9.Value <> "" And Y9.Value <> "" Then

                    'Send data to DB1 sheet
                    Sheet6.Range("s" & (row)).Value = data.MM9.Text
                    MM9.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H9.Text
                    H9.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI9.Text
                    NGI9.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL9.Text
                    LL9.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI9.Text
                    PI9.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT9.Text
                    PT9.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M9.Text
                    M9.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O9.Text
                    O9.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P9.Text
                    P9.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD9.Text
                    MD9.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO9.Text
                    MO9.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U9.Text
                    U9.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO9.Text
                    UO9.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI9.Text
                    MPI9.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y9.Text
                    Y9.Value = ""
                    c9.Value = ""
                    d9.Value = ""
End If
End If
End Sub
Private Sub EDITCKD10()     '[illegible]
            If d10.Value = True Then
                Sheet6.Range("v3").Value = data.c10.Text
                row = Sheet6.Range("w3")
            If H10.Value <> "" And MM10.Value <> "" And NGI10.Value <> "" And P10.Value <> "" And MD10.Value <>
"" And MO10.Value <> "" And U10.Value <> "" And UO10.Value <> "" And MPI10.Value <> "" And Y10.Value <> "" Then
```

```
                    Sheet6.Range("s" & (row)).Value = data.MM10.Text
                    MM10.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H10.Text
                    H10.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI10.Text
                    NGI10.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL10.Text
                    LL10.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI10.Text
                    PI10.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT10.Text
                    PT10.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M10.Text
                    M10.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O10.Text
                    O10.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P10.Text
                    P10.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD10.Text
                    MD10.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO10.Text
                    MO10.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U10.Text
                    U10.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO10.Text
                    UO10.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI10.Text
                    MPI10.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y10.Text
                    Y10.Value = ""
                    c10.Value = ""
                    d10.Value = ""
End If
End If
End Sub
Private Sub EDITLIME1()      'CODE FOR SETUP OF EDIT MODE FROM LIME
              If d1.Value = True Then
                Sheet3.Range("v3").Value = data.c1.Text
                row = Sheet3.Range("w3")

            If H1.Value <> "" And MM1.Value <> "" And NGI1.Value <> "" And P1.Value <> "" And MD1.Value <> ""
And MO1.Value <> "" And U1.Value <> "" And MPI1.Value <> "" And Y1.Value <> "" Then


                    'Setup data to LIME sheet in EDIT MODE
                    Sheet3.Range("s" & (row)).Value = data.MM1.Text
                    MM1.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H1.Text
                    H1.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI1.Text
                    NGI1.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL1.Text
                    LL1.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI1.Text
                    PI1.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT1.Text
                    PT1.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M1.Text
                    M1.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O1.Text
                    O1.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P1.Text
                    P1.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD1.Text
                    MD1.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO1.Text
                    MO1.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U1.Text
                    U1.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO1.Text
                    UO1.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI1.Text
                    MPI1.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y1.Text
                    Y1.Value = ""
                    c1.Value = ""
                    d1.Value = ""
End If
End If
```

```
End Sub
Private Sub EDITLIME2()
              If d2.Value = True Then
                Sheet3.Range("v3").Value = data.c2.Text
                row = Sheet3.Range("w3")

            If H2.Value <> "" And MM2.Value <> "" And NGI2.Value <> "" And P2.Value <> "" And MD2.Value <> ""
And MO2.Value <> "" And U2.Value <> "" And MPI2.Value <> "" And Y2.Value <> "" Then

                    Sheet3.Range("s" & (row)).Value = data.MM2.Text
                    MM2.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H2.Text
                    H2.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI2.Text
                    NGI2.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL2.Text
                    LL2.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI2.Text
                    PI2.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT2.Text
                    PT2.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M2.Text
                    M2.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O2.Text
                    O2.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P2.Text
                    P2.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD2.Text
                    MD2.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO2.Text
                    MO2.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U2.Text
                    U2.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO2.Text
                    UO2.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI2.Text
                    MPI2.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y2.Text
                    Y2.Value = ""
                    c2.Value = ""
                    d2.Value = ""
End If
End If
End Sub
Private Sub EDITLIME3()
               If d3.Value = True Then
                  Sheet3.Range("v3").Value = data.c3.Text
                  row = Sheet3.Range("w3")

              If H3.Value <> "" And MM3.Value <> "" And NGI3.Value <> "" And P3.Value <> "" And MD3.Value <>
"" And MO3.Value <> "" And U3.Value <> "" And MPI3.Value <> "" And Y3.Value <> "" Then

                    Sheet3.Range("s" & (row)).Value = data.MM3.Text
                    MM3.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H3.Text
                    H3.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI3.Text
                    NGI3.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL3.Text
                    LL3.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI3.Text
                    PI3.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT3.Text
                    PT3.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M3.Text
                    M3.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O3.Text
                    O3.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P3.Text
                    P3.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD3.Text
                    MD3.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO3.Text
                    MO3.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U3.Text
                    U3.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO3.Text
                    UO3.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI3.Text
```

```
                MPI3.Value = ""
                Sheet3.Range("ah" & (row)).Value = data.Y3.Text
                Y3.Value = ""
                c3.Value = ""
                d3.Value = ""
            End If
            End If
End Sub
Private Sub EDITLIME4()
            If d4.Value = True Then
                Sheet3.Range("v3").Value = data.c4.Text
                row = Sheet3.Range("w3")

            If H4.Value <> "" And MM4.Value <> "" And NGI4.Value <> "" And P4.Value <> "" And MD4.Value <>
"" And MO4.Value <> "" And U4.Value <> "" And MPI4.Value <> "" And Y4.Value <> "" Then

                'Sends data to LIME sheet
                Sheet3.Range("s" & (row)).Value = data.MM4.Text
                MM4.Value = ""
                Sheet3.Range("r" & (row)).Value = data.H4.Text
                H4.Value = ""
                Sheet3.Range("t" & (row)).Value = data.NGI4.Text
                NGI4.Value = ""
                Sheet3.Range("u" & (row)).Value = data.LL4.Text
                LL4.Value = ""
                Sheet3.Range("v" & (row)).Value = data.PI4.Text
                PI4.Value = ""
                Sheet3.Range("w" & (row)).Value = data.PT4.Text
                PT4.Value = ""
                Sheet3.Range("x" & (row)).Value = data.M4.Text
                M4.Value = ""
                Sheet3.Range("y" & (row)).Value = data.O4.Text
                O4.Value = ""
                Sheet3.Range("ab" & (row)).Value = data.P4.Text
                P4.Value = ""
                Sheet3.Range("ac" & (row)).Value = data.MD4.Text
                MD4.Value = ""
                Sheet3.Range("ad" & (row)).Value = data.MO4.Text
                MO4.Value = ""
                Sheet3.Range("ae" & (row)).Value = data.U4.Text
                U4.Value = ""
                Sheet3.Range("af" & (row)).Value = data.UO4.Text
                UO4.Value = ""
                Sheet3.Range("ag" & (row)).Value = data.MPI4.Text
                MPI4.Value = ""
                Sheet3.Range("ah" & (row)).Value = data.Y4.Text
                Y4.Value = ""
                c4.Value = ""
                d4.Value = ""
            End If
            End If
End Sub
Private Sub EDITLIME5()
             If d5.Value = True Then
                Sheet3.Range("v3").Value = data.c5.Text
                row = Sheet3.Range("w3")

            If H5.Value <> "" And MM5.Value <> "" And NGI5.Value <> "" And P5.Value <> "" And MD5.Value <>
"" And MO5.Value <> "" And U5.Value <> "" And MPI5.Value <> "" And Y5.Value <> "" Then

                'Sends data to LIME sheet
                Sheet3.Range("s" & (row)).Value = data.MM5.Text
                MM5.Value = ""
                Sheet3.Range("r" & (row)).Value = data.H5.Text
                H5.Value = ""
                Sheet3.Range("t" & (row)).Value = data.NGI5.Text
                NGI5.Value = ""
                Sheet3.Range("u" & (row)).Value = data.LL5.Text
                LL5.Value = ""
                Sheet3.Range("v" & (row)).Value = data.PI5.Text
                PI5.Value = ""
                Sheet3.Range("w" & (row)).Value = data.PT5.Text
                PT5.Value = ""
                Sheet3.Range("x" & (row)).Value = data.M5.Text
                M5.Value = ""
                Sheet3.Range("y" & (row)).Value = data.O5.Text
                O5.Value = ""
                Sheet3.Range("ab" & (row)).Value = data.P5.Text
                P5.Value = ""
                Sheet3.Range("ac" & (row)).Value = data.MD5.Text
                MD5.Value = ""
```

```
                    Sheet3.Range("ad" & (row)).Value = data.MO5.Text
                    MO5.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U5.Text
                    U5.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO5.Text
                    UO5.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI5.Text
                    MPI5.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y5.Text
                    Y5.Value = ""
                    c5.Value = ""
                    d5.Value = ""
            End If
            End If
End Sub
Private Sub EDITLIME6()      'LOCK FROM EDITLIME TO EDIT MODE FROM LIME
                If d6.Value = True Then
                    Sheet3.Range("v3").Value = data.c6.Text
                    row = Sheet3.Range("w3")

                If H6.Value <> "" And MM6.Value <> "" And NGI6.Value <> "" And P6.Value <> "" And MD6.Value <>
"" And MO6.Value <> "" And U6.Value <> "" And MPI6.Value <> "" And Y6.Value <> "" Then
                    'Sends data to LIME sheet
                    Sheet3.Range("s" & (row)).Value = data.MM6.Text
                    MM6.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H6.Text
                    H6.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI6.Text
                    NGI6.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL6.Text
                    LL6.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI6.Text
                    PI6.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT6.Text
                    PT6.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M6.Text
                    M6.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O6.Text
                    O6.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P6.Text
                    P6.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD6.Text
                    MD6.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO6.Text
                    MO6.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U6.Text
                    U6.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO6.Text
                    UO6.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI6.Text
                    MPI6.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y6.Text
                    Y6.Value = ""
                    c6.Value = ""
                    d6.Value = ""
              End If
              End If
End Sub
Private Sub EDITLIME7()      'LOCK FROM EDITLIME TO EDIT MODE FROM LIME
              If d7.Value = True Then
                Sheet3.Range("v3").Value = data.c7.Text
                row = Sheet3.Range("w3")

            If H7.Value <> "" And MM7.Value <> "" And NGI7.Value <> "" And P7.Value <> "" And MD7.Value <> ""
And MO7.Value <> "" And U7.Value <> "" And MPI7.Value <> "" And Y7.Value <> "" Then

                    'Sends data to LIME sheet
                    Sheet3.Range("s" & (row)).Value = data.MM7.Text
                    MM7.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H7.Text
                    H7.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI7.Text
                    NGI7.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL7.Text
                    LL7.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI7.Text
                    PI7.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT7.Text
                    PT7.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M7.Text
                    M7.Value = ""
```

```
                    Sheet3.Range("y" & (row)).Value = data.O7.Text
                    O7.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P7.Text
                    P7.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD7.Text
                    MD7.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO7.Text
                    MO7.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U7.Text
                    U7.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO7.Text
                    UO7.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI7.Text
                    MPI7.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y7.Text
                    Y7.Value = ""
                    c7.Value = ""
                    d7.Value = ""
            End If
            End If
End Sub
Private Sub EDITLIME8()
                If d8.Value = True Then
                    Sheet3.Range("v3").Value = data.c8.Text
                    row = Sheet3.Range("w3")

                If H8.Value <> "" And MM8.Value <> "" And NGI8.Value <> "" And P8.Value <> "" And MD8.Value <>
"" And MO8.Value <> "" And U8.Value <> "" And MPI8.Value <> "" And Y8.Value <> "" Then

                    Sheet3.Range("s" & (row)).Value = data.MM8.Text
                    MM8.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H8.Text
                    H8.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI8.Text
                    NGI8.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL8.Text
                    LL8.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI8.Text
                    PI8.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT8.Text
                    PT8.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M8.Text
                    M8.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O8.Text
                    O8.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P8.Text
                    P8.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD8.Text
                    MD8.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO8.Text
                    MO8.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U8.Text
                    U8.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO8.Text
                    UO8.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI8.Text
                    MPI8.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y8.Text
                    Y8.Value = ""
                    c8.Value = ""
                    d8.Value = ""
            End If
            End If
End Sub
Private Sub EDITLIME9()
                If d9.Value = True Then
                    Sheet3.Range("v3").Value = data.c9.Text
                    row = Sheet3.Range("w3")

                If H9.Value <> "" And MM9.Value <> "" And NGI9.Value <> "" And P9.Value <> "" And MD9.Value <>
"" And MO9.Value <> "" And U9.Value <> "" And MPI9.Value <> "" And Y9.Value <> "" Then

                    Sheet3.Range("s" & (row)).Value = data.MM9.Text
                    MM9.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H9.Text
                    H9.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI9.Text
                    NGI9.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL9.Text
```

```
                    LL9.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI9.Text
                    PI9.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT9.Text
                    PT9.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M9.Text
                    M9.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O9.Text
                    O9.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P9.Text
                    P9.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD9.Text
                    MD9.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO9.Text
                    MO9.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U9.Text
                    U9.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO9.Text
                    UO9.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI9.Text
                    MPI9.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y9.Text
                    Y9.Value = ""
                    c9.Value = ""
                    d9.Value = ""
            End If
            End If
End Sub
Private Sub EDITLIME10()
            If d10.Value = True Then
                Sheet3.Range("v3").Value = data.c10.Text
                row = Sheet3.Range("w3")
            If H10.Value <> "" And MM10.Value <> "" And NGI10.Value <> "" And P10.Value <> "" And MD10.Value <>
"" And MO10.Value <> "" And U10.Value <> "" And MPI10.Value <> "" And Y10.Value <> "" Then

                    Sheet3.Range("s" & (row)).Value = data.MM10.Text
                    MM10.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H10.Text
                    H10.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI10.Text
                    NGI10.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL10.Text
                    LL10.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI10.Text
                    PI10.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT10.Text
                    PT10.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M10.Text
                    M10.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O10.Text
                    O10.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P10.Text
                    P10.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD10.Text
                    MD10.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO10.Text
                    MO10.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U10.Text
                    U10.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO10.Text
                    UO10.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI10.Text
                    MPI10.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y10.Text
                    Y10.Value = ""
                    c10.Value = ""
                    d10.Value = ""
             End If
             End If
End Sub
Private Sub editinsert_Click()

    If add.Value <> "FLYASH" And add.Value <> "CKD" And add.Value <> "LIME" Then
       prompt = "Missing Additive Type"
       status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Error")


    Else
    If add.Value = "FLYASH" Then
                        EDITFLYASH1
```

```
                        EDITFLYASH2
                        EDITFLYASH3
                        EDITFLYASH4
                        EDITFLYASH5
                        EDITFLYASH6
                        EDITFLYASH7
                        EDITFLYASH8
                        EDITFLYASH9
                        EDITFLYASH10

    Sheets("FLYASH").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("FLYASH").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

    Else
    If add.Value = "CKD" Then
                        EDITCKD1
                        EDITCKD2
                        EDITCKD3
                        EDITCKD4
                        EDITCKD5
                        EDITCKD6
                        EDITCKD7
                        EDITCKD8
                        EDITCKD9
                        EDITCKD10

    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

    Else
    If add.Value = "LIME" Then
        Label21.Visible = False
        UO1.Visible = False

                        EDITLIME1
                        EDITLIME2
                        EDITLIME3
                        EDITLIME4
                        EDITLIME5
                        EDITLIME6
                        EDITLIME7
                        EDITLIME8
                        EDITLIME9
                        EDITLIME10

    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
```

```
        .Apply
        Sheets("Sheet1").Select
    End With


End If
End If
End If
End If
End Sub
Private Sub exitmode_Click()
FORMATVIEWMODE
    Sheets("FLYASH").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("FLYASH").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
    Sheets("Sheet1").Select
    End With

    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
End Sub
Private Sub INSERTFLYASH1()
                If H1.Value <> "" And MM1.Value <> "" And NGI1.Value <> "" And P1.Value <> "" And MD1.Value <>
"" And MO1.Value <> "" And U1.Value <> "" And UO1.Value <> "" And MPI1.Value <> "" And Y1.Value <> "" Then
                  lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                   Sheet2.Range("t29").Value = lastrow + 1
                   row = Sheet2.Range("t29")
                   'Change data to Integer format
                   Sheet2.Range("s" & (row)).Value = data.MM1.Text
                   MM1.Value = ""
                   Sheet2.Range("r" & (row)).Value = data.H1.Text
                   H1.Value = ""
                   Sheet2.Range("t" & (row)).Value = data.NGI1.Text
                   NGI1.Value = ""
                   Sheet2.Range("u" & (row)).Value = data.LL1.Text
                   LL1.Value = ""
                   Sheet2.Range("v" & (row)).Value = data.PI1.Text
                   PI1.Value = ""
                   Sheet2.Range("w" & (row)).Value = data.PT1.Text
                   PT1.Value = ""
                   Sheet2.Range("x" & (row)).Value = data.M1.Text
                   M1.Value = ""
                   Sheet2.Range("y" & (row)).Value = data.O1.Text
                   O1.Value = ""
                   Sheet2.Range("ab" & (row)).Value = data.P1.Text
```

```
                    P1.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD1.Text
                    MD1.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO1.Text
                    MO1.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U1.Text
                    U1.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO1.Text
                    UO1.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI1.Text
                    MPI1.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y1.Text
                    Y1.Value = ""
                             Sheet2.Range("z" & (row)).Value =
                             Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

          End If
End Sub
Private Sub INSERTFLYASH2()      'Save Data Entered in the Main Model Sheet to Flyash
          If H2.Value <> "" And MM2.Value <> "" And NGI2.Value <> "" And P2.Value <> "" And MD2.Value <> ""
And MO2.Value <> "" And U2.Value <> "" And UO2.Value <> "" And MPI2.Value <> "" And Y2.Value <> "" Then
                    lastrow = Sheet2.Range("r" &
                             Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    'Send data to Flyash sheet
                    Sheet2.Range("s" & (row)).Value = data.MM2.Text
                    MM2.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H2.Text
                    H2.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI2.Text
                    NGI2.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL2.Text
                    LL2.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI2.Text
                    PI2.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT2.Text
                    PT2.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M2.Text
                    M2.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O2.Text
                    O2.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P2.Text
                    P2.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD2.Text
                    MD2.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO2.Text
                    MO2.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U2.Text
                    U2.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO2.Text
                    UO2.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI2.Text
                    MPI2.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y2.Text
                    Y2.Value = ""
                      Sheet2.Range("z" & (row)).Value =
        Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

          End If
End Sub
Private Sub INSERTFLYASH3()      'Save the Data in the Main Model Sheet to Flyash
            If H3.Value <> "" And MM3.Value <> "" And NGI3.Value <> "" And P3.Value <> "" And MD3.Value <>
"" And MO3.Value <> "" And U3.Value <> "" And UO3.Value <> "" And MPI3.Value <> "" And Y3.Value <> "" Then
                      lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    'Send data to Flyash sheet
                    Sheet2.Range("s" & (row)).Value = data.MM3.Text
                    MM3.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H3.Text
                    H3.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI3.Text
                    NGI3.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL3.Text
                    LL3.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI3.Text
```

```
                    PI3.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT3.Text
                    PT3.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M3.Text
                    M3.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O3.Text
                    O3.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P3.Text
                    P3.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD3.Text
                    MD3.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO3.Text
                    MO3.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U3.Text
                    U3.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO3.Text
                    UO3.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI3.Text
                    MPI3.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y3.Text
                    Y3.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

            End If
End Sub
Private Sub INSERTFLYASH4()
                If H4.Value <> "" And MM4.Value <> "" And NGI4.Value <> "" And P4.Value <> "" And MD4.Value <>
"" And MO4.Value <> "" And U4.Value <> "" And UO4.Value <> "" And MPI4.Value <> "" And Y4.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    Sheet2.Range("s" & (row)).Value = data.MM4.Text
                    MM4.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H4.Text
                    H4.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI4.Text
                    NGI4.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL4.Text
                    LL4.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI4.Text
                    PI4.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT4.Text
                    PT4.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M4.Text
                    M4.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O4.Text
                    O4.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P4.Text
                    P4.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD4.Text
                    MD4.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO4.Text
                    MO4.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U4.Text
                    U4.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO4.Text
                    UO4.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI4.Text
                    MPI4.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y4.Text
                    Y4.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

            End If
End Sub
Private Sub INSERTFLYASH5()
                If H5.Value <> "" And MM5.Value <> "" And NGI5.Value <> "" And P5.Value <> "" And MD5.Value <>
"" And MO5.Value <> "" And U5.Value <> "" And UO5.Value <> "" And MPI5.Value <> "" And Y5.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    Sheet2.Range("s" & (row)).Value = data.MM5.Text
                    MM5.Value = ""
```

```
                    Sheet2.Range("r" & (row)).Value = data.H5.Text
                    H5.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI5.Text
                    NGI5.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL5.Text
                    LL5.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI5.Text
                    PI5.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT5.Text
                    PT5.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M5.Text
                    M5.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O5.Text
                    O5.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P5.Text
                    P5.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD5.Text
                    MD5.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO5.Text
                    MO5.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U5.Text
                    U5.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO5.Text
                    UO5.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI5.Text
                    MPI5.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y5.Text
                    Y5.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

            End If
End Sub
Private Sub INSERTFLYASH6()     'CODE FOR SAVING IN ANY MODE FORM FLYASH
                If H6.Value <> "" And MM6.Value <> "" And NGI6.Value <> "" And P6.Value <> "" And MD6.Value <>
"" And MO6.Value <> "" And U6.Value <> "" And UO6.Value <> "" And MPI6.Value <> "" And Y6.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    'SAVE DATA IN FLYASH SHEET
                    Sheet2.Range("s" & (row)).Value = data.MM6.Text
                    MM6.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H6.Text
                    H6.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI6.Text
                    NGI6.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL6.Text
                    LL6.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI6.Text
                    PI6.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT6.Text
                    PT6.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M6.Text
                    M6.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O6.Text
                    O6.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P6.Text
                    P6.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD6.Text
                    MD6.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO6.Text
                    MO6.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U6.Text
                    U6.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO6.Text
                    UO6.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI6.Text
                    MPI6.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y6.Text
                    Y6.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

            End If
End Sub
Private Sub INSERTFLYASH7()     'CODE FOR SAVING IN ANY MODE FORM FLYASH
```

```
If H7.Value <> "" And MM7.Value <> "" And NGI7.Value <> "" And P7.Value <> "" And MD7.Value <> "" And MO7.Value
<> "" And U7.Value <> "" And UO7.Value <> "" And MPI7.Value <> "" And Y7.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    'Cut & Paste to 'Flyash' sheet
                    Sheet2.Range("s" & (row)).Value = data.MM7.Text
                    MM7.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H7.Text
                    H7.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI7.Text
                    NGI7.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL7.Text
                    LL7.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI7.Text
                    PI7.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT7.Text
                    PT7.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M7.Text
                    M7.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O7.Text
                    O7.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P7.Text
                    P7.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD7.Text
                    MD7.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO7.Text
                    MO7.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U7.Text
                    U7.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO7.Text
                    UO7.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI7.Text
                    MPI7.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y7.Text
                    Y7.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

        End If
End Sub
Private Sub INSERTFLYASH8()      'CUT& PAS DATA OF ACID MOLE %AGE FLYASH
If H8.Value <> "" And MM8.Value <> "" And NGI8.Value <> "" And P8.Value <> "" And MD8.Value <> "" And MO8.Value
<> "" And U8.Value <> "" And UO8.Value <> "" And MPI8.Value <> "" And Y8.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    'Cut & Paste to Flyash sheet
                    Sheet2.Range("s" & (row)).Value = data.MM8.Text
                    MM8.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H8.Text
                    H8.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI8.Text
                    NGI8.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL8.Text
                    LL8.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI8.Text
                    PI8.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT8.Text
                    PT8.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M8.Text
                    M8.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O8.Text
                    O8.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P8.Text
                    P8.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD8.Text
                    MD8.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO8.Text
                    MO8.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U8.Text
                    U8.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO8.Text
                    UO8.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI8.Text
                    MPI8.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y8.Text
                    Y8.Value = ""
```

```
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

        End If
End Sub
Private Sub INSERTFLYASH9()
If H9.Value <> "" And MM9.Value <> "" And NGI9.Value <> "" And P9.Value <> "" And MD9.Value <> "" And MO9.Value
<> "" And U9.Value <> "" And UO9.Value <> "" And MPI9.Value <> "" And Y9.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    Sheet2.Range("s" & (row)).Value = data.MM9.Text
                    MM9.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H9.Text
                    H9.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI9.Text
                    NGI9.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL9.Text
                    LL9.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI9.Text
                    PI9.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT9.Text
                    PT9.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M9.Text
                    M9.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O9.Text
                    O9.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P9.Text
                    P9.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD9.Text
                    MD9.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO9.Text
                    MO9.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U9.Text
                    U9.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO9.Text
                    UO9.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI9.Text
                    MPI9.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y9.Text
                    Y9.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

        End If
End Sub
Private Sub INSERTFLYASH10()
If H10.Value <> "" And MM10.Value <> "" And NGI10.Value <> "" And P10.Value <> "" And MD10.Value <> "" And
MO10.Value <> "" And U10.Value <> "" And UO10.Value <> "" And MPI10.Value <> "" And Y10.Value <> "" Then
                        lastrow = Sheet2.Range("r" & Rows.Count).End(xlUp).row
                    Sheet2.Range("t29").Value = lastrow + 1
                    row = Sheet2.Range("t29")
                    Sheet2.Range("s" & (row)).Value = data.MM10.Text
                    MM10.Value = ""
                    Sheet2.Range("r" & (row)).Value = data.H10.Text
                    H10.Value = ""
                    Sheet2.Range("t" & (row)).Value = data.NGI10.Text
                    NGI10.Value = ""
                    Sheet2.Range("u" & (row)).Value = data.LL10.Text
                    LL10.Value = ""
                    Sheet2.Range("v" & (row)).Value = data.PI10.Text
                    PI10.Value = ""
                    Sheet2.Range("w" & (row)).Value = data.PT10.Text
                    PT10.Value = ""
                    Sheet2.Range("x" & (row)).Value = data.M10.Text
                    M10.Value = ""
                    Sheet2.Range("y" & (row)).Value = data.O10.Text
                    O10.Value = ""
                    Sheet2.Range("ab" & (row)).Value = data.P10.Text
                    P10.Value = ""
                    Sheet2.Range("ac" & (row)).Value = data.MD10.Text
                    MD10.Value = ""
                    Sheet2.Range("ad" & (row)).Value = data.MO10.Text
                    MO10.Value = ""
                    Sheet2.Range("ae" & (row)).Value = data.U10.Text
```

```
                    U10.Value = ""
                    Sheet2.Range("af" & (row)).Value = data.UO10.Text
                    UO10.Value = ""
                    Sheet2.Range("ag" & (row)).Value = data.MPI10.Text
                    MPI10.Value = ""
                    Sheet2.Range("ah" & (row)).Value = data.Y10.Text
                    Y10.Value = ""
                    Sheet2.Range("z" & (row)).Value =
Sheet2.Range("aa24") + 1
                    c1.Value = ""
                    Sheet2.Range("aa" & (row)).Value = "Flyash"

        End If
End Sub
Private Sub INSERTCKD1()          'COPY ROW BELOW TO PASTE NODE BURN CKD
                If H1.Value <> "" And MM1.Value <> "" And NGI1.Value <> "" And P1.Value <> "" And MD1.Value <>
"" And MO1.Value <> "" And U1.Value <> "" And UO1.Value <> "" And MPI1.Value <> "" And Y1.Value <> "" Then
                            lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    'Send data to CKD sheet
                    Sheet6.Range("s" & (row)).Value = data.MM1.Text
                    MM1.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H1.Text
                    H1.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI1.Text
                    NGI1.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL1.Text
                    LL1.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI1.Text
                    PI1.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT1.Text
                    PT1.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M1.Text
                    M1.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O1.Text
                    O1.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P1.Text
                    P1.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD1.Text
                    MD1.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO1.Text
                    MO1.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U1.Text
                    U1.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO1.Text
                    UO1.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI1.Text
                    MPI1.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y1.Text
                    Y1.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24")
                    c1.Value = ""
                    Sheet6.Range("aa" & (row)).Value = "CKD"

            End If
End Sub
Private Sub INSERTCKD2()          'COPY ROW BELOW TO PASTE NODE BURN CKD
            If H2.Value <> "" And MM2.Value <> "" And NGI2.Value <> "" And P2.Value <> "" And MD2.Value <> ""
And MO2.Value <> "" And U2.Value <> "" And UO2.Value <> "" And MPI2.Value <> "" And Y2.Value <> "" Then
                            lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    'Send data to CKD sheet
                    Sheet6.Range("s" & (row)).Value = data.MM2.Text
                    MM2.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H2.Text
                    H2.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI2.Text
                    NGI2.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL2.Text
                    LL2.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI2.Text
                    PI2.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT2.Text
                    PT2.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M2.Text
                    M2.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O2.Text
                    O2.Value = ""
```

```
                    Sheet6.Range("ab" & (row)).Value = data.P2.Text
                    P2.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD2.Text
                    MD2.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO2.Text
                    MO2.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U2.Text
                    U2.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO2.Text
                    UO2.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI2.Text
                    MPI2.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y2.Text
                    Y2.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    c1.Value = ""
                    Sheet6.Range("aa" & (row)).Value = "CKD"

                End If
End Sub
Private Sub INSERTCKD3()
                If H3.Value <> "" And MM3.Value <> "" And NGI3.Value <> "" And P3.Value <> "" And MD3.Value <>
"" And MO3.Value <> "" And U3.Value <> "" And UO3.Value <> "" And MPI3.Value <> "" And Y3.Value <> "" Then
                        lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    'Sends data to CKD sheet
                    Sheet6.Range("s" & (row)).Value = data.MM3.Text
                    MM3.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H3.Text
                    H3.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI3.Text
                    NGI3.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL3.Text
                    LL3.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI3.Text
                    PI3.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT3.Text
                    PT3.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M3.Text
                    M3.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O3.Text
                    O3.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P3.Text
                    P3.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD3.Text
                    MD3.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO3.Text
                    MO3.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U3.Text
                    U3.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO3.Text
                    UO3.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI3.Text
                    MPI3.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y3.Text
                    Y3.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

                End If
End Sub
Private Sub INSERTCKD4()
                If H4.Value <> "" And MM4.Value <> "" And NGI4.Value <> "" And P4.Value <> "" And MD4.Value <>
"" And MO4.Value <> "" And U4.Value <> "" And UO4.Value <> "" And MPI4.Value <> "" And Y4.Value <> "" Then
                        lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    'Sends data to CKD sheet
                    Sheet6.Range("s" & (row)).Value = data.MM4.Text
                    MM4.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H4.Text
                    H4.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI4.Text
                    NGI4.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL4.Text
                    LL4.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI4.Text
                    PI4.Value = ""
```

```
                    Sheet6.Range("w" & (row)).Value = data.PT4.Text
                    PT4.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M4.Text
                    M4.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O4.Text
                    O4.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P4.Text
                    P4.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD4.Text
                    MD4.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO4.Text
                    MO4.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U4.Text
                    U4.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO4.Text
                    UO4.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI4.Text
                    MPI4.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y4.Text
                    Y4.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

                End If
End Sub
Private Sub INSERTCKD5()
                If H5.Value <> "" And MM5.Value <> "" And NGI5.Value <> "" And P5.Value <> "" And MD5.Value <>
"" And MO5.Value <> "" And U5.Value <> "" And UO5.Value <> "" And MPI5.Value <> "" And Y5.Value <> "" Then
                            lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    Sheet6.Range("s" & (row)).Value = data.MM5.Text
                    MM5.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H5.Text
                    H5.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI5.Text
                    NGI5.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL5.Text
                    LL5.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI5.Text
                    PI5.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT5.Text
                    PT5.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M5.Text
                    M5.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O5.Text
                    O5.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P5.Text
                    P5.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD5.Text
                    MD5.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO5.Text
                    MO5.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U5.Text
                    U5.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO5.Text
                    UO5.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI5.Text
                    MPI5.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y5.Text
                    Y5.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

                End If
End Sub
Private Sub INSERTCKD6()
                If H6.Value <> "" And MM6.Value <> "" And NGI6.Value <> "" And P6.Value <> "" And MD6.Value <>
"" And MO6.Value <> "" And U6.Value <> "" And UO6.Value <> "" And MPI6.Value <> "" And Y6.Value <> "" Then
                            lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    Sheet6.Range("s" & (row)).Value = data.MM6.Text
                    MM6.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H6.Text
                    H6.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI6.Text
```

```
                    NGI6.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL6.Text
                    LL6.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI6.Text
                    PI6.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT6.Text
                    PT6.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M6.Text
                    M6.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O6.Text
                    O6.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P6.Text
                    P6.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD6.Text
                    MD6.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO6.Text
                    MO6.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U6.Text
                    U6.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO6.Text
                    UO6.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI6.Text
                    MPI6.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y6.Text
                    Y6.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

                End If
End Sub
Private Sub INSERTCKD7()
                If H7.Value <> "" And MM7.Value <> "" And NGI7.Value <> "" And P7.Value <> "" And MD7.Value <>
"" And MO7.Value <> "" And U7.Value <> "" And UO7.Value <> "" And MPI7.Value <> "" And Y7.Value <> "" Then
                        lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    Sheet6.Range("s" & (row)).Value = data.MM7.Text
                    MM7.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H7.Text
                    H7.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI7.Text
                    NGI7.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL7.Text
                    LL7.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI7.Text
                    PI7.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT7.Text
                    PT7.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M7.Text
                    M7.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O7.Text
                    O7.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P7.Text
                    P7.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD7.Text
                    MD7.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO7.Text
                    MO7.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U7.Text
                    U7.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO7.Text
                    UO7.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI7.Text
                    MPI7.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y7.Text
                    Y7.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

        End If
End Sub
Private Sub INSERTCKD8()
                If H8.Value <> "" And MM8.Value <> "" And NGI8.Value <> "" And P8.Value <> "" And MD8.Value <>
"" And MO8.Value <> "" And U8.Value <> "" And UO8.Value <> "" And MPI8.Value <> "" And Y8.Value <> "" Then
                        lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
```

```
                    Sheet6.Range("s" & (row)).Value = data.MM8.Text
                    MM8.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H8.Text
                    H8.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI8.Text
                    NGI8.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL8.Text
                    LL8.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI8.Text
                    PI8.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT8.Text
                    PT8.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M8.Text
                    M8.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O8.Text
                    O8.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P8.Text
                    P8.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD8.Text
                    MD8.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO8.Text
                    MO8.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U8.Text
                    U8.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO8.Text
                    UO8.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI8.Text
                    MPI8.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y8.Text
                    Y8.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

        End If
End Sub
Private Sub INSERTCKD9()
            If H9.Value <> "" And MM9.Value <> "" And NGI9.Value <> "" And P9.Value <> "" And MD9.Value <>
"" And MO9.Value <> "" And U9.Value <> "" And UO9.Value <> "" And MPI9.Value <> "" And Y9.Value <> "" Then
                        lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    Sheet6.Range("s" & (row)).Value = data.MM9.Text
                    MM9.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H9.Text
                    H9.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI9.Text
                    NGI9.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL9.Text
                    LL9.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI9.Text
                    PI9.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT9.Text
                    PT9.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M9.Text
                    M9.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O9.Text
                    O9.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P9.Text
                    P9.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD9.Text
                    MD9.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO9.Text
                    MO9.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U9.Text
                    U9.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO9.Text
                    UO9.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI9.Text
                    MPI9.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y9.Text
                    Y9.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

        End If
End Sub
Private Sub INSERTCKD10()
```

```
                If H10.Value <> "" And MM10.Value <> "" And NGI10.Value <> "" And P10.Value <> "" And
MD10.Value <> "" And MO10.Value <> "" And U10.Value <> "" And UO10.Value <> "" And MPI10.Value <> "" And
Y10.Value <> "" Then
                        lastrow = Sheet6.Range("r" & Rows.Count).End(xlUp).row
                    Sheet6.Range("t29").Value = lastrow + 1
                    row = Sheet6.Range("t29")
                    'Send data to [illegible] sheet
                    Sheet6.Range("s" & (row)).Value = data.MM10.Text
                    MM10.Value = ""
                    Sheet6.Range("r" & (row)).Value = data.H10.Text
                    H10.Value = ""
                    Sheet6.Range("t" & (row)).Value = data.NGI10.Text
                    NGI10.Value = ""
                    Sheet6.Range("u" & (row)).Value = data.LL10.Text
                    LL10.Value = ""
                    Sheet6.Range("v" & (row)).Value = data.PI10.Text
                    PI10.Value = ""
                    Sheet6.Range("w" & (row)).Value = data.PT10.Text
                    PT10.Value = ""
                    Sheet6.Range("x" & (row)).Value = data.M10.Text
                    M10.Value = ""
                    Sheet6.Range("y" & (row)).Value = data.O10.Text
                    O10.Value = ""
                    Sheet6.Range("ab" & (row)).Value = data.P10.Text
                    P10.Value = ""
                    Sheet6.Range("ac" & (row)).Value = data.MD10.Text
                    MD10.Value = ""
                    Sheet6.Range("ad" & (row)).Value = data.MO10.Text
                    MO10.Value = ""
                    Sheet6.Range("ae" & (row)).Value = data.U10.Text
                    U10.Value = ""
                    Sheet6.Range("af" & (row)).Value = data.UO10.Text
                    UO10.Value = ""
                    Sheet6.Range("ag" & (row)).Value = data.MPI10.Text
                    MPI10.Value = ""
                    Sheet6.Range("ah" & (row)).Value = data.Y10.Text
                    Y10.Value = ""
                    Sheet6.Range("z" & (row)).Value =
Sheet6.Range("aa24") + 1
                    Sheet6.Range("aa" & (row)).Value = "CKD"

        End If

End Sub
Private Sub INSERTLIME1()       'CODE FOR INSERTING DATA INTO SECOND WORKSHEET FROM FORM
                If H1.Value <> "" And MM1.Value <> "" And NGI1.Value <> "" And P1.Value <> "" And MD1.Value <>
"" And MO1.Value <> "" And U1.Value <> "" And MPI1.Value <> "" And Y1.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    'Send data to [illegible] sheet

                    Sheet3.Range("s" & (row)).Value = data.MM1.Text
                    MM1.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H1.Text
                    H1.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI1.Text
                    NGI1.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL1.Text
                    LL1.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI1.Text
                    PI1.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT1.Text
                    PT1.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M1.Text
                    M1.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O1.Text
                    O1.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P1.Text
                    P1.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD1.Text
                    MD1.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO1.Text
                    MO1.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U1.Text
                    U1.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO1.Text
                    UO1.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI1.Text
                    MPI1.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y1.Text
```

```
                    Y1.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

            End If
End Sub
Private Sub INSERTLIME2()           'COPY ROW BELOW IF ALL VALUES POPULATED
            If H2.Value <> "" And MM2.Value <> "" And NGI2.Value <> "" And P2.Value <> "" And MD2.Value <> ""
And MO2.Value <> "" And U2.Value <> "" And MPI2.Value <> "" And Y2.Value <> "" Then
                    lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    'Send data to LIME sheet
                    Sheet3.Range("s" & (row)).Value = data.MM2.Text
                    MM2.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H2.Text
                    H2.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI2.Text
                    NGI2.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL2.Text
                    LL2.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI2.Text
                    PI2.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT2.Text
                    PT2.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M2.Text
                    M2.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O2.Text
                    O2.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P2.Text
                    P2.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD2.Text
                    MD2.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO2.Text
                    MO2.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U2.Text
                    U2.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO2.Text
                    UO2.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI2.Text
                    MPI2.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y2.Text
                    Y2.Value = ""
                    Sheet3.Range("z" & (row)).Value = Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

            End If
End Sub
Private Sub INSERTLIME3()           'COPY ROW BELOW IF ALL VALUES POPULATED
            If H3.Value <> "" And MM3.Value <> "" And NGI3.Value <> "" And P3.Value <> "" And MD3.Value <>
"" And MO3.Value <> "" And U3.Value <> "" And MPI3.Value <> "" And Y3.Value <> "" Then
                    lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                Sheet3.Range("t29").Value = lastrow + 1
                row = Sheet3.Range("t29")
                'Send data to LIME sheet
                Sheet3.Range("s" & (row)).Value = data.MM3.Text
                MM3.Value = ""
                Sheet3.Range("r" & (row)).Value = data.H3.Text
                H3.Value = ""
                Sheet3.Range("t" & (row)).Value = data.NGI3.Text
                NGI3.Value = ""
                Sheet3.Range("u" & (row)).Value = data.LL3.Text
                LL3.Value = ""
                Sheet3.Range("v" & (row)).Value = data.PI3.Text
                PI3.Value = ""
                Sheet3.Range("w" & (row)).Value = data.PT3.Text
                PT3.Value = ""
                Sheet3.Range("x" & (row)).Value = data.M3.Text
                M3.Value = ""
                Sheet3.Range("y" & (row)).Value = data.O3.Text
                O3.Value = ""
                Sheet3.Range("ab" & (row)).Value = data.P3.Text
                P3.Value = ""
                Sheet3.Range("ac" & (row)).Value = data.MD3.Text
                MD3.Value = ""
                Sheet3.Range("ad" & (row)).Value = data.MO3.Text
                MO3.Value = ""
                Sheet3.Range("ae" & (row)).Value = data.U3.Text
                U3.Value = ""
                Sheet3.Range("af" & (row)).Value = data.UO3.Text
```

```
                    UO3.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI3.Text
                    MPI3.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y3.Text
                    Y3.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME4()
                If H4.Value <> "" And MM4.Value <> "" And NGI4.Value <> "" And P4.Value <> "" And MD4.Value <>
"" And MO4.Value <> "" And U4.Value <> "" And MPI4.Value <> "" And Y4.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    Sheet3.Range("s" & (row)).Value = data.MM4.Text
                    MM4.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H4.Text
                    H4.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI4.Text
                    NGI4.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL4.Text
                    LL4.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI4.Text
                    PI4.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT4.Text
                    PT4.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M4.Text
                    M4.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O4.Text
                    O4.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P4.Text
                    P4.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD4.Text
                    MD4.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO4.Text
                    MO4.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U4.Text
                    U4.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO4.Text
                    UO4.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI4.Text
                    MPI4.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y4.Text
                    Y4.Value = ""
                    Sheet3.Range("z" & (row)).Value = Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME5()
                If H5.Value <> "" And MM5.Value <> "" And NGI5.Value <> "" And P5.Value <> "" And MD5.Value <>
"" And MO5.Value <> "" And U5.Value <> "" And MPI5.Value <> "" And Y5.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    Sheet3.Range("s" & (row)).Value = data.MM5.Text
                    MM5.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H5.Text
                    H5.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI5.Text
                    NGI5.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL5.Text
                    LL5.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI5.Text
                    PI5.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT5.Text
                    PT5.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M5.Text
                    M5.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O5.Text
                    O5.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P5.Text
                    P5.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD5.Text
                    MD5.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO5.Text
```

```
                    MO5.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U5.Text
                    U5.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO5.Text
                    UO5.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI5.Text
                    MPI5.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y5.Text
                    Y5.Value = ""
                    Sheet3.Range("z" & (row)).Value = Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME6()
                If H6.Value <> "" And MM6.Value <> "" And NGI6.Value <> "" And P6.Value <> "" And MD6.Value <>
"" And MO6.Value <> "" And U6.Value <> "" And MPI6.Value <> "" And Y6.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    'Send data to LIME sheet
                    Sheet3.Range("s" & (row)).Value = data.MM6.Text
                    MM6.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H6.Text
                    H6.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI6.Text
                    NGI6.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL6.Text
                    LL6.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI6.Text
                    PI6.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT6.Text
                    PT6.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M6.Text
                    M6.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O6.Text
                    O6.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P6.Text
                    P6.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD6.Text
                    MD6.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO6.Text
                    MO6.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U6.Text
                    U6.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO6.Text
                    UO6.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI6.Text
                    MPI6.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y6.Text
                    Y6.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME7()
                If H7.Value <> "" And MM7.Value <> "" And NGI7.Value <> "" And P7.Value <> "" And MD7.Value <>
"" And MO7.Value <> "" And U7.Value <> "" And MPI7.Value <> "" And Y7.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                     'Send data to LIME sheet
                    Sheet3.Range("s" & (row)).Value = data.MM7.Text
                    MM7.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H7.Text
                    H7.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI7.Text
                    NGI7.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL7.Text
                    LL7.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI7.Text
                    PI7.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT7.Text
                    PT7.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M7.Text
                    M7.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O7.Text
                    O7.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P7.Text
```

```
                    P7.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD7.Text
                    MD7.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO7.Text
                    MO7.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U7.Text
                    U7.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO7.Text
                    UO7.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI7.Text
                    MPI7.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y7.Text
                    Y7.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME8()
                If H8.Value <> "" And MM8.Value <> "" And NGI8.Value <> "" And P8.Value <> "" And MD8.Value <>
"" And MO8.Value <> "" And U8.Value <> "" And MPI8.Value <> "" And Y8.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    Sheet3.Range("s" & (row)).Value = data.MM8.Text
                    MM8.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H8.Text
                    H8.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI8.Text
                    NGI8.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL8.Text
                    LL8.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI8.Text
                    PI8.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT8.Text
                    PT8.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M8.Text
                    M8.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O8.Text
                    O8.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P8.Text
                    P8.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD8.Text
                    MD8.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO8.Text
                    MO8.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U8.Text
                    U8.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO8.Text
                    UO8.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI8.Text
                    MPI8.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y8.Text
                    Y8.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME9()
                If H9.Value <> "" And MM9.Value <> "" And NGI9.Value <> "" And P9.Value <> "" And MD9.Value <>
"" And MO9.Value <> "" And U9.Value <> "" And MPI9.Value <> "" And Y9.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    Sheet3.Range("s" & (row)).Value = data.MM9.Text
                    MM9.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H9.Text
                    H9.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI9.Text
                    NGI9.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL9.Text
                    LL9.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI9.Text
                    PI9.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT9.Text
                    PT9.Value = ""
```

```
                    Sheet3.Range("x" & (row)).Value = data.M9.Text
                    M9.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O9.Text
                    O9.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P9.Text
                    P9.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD9.Text
                    MD9.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO9.Text
                    MO9.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U9.Text
                    U9.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO9.Text
                    UO9.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI9.Text
                    MPI9.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y9.Text
                    Y9.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTLIME10()
                If H10.Value <> "" And MM10.Value <> "" And NGI10.Value <> "" And P10.Value <> "" And
MD10.Value <> "" And MO10.Value <> "" And U10.Value <> "" And MPI10.Value <> "" And Y10.Value <> "" Then
                        lastrow = Sheet3.Range("r" & Rows.Count).End(xlUp).row
                    Sheet3.Range("t29").Value = lastrow + 1
                    row = Sheet3.Range("t29")
                    Sheet3.Range("s" & (row)).Value = data.MM10.Text
                    MM10.Value = ""
                    Sheet3.Range("r" & (row)).Value = data.H10.Text
                    H10.Value = ""
                    Sheet3.Range("t" & (row)).Value = data.NGI10.Text
                    NGI10.Value = ""
                    Sheet3.Range("u" & (row)).Value = data.LL10.Text
                    LL10.Value = ""
                    Sheet3.Range("v" & (row)).Value = data.PI10.Text
                    PI10.Value = ""
                    Sheet3.Range("w" & (row)).Value = data.PT10.Text
                    PT10.Value = ""
                    Sheet3.Range("x" & (row)).Value = data.M10.Text
                    M10.Value = ""
                    Sheet3.Range("y" & (row)).Value = data.O10.Text
                    O10.Value = ""
                    Sheet3.Range("ab" & (row)).Value = data.P10.Text
                    P10.Value = ""
                    Sheet3.Range("ac" & (row)).Value = data.MD10.Text
                    MD10.Value = ""
                    Sheet3.Range("ad" & (row)).Value = data.MO10.Text
                    MO10.Value = ""
                    Sheet3.Range("ae" & (row)).Value = data.U10.Text
                    U10.Value = ""
                    Sheet3.Range("af" & (row)).Value = data.UO10.Text
                    UO10.Value = ""
                    Sheet3.Range("ag" & (row)).Value = data.MPI10.Text
                    MPI10.Value = ""
                    Sheet3.Range("ah" & (row)).Value = data.Y10.Text
                    Y10.Value = ""
                    Sheet3.Range("z" & (row)).Value =
Sheet3.Range("aa24") + 1
                    Sheet3.Range("aa" & (row)).Value = "Lime"

                End If
End Sub
Private Sub INSERTMODE_Click()

    If INSERTMODE.Caption = "INSERT MODE" Then  'View mode
        Label36.Visible = False
        data.CLEARFORM
        FORMATINSERTMODE
        MMENU.Visible = False
        Label32.Visible = False
        SortSample.Visible = False
        sorthighway.Visible = False
        sortngi.Visible = False
        Label35.Visible = False
        editmode.Visible = False
        cl.Visible = False
```

```
        c2.Visible = False
        c3.Visible = False
        c4.Visible = False
        c5.Visible = False
        c6.Visible = False
        c7.Visible = False
        c8.Visible = False
        c9.Visible = False
        c10.Visible = False
            prompt = "Each record must have Highway, Mile Marker, NGI, and Modified Soil Properties to be
inserted into database. ***IMPORTANT***: If data does not disappear after clicking insert button then Highway,
Mile Marker, NGI, and Modified Soil Properties data MUST be entered."
        status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Message")


        Else
        If ADDINSERT.Value <> "FLYASH" And ADDINSERT.Value <> "CKD" And ADDINSERT.Value <> "LIME" Then
         prompt = "Missing Additive Type"
         status = MsgBox(prompt, vbOKOnly + vbApplicationModal, "Error")

            Else
                If ADDINSERT.Text = "FLYASH" Then
                            INSERTFLYASH1
                            INSERTFLYASH2
                            INSERTFLYASH3
                            INSERTFLYASH4
                            INSERTFLYASH5
                            INSERTFLYASH6
                            INSERTFLYASH7
                            INSERTFLYASH8
                            INSERTFLYASH9
                            INSERTFLYASH10

    Sheets("FLYASH").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("FLYASH").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With


 Else
            If ADDINSERT.Value = "CKD" Then
                            INSERTCKD1
                            INSERTCKD2
                            INSERTCKD3
                            INSERTCKD4
                            INSERTCKD5
                            INSERTCKD6
                            INSERTCKD7
                            INSERTCKD8
                            INSERTCKD9
                            INSERTCKD10

    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

Else
            If ADDINSERT.Value = "LIME" Then
```

```
                Label21.Visible = False
                  UO1.Visible = False

                              INSERTLIME1
                              INSERTLIME2
                              INSERTLIME3
                              INSERTLIME4
                              INSERTLIME5
                              INSERTLIME6
                              INSERTLIME7
                              INSERTLIME8
                              INSERTLIME9
                              INSERTLIME10

'Sorting by tgl:
    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
    End If
End If
End If
End If
End If
End Sub
Private Sub MMENU_Click()
    Sheets("FLYASH").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("FLYASH").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("FLYASH").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
data.CLEARFORM
```

```
 data.Hide
 MainMenu.Show

End Sub
Private Sub move10_Change()
     If add.Value = "FLYASH" Then 'Works on the flyash data sheet2
     data.move10.Max = Sheet2.Range("y29").Value + data.move10.Min - 10
        row = data.move10.Value
        SHOWFLYASH
    Else
      If add.Value = "CKD" Then
      data.move10.Max = Sheet6.Range("y29").Value + data.move10.Min - 10
        row = data.move10.Value
        SHOWCKD
        Else
            If add.Value = "LIME" Then
      data.move10.Max = Sheet3.Range("y29").Value + data.move10.Min - 10
                row = data.move10.Value
                SHOWLIME
            End If
        End If
    End If
 data.MOVE2.Value = data.move10.Value
End Sub
Private Sub MOVE2_Change()

     If data.add.Value = "FLYASH" Then
        data.MOVE2.Max = Sheet2.Range("y29").Value + data.MOVE2.Min - 10
        row = data.MOVE2.Value
        SHOWFLYASH
    Else
        If data.add.Value = "CKD" Then
        data.MOVE2.Max = Sheet6.Range("y29").Value + data.MOVE2.Min - 10
        row = data.MOVE2.Value
        SHOWCKD
        Else
            If add.Value = "LIME" Then
                data.MOVE2.Max = Sheet3.Range("y29").Value + data.MOVE2.Min - 10
                row = data.MOVE2.Value
                SHOWLIME
            End If
        End If
    End If
   data.move10.Value = data.MOVE2.Value
End Sub
Private Sub sortngi_Click()
  data.MOVE2.Value = 31
  row = 31
    If add.Value = "FLYASH" Then
        SHOWFLYASH
        'Sorting by ngi
Sheets("Flyash").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("Flyash").sort
        .SetRange Range("r31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
  Else
        If add.Value = "CKD" Then
            SHOWCKD
        'Sorting by ngi
    Sheets("CKD").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
```

```
        Sheets("Sheet1").Select
    End With
    Else
        If add.Value = "LIME" Then 'Works on the LIME data sheet2
            SHOWLIME
            'Sorting by ID
    Sheets("LIME").Select
    Range("T31").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

            End If
        End If
    End If
End Sub                                                                    Private Sub sortsample_Click()
'Code for SORT BUTTON FOR SAMPLE NUMBERS

  data.MOVE2.Value = 31
  row = 31
    If add.Value = "FLYASH" Then 'Works on the flyash data sheet2
        SHOWFLYASH
        'Sorting by number
Sheets("Flyash").Select
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("Z31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("Flyash").sort
        .SetRange Range("r31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
Else
        If add.Value = "CKD" Then 'Works on the CKD data sheet3
            SHOWCKD
Sheets("CKD").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("Z31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("r31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
    Else
            If add.Value = "LIME" Then 'Works on the LIME data sheet2
                SHOWLIME
Sheets("LIME").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("Z31"), _
        SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("r31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With

            End If
        End If
    End If
```

```
End Sub                                                    Private Sub sorthighway_Click()
  data.MOVE2.Value = 31
  row = 31
    If add.Value = "FLYASH" Then
        SHOWFLYASH
Sheets("Flyash").Select
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("R31:R1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("S31:S1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    ActiveWorkbook.Worksheets("Flyash").sort.SortFields.add Key:=Range("T31:T1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("Flyash").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
Else
        If add.Value = "CKD" Then
            SHOWCKD
Sheets("CKD").Select
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("R31:R1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("S31:S1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    ActiveWorkbook.Worksheets("CKD").sort.SortFields.add Key:=Range("T31:T1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("CKD").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
Else
            If add.Value = "LIME" Then
                SHOWLIME
Sheets("LIME").Select
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.Clear
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("R31:R1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("S31:S1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    ActiveWorkbook.Worksheets("LIME").sort.SortFields.add Key:=Range("T31:T1048000" _
        ), SortOn:=xlSortOnValues, Order:=xlAscending, DataOption:=xlSortNormal
    With ActiveWorkbook.Worksheets("LIME").sort
        .SetRange Range("R31:AH1048000")
        .Header = xlNo
        .MatchCase = False
        .Orientation = xlTopToBottom
        .SortMethod = xlPinYin
        .Apply
        Sheets("Sheet1").Select
    End With
            End If
        End If
    End If
End Sub
```